



PHASE I

ENVIRONMENTAL SITE ASSESSMENT

# Door County Cherryland Airport

Proposed Runway 2/20 and Taxiway A  
Rehabilitation/Partial Reconstruction

MARCH 27, 2024

REPORT

PREPARED FOR:

Door County Cherryland Airport  
3538 Park Drive  
Sturgeon Bay, WI 54235

PREPARED BY:

**Westwood**

**Westwood**

# PHASE I ENVIRONMENTAL SITE ASSESSMENT

Door County Cherryland Airport for Proposed Runway 2/20 and  
Taxiway A Rehabilitation/Reconstruction Project

Sturgeon Bay, Wisconsin – Door County

March 27, 2024

**Prepared For:**

Door County Cherryland Airport  
3538 Park Dr, Sturgeon Bay, WI 54235  
Sturgeon Bay, WI 54235  
(920)743-3636

**Prepared By:**

Westwood Professional Services  
One Systems Drive  
Appleton, WI 54914  
(920) 735-6900

Westwood Project Number: R3001498.00



# Table of Contents

<b>1.0</b>	<b>Executive Summary</b> .....	<b>1</b>
<b>2.0</b>	<b>Introduction</b> .....	<b>2</b>
2.1	Purpose.....	2
2.2	Significant Assumptions .....	2
2.3	User Reliance .....	3
<b>3.0</b>	<b>Scope of Services and Limitations</b> .....	<b>3</b>
3.1	Scope of Services .....	3
3.2	Limitations and Exceptions.....	3
<b>4.0</b>	<b>Owner/User Provided Information</b> .....	<b>4</b>
4.1	User Questionnaire.....	4
4.2	Recorded Land Title Records .....	4
4.3	Previous Environmental Reports .....	4
<b>5.0</b>	<b>Subject Property Description</b> .....	<b>4</b>
5.1	Setting and Location .....	4
5.2	Surrounding Area Uses .....	4
<b>6.0</b>	<b>Subject Property Observations</b> .....	<b>4</b>
6.1	Current Property Use and Activity.....	5
6.2	Observations.....	5
<b>7.0</b>	<b>Surrounding Property Observations</b> .....	<b>6</b>
<b>8.0</b>	<b>Interviews</b> .....	<b>6</b>
<b>9.0</b>	<b>Historical Use Information</b> .....	<b>6</b>
9.1	Aerial Photographs .....	6
9.2	City Directories .....	7
9.3	Fire Insurance Maps .....	8
9.4	Chain-of-Title .....	8
<b>10.0</b>	<b>Physical Settings Information</b> .....	<b>8</b>
10.1	Topographic Maps.....	8
10.2	Geologic Conditions.....	8
<b>11.0</b>	<b>Environmental Records Review</b> .....	<b>9</b>
11.1	Local Sources .....	9
	Building Permit/Inspection Department.....	9
	Fire Department.....	9
	Planning/Zoning Department .....	9
	Department of Health.....	9

Tax Assessor's/Appraisal/Auditor Department .....	9
11.2 State/Tribal Sources .....	9
11.2.1 State/Tribal Sites .....	10
11.2.2 State/Tribal Solid Waste Landfill .....	10
11.2.3 State/Tribal Storage Tanks .....	10
11.2.4 State/Tribal Leaky Undergrounds Storage Tanks .....	10
11.2.5 State/Tribal VCP .....	11
11.2.6 State/Tribal IC/EC .....	11
11.2.7 State/Tribal Brownfields .....	11
11.2.8 State/Tribal Spills .....	11
11.3 Federal Sources .....	11
11.3.1 Federal NPL .....	11
11.3.2 Federal Delisted NPL .....	12
11.3.3 Federal Superfund ROD .....	12
11.3.4 Federal CERCLIS .....	12
11.3.5 Federal CERCLIS NFRAP .....	12
11.3.6 Federal SEMS .....	12
11.3.7 Federal SEMS Archive .....	12
11.3.8 Federal RCRA TSD .....	12
11.3.9 Federal RCRA COR .....	12
11.3.10 Federal RCRA GEN .....	12
11.3.11 Federal ERNS .....	13
11.3.12 Federal IC and EC Brownfield Management System .....	13
11.3.13 Federal PFAS .....	13
<b>12.0 Findings and Opinions .....</b>	<b>13</b>
<b>13.0 Conclusions .....</b>	<b>14</b>
<b>14.0 Data Gaps .....</b>	<b>14</b>
<b>15.0 General Comments .....</b>	<b>14</b>
<b>16.0 Submittal Certification .....</b>	<b>17</b>
<b>17.0 References .....</b>	<b>18</b>



## List of Appendices

Appendix 1 – Figures:

Figure 1 – Location Map

Figure 2 – Subject Property Site Map

Appendix 2 – Resumes

Appendix 3 – User Questionnaire

Appendix 4 – Photo Log

Appendix 5 – ERIS Aerial Photographs

Appendix 6 – ERIS City Directories

Appendix 7 – ERIS Fire Insurance Maps

Appendix 8 – ERIS Topographic Maps

Appendix 9 – ERIS Physical Settings Report

Appendix 10 – ERIS Database Report

## 1.0 Executive Summary

Westwood Professional Services Inc. (Westwood) performed this Phase I Environmental Site Assessment (Phase I ESA) for the Door County Cherryland Airport (User) in support of the proposed Runway 2/20 and Taxiway A rehabilitation/partial reconstruction project on the Subject Property located on county tax parcels 0200235282541D, 0200235282541C, 0200235282541A, 0200235282544, 0200102272512B, 0200102272511, 0200101272522, 0200102272513, 0200102272514, 0200101272523, 0200102272541, 0200102272542, 0200102272543, 0200102272544, 020011272512D, and 020011272524C in the Town of Nasewaupée, Door County, Wisconsin. (Subject Property) (reference Figure 1 - Location Map, Appendix 1). This Phase I ESA generally conforms to the scope and limitations of American Society for Testing and Materials (ASTM) Standard E 1527-21 and 40 CFR § 312 Subp. C., All Appropriate Inquiries (AAI) Standards and Practices.

The Subject Property areas are subsections of the parcels owned by Door County Airport; however the airport operates under the name Door County Cherryland Airport. Additionally, the northern sections of the Subject Property are on the adjoining Potawatomi State Park property. The Subject Property is approximately 150 acres and consists of primarily areas of airport operation use including airport runways and taxiways, access roads, buildings, and terminals. A stockpile of fill was observed at the borrow site locations of the Subject Property. Historically, the Subject Property was agricultural fields or vacant land used for agricultural purposes until the 1960s, when the airport currently referred to as Door County Cherryland Airport began development.

The areas surrounding the Subject Property consisted of residential and commercial properties, agricultural fields, other agricultural uses, and state park land. No significant environmental observations were made on the adjoining properties with respect to the scope of this project.

The Subject Property was listed on the reviewed aboveground storage tank (AST), underground storage tank (UST), and leaking underground storage tank (LUST) databases. One UST and one AST are listed as in use on the Subject Property. The UST in use was installed in 2011 and its contents are aviation fuel with a capacity of 12,000 gallons and is a double wall fiberglass tank. This UST was observed in between the Subject Property and the terminal building. The LUST listings were related to the historical abandonment of USTs. Subsequently, all releases have been closed by their regulatory authority and contamination had either been removed or de minimis amounts were left over. These listings represent a controlled recognized environmental condition (CREC) with respect to the Subject Property; however, due to the scope of the project in these locations, contamination or hazardous materials are not likely to impact the project due to these listings.

Adjoining properties were included on the AST, UST, and LUST databases. One LUST listing was related to the airport property on the adjoining property, however due to its regulatory status and minimal remaining contamination, this listing is not anticipated to be a recognized environmental condition (REC) with respect to the Subject Property, however this does represent a CREC with respect to the adjoining property. The remaining listings, due to the type of listing or proximity of contamination, do not appear to be RECs with respect to the Subject Property.

No ASTM RECs, and no Historical Recognized Environmental Conditions (HRECs) were identified. Two CRECs were discovered through the scope of this project at the Subject Property. In addition, one CRECs was revealed at the adjoining airport property. However, due to the scope of the proposed project in these locations (construction haul/access roads), the contamination from the CRECs is not anticipated to be impacting the project.



## 2.0 Introduction

Westwood's scope of work for this Phase I ESA generally conforms to the American Society for Testing and Materials (ASTM) E1527-21: Standard Practice for Environmental Site Assessments: Phase I ESA Process and the AAI. The purpose of this standard practice is to define good commercial and customary practice for conducting a Phase I ESA of a parcel of real estate with respect to the range of contaminants within the scope of Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) and petroleum products. As such, this practice is intended to permit a user to satisfy one of the requirements for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations on CERCLA liability, i.e., landowner liability protections. The ASTM standard is designed to meet the criteria mandated by CERCLA for AAI into the previous ownership and uses of the property consistent with good commercial or customary practice.

In defining a standard of good commercial and customary practice for conducting a Phase I ESA of a parcel of property, the goal of the ASTM practice is to identify RECs. The term RECs mean the presence or likely presence of any hazardous substances or petroleum products in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. De minimis conditions are not recognized environmental conditions. The term includes hazardous substances or petroleum products even under conditions in compliance with laws. The term is not intended to include de minimis conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate government agencies. As defined in E1527-21, the term CREC means a recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority, with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls. HRECs are those that were or would have been considered to be RECs in the past, but because of additional information or a change in conditions, may no longer be considered a REC.

### 2.1 Purpose

According to the User, the Phase I ESA was conducted in association with the proposed runway 2/20 and taxiway rehabilitation/partial reconstruction project of the Subject Property. Westwood performed the Phase I ESA in general accordance with ASTM Practice E1527-21 to determine if the Subject Property is known to contain an existing release, past release, or a material threat of a release of hazardous substances or petroleum products into structures or into the ground, groundwater, or surface water. The Phase I ESA process does not include sampling, which may verify or evaluate the extent of suspected environmental impacts.

### 2.2 Significant Assumptions

Landowner contact information, site boundaries, and other information about the Site were provided to Westwood by the User or site representative. Westwood assumes that all information supplied is true and accurate and that the boundaries of the Subject Property are accurate based on the information supplied. The identification of geologic or geotechnical hazards is beyond the scope of this project.

It is assumed that the information obtained by others is correct and that this report will be read as a whole by the User.

## 2.3 User Reliance

Westwood's findings and opinions in this Phase I ESA are exclusively for the use of the User. Westwood will not distribute or publish the Phase I ESA report without the consent of the User, except as required by law or court order. No other party may rely on this Phase I ESA report without Westwood's written consent. The findings and opinions contained herein are limited to use by the User. Westwood's services for this project have been performed in a manner consistent with normal standards of the profession. No other warranty or guarantee, expressed or implied, is made.

# 3.0 Scope of Services and Limitations

## 3.1 Scope of Services

The Phase I ESA has been performed in general accordance with the scope and limitations of ASTM *Standard Practice E 1527-21*. The scope of services included:

- A review of readily available physical setting records such as topographic, geological, and hydrogeological information relating to the Subject Property within the property and surrounding area.
- A review of readily available historical use records such as aerial photographs, topographic maps, fire insurance maps, city directories, or other historical information, as is deemed relevant, relating to the Subject Property within the property and surrounding area.
- A limited review of federal, state, and local regulatory information for potential environmental hazards within ASTM-defined search distances from the Subject Property
- Attempted interviews with Phase I ESA User, current property owner or representative, past property owner or representative, or other available parties, as it is deemed relevant, regarding the current and past use of the Subject Property and adjacent areas.
- A reconnaissance visit for visual characterization and observation of the Subject Property within the property and adjacent areas to obtain an understanding of the potential environmental hazards.
- Preparation and submittal of a written report in general accordance with the ASTM E1527-21 standards, which summarizes the findings of the ASTM Phase I ESA.

## 3.2 Limitations and Exceptions

The limitations of this Phase I ESA included:

- "Non-Scope Considerations" such as radon, lead-based paint, lead in drinking water, wetlands, regulatory compliance, cultural and historic resources, industrial hygiene, health and safety, ecological resources, endangered species, indoor air quality, and high-voltage powerlines were not included as part of this assessment.
- Preparation and review of a chain-of-title, environmental lien/activities, and use limitations search were not requested.
- A records request from the building and health department was not completed.



## 4.0 Owner/User Provided Information

### 4.1 User Questionnaire

A Phase I Environmental Site Assessment User Questionnaire (ESA Questionnaire) was not completed as of the publishing of this report as the user and the property owner are the same party and answers from the User Questionnaire were addressed in the in person interview with the airport director. A Copy of a blank ESA Questionnaire (reference Appendix 3).

### 4.2 Recorded Land Title Records

No recorded land title records for the Subject Property were provided for review.

### 4.3 Previous Environmental Reports

No previous environmental reports were provided for review.

## 5.0 Subject Property Description

### 5.1 Setting and Location

The Subject Property areas are subsections of the county tax parcels 0200235282541D, 0200235282541C, 0200235282541A, 0200235282544, 0200102272512B, 0200102272511, 0200101272522, 0200102272513, 0200102272514, 0200101272523, 0200102272541, 0200102272542, 0200102272543, 0200102272544, 0200111272512D, and 0200111272524C in the Town of Nasewaupée, Door County, Wisconsin. The Subject Property is approximately 150 acres and consists of primarily areas of airport operation use. According to the Door County Web Portal the physical address associated to the Subject Property is 3538 Park Drive and owned by Door County Airport. The northern portion of the Subject Property is on the Potawatomi State Park and is owned by the Wisconsin Department of Natural Resources (WDNR). The Subject Property is situated at the approximate latitude, longitude 44.846, -87.422.

### 5.2 Surrounding Area Uses

North, Northeast:	Potawatomi State Park, with Sturgeon Bay beyond
East, Southeast, South, Southwest, West, Northwest:	Agricultural land, residential and commercial areas, with agricultural and residential land beyond

## 6.0 Subject Property Observations

Mr. Evan A. Dujardin conducted a visual reconnaissance of the Subject Property and surrounding area on March 1, 2024. Weather conditions at the time of the reconnaissance were sunny with a temperature around 45°F. A photo log of the Subject Property and surrounding properties during the site reconnaissance is enclosed in Appendix 4.

## 6.1 Current Property Use and Activity

The Subject Property is currently a part of the Door County Cherryland Airport, airport operations with some vacant land on a property south-southwest of the contiguous airport property approximately 0.3 miles away. Additionally, the northern sections of the Subject Property are on the adjoining Potawatomi State Park property (reference Figure 2 – Subject Property Site Map, Appendix 1).

## 6.2 Observations

- Hazardous Substances..... None Observed
- Petroleum Products..... None Observed
- Pipelines ..... None Observed
- Storage Tanks
  - Aboveground Storage Tanks (ASTs) ..... None Observed
  - Underground Storage Tanks (USTs) ..... Observed
  - Fuel tanks for aviation fuel located between the terminal building and the Subject Property.
- Odors ..... None Detected
- Pools of Liquid ..... None Observed
- Drums or Other Containers ..... None Observed
- Potential Polychlorinated Biphenyls (PCB) sources
  - Electrical Equipment..... Observed
  - Non-PCB containing electrical equipment in the electrical vault on the western side of the Subject Property next to the snow removal equipment (SRE) building. Various electrical equipment related to runway lighting and other airport uses such as weather equipment.
  - Hydraulic Equipment ..... None Observed
- Waste Water
  - Surface Water Discharge ..... None Observed
  - Process/Sanitary Discharge ..... None Observed
  - Septic Systems..... None Observed
  - Industrial Wastewater Treatment..... None Observed
  - Holding Tanks ..... None Observed
- Potable Water Supply
  - Municipal..... None Observed
  - Private ..... None Observed
- Wells ..... Observed
- A well that is not in use was observed near the southwest corner of the Subject Property that used to serve the previous terminal building and some nearby hangars.



- Pits, Ponds, or Lagoons..... None Observed
- Stained Soil or Pavement ..... None Observed
- Stressed Vegetation ..... None Observed
- Solid Waste  
Storage ..... None Observed  
On-Site Disposal ..... None Observed
- Heating/Cooling..... None Observed
- Interior Staining or Corrosion..... None Observed
- Drains or Sumps ..... None Observed
- Possible Fill Material or Buried Solid Waste.....Observed  
Fill material on the Subject Property located at the borrow sites.

## 7.0 Surrounding Property Observations

The areas surrounding the Subject Property consisted of residential and commercial properties, agricultural fields, other agricultural uses, and state park land. No significant environmental observations were made on the adjoining properties with respect to the scope of this project.

## 8.0 Interviews

An interview was conducted during the site reconnaissance, on March 1, 2024, with Craig Ross (airport director) at the Subject Property. Craig was not aware of any contamination on the Subject Property or any environmentally concerning releases related to hazardous substances and petroleum products. He did not know what the Subject Property uses were historically; however, he was only aware of the airport operations. Craig stated that there were petroleum products in the tanks at the refueling station near the terminal building and that he was not aware of any leaks associated to them. Craig also mentioned that the used oil from equipment maintenance was containerized in the SRE building and disposed of by a licensed contractor.

## 9.0 Historical Use Information

### 9.1 Aerial Photographs

Aerial Photographs of the Subject Property and vicinity dated 1938, 1951, 1961, 1967, 1974, 1981, 1986, 1992, 2005, 2006, 2008, 2010, 2013, 2015, 2017, 2018, and 2020 were obtained from Environmental Risk Information Services (ERIS) (reference Appendix 5). No additional aerial

photographs were reasonably ascertainable. The following is a summary of information obtained from the aerial photographs:

**1938, 1951, and 1961,**

The Subject Property and surrounding properties are generally pictured as agricultural fields throughout this time period. The northern portion of the Subject Property and the northern adjoining properties appear to be covered by vegetated land.

**1967, 1974, and 1981**

An apparent north-south oriented airport runway was observed on the Subject Property in the 1967 aerial photograph. Additionally, several buildings and apparent taxiways appear to have been constructed during this time period. The western adjoining properties appear to have additional buildings connected to the runways and taxiways observed on the Subject Property. The remaining adjoining properties appear relatively unchanged during this time period.

**1986, 1992, 2005, 2006, 2008, 2010, 2013, 2015, 2017, 2018, and 2020**

By 1986, an apparent west-east oriented airport runway was observed on the Subject Property. Throughout this time period, additional buildings, runway expansions, taxiways, and access roads were observed on the Subject Property. Possible fill material was observed on the southwest portion of the Subject Property during various aerial photographs during this time period. Additional buildings were observed throughout this time period on the adjoining properties surrounding the southern portion of the Subject Property. The remaining adjoining properties appear relatively unchanged throughout this time period.

## **9.2 City Directories**

City directories from 1955, 1989, 1994, 1998, 2000, 2003, 2008, 2012, 2016, 2020, and were provided by ERIS from the 6500-7300 block of County Road C and the 3200-3900 block of Park Drive. The city directory search was completed on February 2, 2024 (reference Appendix 6).

The city directories search consisted of primarily residential and commercial properties. The Door County Cherryland Airport first appeared on the City Directories in 1989 listed at 3418 Park Drive. On the 2008 City Directory, the Door County Cherryland Airport was listed at 3538 Park Drive. Multiple airport related listings were included in the City Directories for the addresses associated to the Door County Cherryland Airport. The reviewed streets were not listed on the City Directories in 1955. After reviewing the provided City Directories, the following environmentally substantial listings were noted.

- Bentley Marine, listed at 3415 Park Drive in 1989
- Peninsula Fiberglass, listed at 3465 Park Drive in 1994, 1998
- Avis Rent A Car, listed at 3418 Park Drive in 1998, 2000, 2003, 2016, 2020, and 2022
- Terp's Auto Sales, listed at 3423 Park Drive in 2000
- Jimbo's Roadside SVC, listed at 6779 County Road C in 2003, 2008, 2012
- Bentley Powerboats Inc, listed at 6870 County Road C in 2003, 2008, 2012, 2016, 2020, and 2022
- Automated Machining System, listed at 3750 Park Drive in 2008, 2012, 2016

### 9.3 Fire Insurance Maps

The Subject Property or adjacent properties were not within the coverage area of the fire insurance maps database reviewed by ERIS (reference Appendix 7).

### 9.4 Chain-of-Title

Preparation and review of a chain-of-title/environmental lien was not requested.

## 10.0 Physical Settings Information

### 10.1 Topographic Maps

The topographic map search was provided by ERIS and acquired on January 30, 2024. This searched the USGS topographic map collection of current and historical maps for the Subject Property. Topographic maps were provided for 1960, 1981, 2015, and 2018 and reviewed.

The Subject Property is pictured as part of the airport referred to as Cherryland Airport in the 1960 topographic map. In the subsequent topographic maps, the Subject Property is pictured as part of the airport referred to as Door County Cherryland Airport. The Subject Property is shown at approximately 720 feet above mean sea level (amsl) (reference Appendix 8).

### 10.2 Geologic Conditions

A physical settings report dated January 30, 2024, was provided by ERIS, which described the physical and geological settings of the Subject Property and surrounding properties (reference Appendix 9).

#### Soil Type and Permeability

According to the ERIS Physical Settings Report, the Subject Property consists of multiple different soil types. The following list outlines the most prominent soil types existing on the Subject Property and their associated hydrologic information.

- Summerville loam – well drained with a high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
- Bonduel variant fine sandy loam – somewhat poorly drained with a moderately high runoff potential when drained and a high runoff potential when undrained.
- Bonduel variant loam – poorly drained with a moderately high runoff potential when drained and high runoff potential when undrained.
- Bonduel loam – somewhat poorly drained with a moderately high runoff potential when drained and a high runoff potential when undrained.
- Kolberg variant loam – well drained with a high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
- Longrie loam – well drained with a moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.
- Namur loam – well drained with a high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
- Onaway fine sandy loam – well drained with a moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

- Onaway-Ossineke fine sandy loams – well drained with a moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

### **Regional Geology**

According to the ERIS Physical Settings Report, the Subject Property is underlain by undivided dolostone from the Silurian period. It is expected to consist of undivided dolostone including the Cayugan, Niagaran, and Alexandrian series.

### **Groundwater Flow Direction**

Based on on-site observations and the ERIS topographic maps, the groundwater in the Subject Property is anticipated to flow east to northeast towards the Sturgeon Bay of Lake Michigan.

## **11.0 Environmental Records Review**

### **11.1 Local Sources**

#### **Building Permit/Inspection Department**

A request for information from the local building department was not requested as the Subject Property did not consist of buildings that would be related to hazardous materials or petroleum products.

#### **Fire Department**

A request for records from the Jacksonport Fire Department was made on February 28, 2024, for records on petroleum releases and emergency response. No response was received as of the publishing of this report.

#### **Planning/Zoning Department**

The Subject Property zoning information was found on the Door County interactive GIS viewer and was illustrated as county land.

#### **Department of Health**

A request for information from the county health department was not requested as records on the Subject Property would be related to the entire parcel and not the Subject Property (project area).

#### **Tax Assessor's/Appraisal/Auditor Department**

Current assessment records for the Subject Property were obtained from the Door County parcel viewer website. The Subject Property is part of county parcels 0200235282541D, 0200235282541C, 0200235282541A, 0200235282544, 0200102272512B, 0200102272511, 0200101272522, 0200102272513, 0200102272514, 0200101272523, 0200102272541, 0200102272542, 0200102272543, 0200102272544, 0200111272512D, and 0200111272524C. Building information was not provided for the parcels.

### **11.2 State/Tribal Sources**

Westwood used ERIS to identify state and tribal sites of known environmental concern. A copy of the ERIS *Database Report*, queried on January 31, 2024, is enclosed in Appendix 10. Some terms



utilized in the ERIS report may differ from actual state identification listings. The following is a summary of the information provided.

### 11.2.1 State/Tribal Sites

The WNDR *Notice of Potential Hazardous Waste Sites* and *Delisted Potential Hazardous Waste Site* databases (collectively referred to as SHWS by ERIS) were reviewed. The Subject Property is not included on the SHWS databases. In addition, no SHWS sites are reported within 0.50 mile of the Subject Property.

### 11.2.2 State/Tribal Solid Waste Landfill

The WNDR Licensed *Solid Waste Landfill* database (SWL/LF) was reviewed. The Subject Property is not included within this listing. In addition, no SWL/LF sites are reported within 0.50 mile of the Subject Property.

### 11.2.3 State/Tribal Storage Tanks

The WNDR *Registered Underground Storage Tank (UST) Database* and *Registered Aboveground Storage Tank (AST) Database*, the *Indian Underground Storage Tank Database* maintained by the United States Environmental Protection Agency (USEPA), and the *Underground Storage Tank Listing* for sites owned by the Federal Emergency Management Agency (FEMA) (collectively referred to as UST/AST) were reviewed. One AST and one UST are listed on the Subject Property. Additionally, three USTs and one AST are listed on adjoining properties within 0.25 miles of the Subject Property.

### 11.2.4 State/Tribal Leaky Undergrounds Storage Tanks

The Underground Storage Tank Program in the WNDR, as well as the USEPA *Leaking Underground Storage Tanks on Indian Land* (collectively referred to as OCP or LUST) were reviewed. The Subject Property has two listings on this database. One additional LUST site is located on the airport property adjoining the Subject Property. One listing appeared within 0.50 miles of the Subject Property; however, after viewing the site file contamination was actually located over a half mile away.

Cherryland Airport – Old Terminal BRRTS #03-15-105767. This case was opened in July of 1997. A petroleum release was documented during an initial site assessment of the former underground storage tank (UST) system at the site. During the site investigation, seven test borings and three monitoring wells were installed at the site. Soil contamination in the form of gasoline range organics (GRO) was present in soil samples collected near the former UST fuel dispenser at levels above the Wisconsin Administrative Code (WAC), Chapter NR 720 generic soil standard. The amount of petroleum-contaminated soil is approximately 36 cubic yards. Groundwater contamination was not identified during two consecutive groundwater sampling events. The site was closed in September of 1997 with contamination remaining in place approximately 100 feet northeast of the former terminal building, near the temporary southwest access road for construction. Although contamination was left in place near the old terminal building, due to the planned scope of the project in this area (use of access road) and groundwater contamination was not detected to transport the remaining contamination, this does not appear to be an issue to the proposed project.

Cherryland Airport – New Terminal BRRTS #03-15-105759. This case was opened in July of 1996 and closed in September of 1997. A petroleum release was documented during the initial site

assessment of the UST system at the site. During site investigation activities, eight test borings and three monitoring wells were installed at the site. Diesel range organics (DRO) soil contamination was detected at a maximum concentration of 950 ppm in a soil sample collected near the fuel dispensers. This level is above the applicable WAC, Chapter NR 720 generic soil standard of 100 ppm. Petroleum contamination detected in on-site soils is associated with the fuel dispensers. Groundwater contamination was not identified during two consecutive groundwater sampling events. This contamination is located under the pavement next to the current underground storage tank system. Although contamination was left in place near the new terminal building, due to the planned scope of the project in this area (no soil disturbance) and since groundwater contamination was not detected to transport the remaining contamination, this does not appear to be an issue to the proposed project.

The Cherryland Airport – Parks BLDG BTRRS #03-15-105763 is located on the Cherryland Airport property adjoining the Subject Property. This case was opened in July of 1996 and closed in March of 1997. This release is associated with two USTs and their associated dispensers. The site-specific data obtained during the site investigation indicates residual concentrations of DRO exists in the native soil immediately adjacent to the fuel dispensers (approximately 2 cubic yards). The small volume of DRO impacted soil, and the estimated depth to groundwater of 30 feet below the land surface, the potential for future impacts to the groundwater by regulated constituents is unlikely. The area was subsequently paved over, and contamination remains in place. Due to the limited soil contamination, no detected groundwater contamination and that this contamination is located outside of the project area, this does not appear to be an issue to the proposed project.

#### 11.2.5 State/Tribal VCP

The WDNR *Voluntary Investigation and Cleanup Program* and the USEPA *Voluntary Cleanup Priority Listing* (collectively referred to as VCP) were reviewed. The Subject Property is not included on the VCP. In addition, no VCP sites are located within 0.50 mile of the Subject Property.

#### 11.2.6 State/Tribal IC/EC

The WDNR *database* of Land Use Controls was reviewed. The Subject Property is not included on the Land Use Controls database.

#### 11.2.7 State/Tribal Brownfields

The WDNR Eligible *Brownfields Properties* database (Brownfields) was reviewed. The Subject Property is not included on the Brownfields listing. In addition, no sites reported on the Brownfields listing are located within 0.50 mile of the Subject Property.

#### 11.2.8 State/Tribal Spills

The WDNR Database of Spill Cases (SPILLS) was reviewed. The Subject Property was not included on the SPILLS database.

### 11.3 Federal Sources

#### 11.3.1 Federal NPL

The USEPA *National Priorities List* (NPL) database was reviewed. The Subject Property is not included within this listing. In addition, no NPL sites are reported within 1.0 mile of the Subject

Property; however, one Proposed NPL was listed 0.76 miles from the Subject Property. The Proposed NPL site is listed as Fox River NRDA/PCB Releases. The contamination associated to this listing is limited to the sediment in the Fox River system and is not expected to have an impact on the Subject Property.

### **11.3.2 Federal Delisted NPL**

The USEPA *Delisted NPL* database was reviewed. The Subject Property is not included within this listing. In addition, no Delisted NPL sites are reported within 0.50 mile of the Subject Property.

### **11.3.3 Federal Superfund ROD**

The Superfund Record of Decision (ROD) database, which includes sites where changes have been made to Superfund cleanup plans, was reviewed. The Subject Property is not included on this database. In addition, no Superfund ROD sites are located within 1.0 mile of the Subject Property.

### **11.3.4 Federal CERCLIS**

The USEPA *Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)* database was reviewed. The Subject Property is not included within this listing. In addition, no CERCLIS sites are reported within 0.50 mile of the Subject Property.

### **11.3.5 Federal CERCLIS NFRAP**

The USEPA *CERCLIS No Further Remedial Action Planned (NFRAP)* database was reviewed. The Subject Property is not included within this listing. In addition, no NFRAP sites are reported within 0.50 mile of the Subject Property.

### **11.3.6 Federal SEMS**

The *Superfund Enterprise Management System (SEMS)*, which includes active sites that are proposed to be on or are on the NPL, was reviewed. The Subject Property is not included on the SEMS database. In addition, no SEMS sites are reported within 0.50 mile of the Subject Property.

### **11.3.7 Federal SEMS Archive**

The SEMS Archive database, which includes sites that have been removed from the NPL, was reviewed. The Subject Property is not included on the SEMS Archive. In addition, no SEMS Archive site was located within 0.50 mile of the Subject Property.

### **11.3.8 Federal RCRA TSD**

The USEPA *Resource Conservation and Recovery Information System (RCRA) Treatment, Storage, and/or Disposal Facilities (RCRA TSD)* database was reviewed. The Subject Property is not included within this listing. In addition, no RCRA TSD sites are reported within 0.50 mile of the Subject Property.

### **11.3.9 Federal RCRA COR**

The USEPA *RCRA Corrective Action Sites (RCRA COR)* database was reviewed. The Subject Property is not included within this listing. In addition, no RCRA COR sites are reported within 1.0 mile of the Subject Property.

### **11.3.10 Federal RCRA GEN**

The USEPA *RCRA-Large and Small Quantity Generators (RCRA GEN)* database was reviewed. The Subject Property is not included within this listing. However, one Very Small Quantity Generator

site was included within 0.12 miles of the Subject Property. The site name is listed as Potawatomi State Park and is located at 3740 Park Drive (EPA Handler ID: WID981780489). The hazardous waste handling description associated with this site is listed as ignitable waste, and there are no violations associated with this site as of October 2023.

#### 11.3.11 Federal ERNS

The USEPA *Emergency Response Notification System* (ERNS) database was reviewed. The Subject Property is not included within this listing.

#### 11.3.12 Federal IC and EC Brownfield Management System

The USEPA *Brownfield Management System* (BMS) database of sites with IC and EC was reviewed. The Subject Property is not included within this listing.

#### 11.3.13 Federal PFAS

The USEPA list of sites where perfluorooctanoic acid (PFAS) and perfluorooctane sulfonate (PFOS) have been found in drinking water or soil, the USEPA Toxic Release Inventory (TRI) *Master List of PFAS Substances* (collectively referred to as PFAS) was reviewed. The Subject Property is not included on the PFAS databases. In addition, no sites located within 0.50 mile of the Subject Property are included on the PFAS databases.

## 12.0 Findings and Opinions

- The Subject Property areas are a subsection of the parcels owned by Door County Airport and the airport associated to the property operates under the name Door County Cherryland Airport. The Subject Property is approximately 150 acres in size and is situated on county tax parcels 0200235282541D, 0200235282541C, 0200235282541A, 0200235282544, 0200102272512B, 0200102272511, 0200101272522, 0200102272513, 0200102272514, 0200101272523, 0200102272541, 0200102272542, 0200102272543, 0200102272544, 0200111272512D, and 0200111272524C in the Town of Nasewaupée, Door County, Wisconsin.
- Two structures, one historic and one current structure was observed on the Subject Property at the time of the site reconnaissance. These structures were used for electrical purposes and the current structure appeared to be in good condition. A historic terminal building was located on the southwestern corner of the Subject Property on the Airport property near a temporary access road. The Subject Property appears to have been developed by the airport around 1961-1967.
- Other improvements were related to operations at the airport including underground electrical near the runways and the taxiway. All observed electrical equipment appeared to not be PCB containing.
- Fill material was located at the two borrow sites and were observed based on historical aerials to have been created from grading material when the airport was constructed.
- Historically, the Subject Property was agricultural fields or vacant land used for agricultural purposes until the 1960s, when the airport currently referred to as Door County Cherryland Airport began development.
- The surrounding area to the Subject Property consists of residential and commercial properties, agricultural fields, other agricultural uses, and state park land.
- The Subject Property was listed on the reviewed AST, UST, and LUST databases. One UST and one AST are listed as in use on the Subject Property. The UST in use was installed in 2011 and its contents are aviation fuel with a capacity of 12,000 gallons and is a double wall fiberglass tank. This

UST was observed in between the Subject Property and the terminal building. The LUST listings were related to the historical abandonment of USTs. Subsequently, all releases have been closed by their regulatory authority and contamination had either been removed or de minimis amounts were left over. These listings represent a CREC with respect to the Subject Property; however, due to the scope of the project in these locations, contamination or hazardous materials is not likely to impact the project due to these listings.

- Adjoining properties were included on the AST, UST, and LUST databases. One LUST listing was related to the airport property on the adjoining property, however due to its regulatory status and minimal remaining contamination, this listing is not anticipated to be a REC with respect to the Subject Property, however this does represent a CREC with respect to the adjoining property. The remaining listings, due to the type of listing or proximity of contamination, these listings do not appear to be a REC with respect to the Subject Property.

## 13.0 Conclusions

A Phase I Environmental Site Assessment in general conformance with the scope and limitations of ASTM Standard Practice E 1527-21 was performed on the Subject Property located on county tax parcels 0200235282541D, 0200235282541C, 0200235282541A, 0200235282544, 0200102272512B, 0200102272511, 0200101272522, 0200102272513, 0200102272514, 0200101272523, 0200102272541, 0200102272542, 0200102272543, 0200102272544, 0200111272512D, and 0200111272524C in the Town of Nasewaupée, Door County, Wisconsin. Any exceptions to, or deletions from, this practice are described within Section 3.2.

This assessment has revealed no evidence of recognized environmental conditions or historic recognized environmental conditions. This report has revealed two controlled recognized environmental conditions (CREC) in connection with the Subject Property and one CREC with respect to the adjoining airport property. Due to the scope of the project in these locations (use of construction haul road/access roads) the contamination related to these CRECs are not anticipated to impact the proposed project.

## 14.0 Data Gaps

Westwood did not reach out the building or health department for records on the Subject Property. In addition, a completed Phase 1 user questionnaire was not completed; however, based on other information obtained as part of this assessment, Westwood does not consider these to be significant data gaps.

## 15.0 General Comments

No environmental site assessment can wholly eliminate uncertainty regarding the potential for recognized environmental conditions in connection with the property. ASTM International's *Standard Practice E 1527-21* is intended to reduce, but not eliminate, uncertainty regarding the potential for recognized environmental conditions in connection with the property and recognizes reasonable limits of time and cost.



The term *recognized environmental condition* means the presence or likely presence of any *hazardous substances* or *petroleum products* in, on, or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; or (3) under conditions that pose a material threat of a future release to the environment. Conditions determined to be *de minimis* are not *recognized environmental conditions*.

The term *de minimis condition* means a condition that generally does not present a threat to human health or the *environment* and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

The term *historical recognized environmental condition* means a past *release* of any *hazardous substances* or *petroleum products* that has occurred in connection with the *property* and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the *property* to any required controls (for example, *property use restrictions, activity and use limitations, institutional controls, or engineering controls*).

The term *controlled recognized environmental condition* means a *recognized environmental condition* resulting from a past *release* of *hazardous substances* or *petroleum products* that has been addressed to the satisfaction of the applicable regulatory authority (for example, as evidenced by the issuance of a no further action letter or equivalent, or meeting risk-based criteria established by regulatory authority), with *hazardous substances* or *petroleum products* allowed to remain in place subject to the implementation of required controls (for example, *property use restrictions, activity and use limitations, institutional controls, or engineering controls*).

The term *business environmental risk* means a risk which can have a material environmental or environmentally driven impact on the business associated with the current or planned use of a parcel of commercial real estate, not necessarily limited to those environmental issues required to be investigated in this practice (Phase I ESA ASTM E1527-21). Consideration of business environmental risk issues may involve addressing one or more non-scope considerations.

The term *hazardous substance* is a substance defined as hazardous pursuant to CERCLA 42 USC § 9601(14), and as interpreted by USEPA regulations and the courts.

The term *petroleum products* is defined as those substances included within the meaning of the petroleum exclusion to CERCLA 42 USC § 9601(14), as interpreted by the courts and USEPA, that is: petroleum, including crude oil or any fraction thereof which is not otherwise specifically listed or designated as a hazardous substance under Subparagraphs (A) through (F) of CERCLA 42 USC § 9601(14), natural gas, natural gas liquids, liquefied natural gas, and synthetic gas usable for fuel (or mixtures of natural gas and such synthetic gas).

The services described in this report were performed consistent with generally accepted professional consulting principles and practices and in accordance with the practices and service scope elements recommended by ASTM International for a Phase I ESA with the exception of a chain-of-title/activities & use limitations review. No other warranty, expressed or implied, is made. These services were performed consistent with our agreement with our client. This report is solely for the use and information of our client or as otherwise noted. Any unauthorized use of this report is strictly prohibited and assume no liability for any such use.

Westwood prepared this report to aid in the evaluation of recognized environmental conditions of the Subject Property. Conclusions presented in the report are based on available information that pertained

to the Subject Property at various points in time. The information may have been provided to us by others or acquired through discussions with various governmental or agency personnel. The credibility of others was relied on and do not independently verify or warrant the accuracy of information or test results they supply. Any alteration in the documentation, facts, or verbal information obtained may result in a modification or redirection of the conclusions presented in this report.

Conclusions in this report are based on visual field observations performed within the property boundaries and our record review at a specific point in time. Environmental conditions may exist at the Subject Property that could not be identified by visual observation, including potential hazardous substances present within undocumented fills on the subject or adjoining properties.

## 16.0 Submittal Certification

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Project Area. We have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312. Resumes are included within Appendix 2.



---

Evan Dujardin

Environmental Professional

evan.dujardin@westwoodps.com



---

Tim Sommer

Environmental Scientist

Tim.sommer@westwoodps.com

## 17.0 References

ASTM International 2021. ASTM Practice E 1527-21. Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process.

ERIS, prepared for the Subject Property, Sturgeon Bay, WI. Inquiry Number 24012901321. Reports prepared by Environmental Risk Information Services. 38 Lesmill Road Unit 2 Toronto ON, Canada, M3B 2T5. (416) 510-5204, [www.erisinfo.com](http://www.erisinfo.com).

Jacksonport Fire Department. February 28, 2024. Westwood submitted an open records request for information relating to tanks, spills, hazardous substances releases, violations, and environmental concerns for the Subject Property.

Google. Google Earth. Interactive mapping and aerial photography online application. Available online, <https://www.google.com/earth/>

Craig Ross. Airport Director. March 1, 2024. Mr. Ross provided answers during the in-person interview.

Door County GIS Website. Accessed March 25, 2024.







The background of the page is a topographic map with red contour lines on a dark red background. A dashed red line runs vertically through the center, and a solid red dot is located near the bottom center. The text "Appendix 1" and "Figures" is centered on the page.

# Appendix 1

## Figures





**Westwood**

1 Systems Drive (920) 735-6900  
 Appleton, WI 54914 [www.westwoodps.com](http://www.westwoodps.com)



**RWY 02/20 REHABILITATION - CONDENSED EA  
 LOCATION MAP**


DOOR COUNTY CHERRYLAND AIRPORT  
 TOWN OF NASEWAUPEE, DOOR COUNTY, WISCONSIN

Project Manager:  
 Project Engineer:  
 Drawn By: JCW  
 Checked By:


Date: 3/14/2024

SCALE:  
 1 in = 3,000 ft  
 PROJECT NO.  
**R3001498.00**  
 FIGURE NO.  
**1**





**Westwood**  
 1 Systems Drive (920) 735-6900  
 Appleton, WI 54914 [www.westwoodps.com](http://www.westwoodps.com)



**RWY 02/20 REHABILITATION - CONDENSED EA**  
**SUBJECT PROPERTY SITE MAP**

DOOR COUNTY CHERRYLAND AIRPORT  
 TOWN OF NASEWAUPEE, DOOR COUNTY, WISCONSIN

Project Manager:  
 Project Engineer:  
 Drawn By: JCW  
 Checked By:  
 Date: 3/14/2024

SCALE:  
 1 in = 1,200 ft  
 PROJECT NO.  
**R3001498.00**  
 FIGURE NO.  
**2**



The background of the page is a dark red color with a complex pattern of lighter red contour lines, resembling a topographic map. A vertical dashed red line runs down the center of the page. A solid red dot is located on this dashed line in the lower third of the page. A red 'x' is located on the dashed line in the upper third of the page.

# Appendix 2

# Resumes

# Evan Dujardin

## Scientist/Hydrogeologist

### EDUCATION

B.S., 2020 Geoscience  
Emphasis in  
Hydrogeology, UW-  
Milwaukee

### REGISTRATION/ CERTIFICATIONS

OSHA 40-Hour  
HAZWOPER  
Certification

OSHA HAZWOPER 8-  
Hour Refresher Training

Tank System Site  
Assessor Certification

### EXPERIENCE

Mr. Dujardin is a scientist/hydrogeologist with the environmental department. He has experience including conducting Phase I & II Environmental Site Assessments (ESAs), NR700 Site Investigations, Vapor Investigations and Remediation. He has also assisted with the screening of stormwater outfalls and the tracking of potential illicit discharges.

Specific project experience includes the following:

#### Environmental Investigations

**Lawrence University – Phase I ESA, City of Appleton, Wisconsin.** Conducted a Phase I ESA on the property by reviewing environmental records, historical data, conducted interviews, and carried out a physical site inspection of the property.

**McDonalds Ltd. / Chick-Fil-A / Jiffy Lube – Phase I & II ESA, Dozens of Locations throughout Wisconsin, and the County.** Conducted Phase I ESAs as described above. Conducted Phase II ESAs of various historical commercial properties which identified environmental issues such as underground storage tanks, contaminated fill material, leaking grease traps, and contaminated septic fields. Phase II ESAs included historic review of a site and target sampling of groundwater, soil, and soil vapor according to the expected contamination. These Phase II ESAs identified multiple contaminated sites from petroleum products, parts cleaner solvents, and miscellaneous fill contamination.

**Former Trinity Lutheran Church – Site Closure, Appleton, Wisconsin.** Completed and submitted the documentation required for closure of the Wisconsin Department of Natural Resources (WDNR) site investigation of a former vocational school constructed within a former ravine system. The site investigation identified petroleum contaminants and metals in the soil and groundwater on the property and required continuing obligations in the form of a cap maintenance plan.

**Lower Telulah Park – Site Closure, Appleton, Wisconsin.** Completed and submitted the documentation required for closure of the WDNR site investigation of a former railway. Remedial design included the excavating a small portion of highly impacted soils to be disposed at a Wisconsin Department of Natural Resources (DNR) licensed landfill for disposal, while the remaining low impacted soils were contained on-site within a berm. Installed NR 141 groundwater monitoring wells to determine the extent and degree of groundwater contamination. Then abandoned wells per Wisconsin administrative code.

**222 N. Oneida Street – Site Investigation / Site Closure, Appleton, Wisconsin.** Remediated a former gas station. Remedial design included the excavating contaminated materials and confirmation sampling. Installed NR 141 groundwater monitoring wells to determine the extent and degree of groundwater contamination.

**Milltown Paper – Site Closure, Neenah, Wisconsin.** Completed and submitted the documentation required for closure of the WDNR site investigation of a former gas station. Investigative activities identified petroleum contaminants in the groundwater on the property. Site investigations include the installation of six NR 141 groundwater monitoring wells to define the extent of groundwater contamination at the site. Wells were then abandoned per Wisconsin administrative code.



# Tim Sommer

## Environmental Engineer

### EDUCATION

B.S., 2023  
Environmental  
Engineering  
Technology,  
UW-Oshkosh

### REGISTRATION/ CERTIFICATIONS

OSHA 40-Hour  
HAZWOPER  
Certification

OSHA 10-hour General  
Industry Safety and  
Health Certification

OSHA 10-hour  
Construction Safety and  
Health Certification

RCRA Hazardous Waste  
Management for  
Generators Certification

DOT Hazardous Waste  
Manifest Certification

### EXPERIENCE

Mr. Sommer is an environmental engineer with the environmental department. He has experience in conducting Phase I Environmental Site Assessments (ESAs) and NR 700 Site Investigations. He has also assisted with tracking of potential illicit discharges.

Prior to joining Westwood, Tim gained valuable experience working as an environmental engineer intern for a global manufacturing company where he revised Storm Water Pollution Prevention Plans (SWPPPs) and Spill Prevention, Control, and Countermeasure (SPCC) plans at multiple facilities, and assisted with multiple environmental compliance related tasks.

Specific project experience includes the following:

#### **Environmental Investigations**

**Five Shot RNG at East River Genetics – Phase I ESA, Town of Hudson, South Dakota.** Phase I ESA assistance on the property by reviewing environmental records, historical data, and conducting interviews.

**USH 18 1662-00-07 & 1662-00-08 – Phase I Hazardous Materials Assessment Report, Dodgeville, Wisconsin.** Conducted a Phase I Hazardous Materials Assessment Report for the Wisconsin Department of Transportation identifying environmental concerns for roadway and infrastructure improvements of the USH 18 corridor.

**WisDOT ID 6934-06-03 – Phase I Hazardous Materials Assessment Report, Biron, Wisconsin.** Conducted a Phase I Hazardous Materials Assessment Report for the Wisconsin Department of Transportation identifying environmental concerns for roadway improvements of the CTH U corridor.

**Moccasin Creek RNG at Warner Dairy – Phase I ESA, Warner, South Dakota.** Phase I ESA assistance on the property by reviewing environmental records, historical data, and conducting interviews.

**222 N Oneida Street, Valley Premier Property (Former) – Site Investigation, Appleton, Wisconsin.** Assisted with the installation, development, and sampling of a groundwater monitoring well to define the extent of groundwater contamination at the site. Also assisted with the Site Investigation reporting.

**0 N Appleton Street, Odyssey – Site Investigation, Appleton, Wisconsin.** Assisted with the advancement of soil borings and the installations of groundwater monitoring wells for an ongoing Site Investigation. Assisted with soil classifications and sampling.





**Appendix 3**  
**User Questionnaire**

## USER QUESTIONNAIRE

When the “user” (the party for whom the assessment is being prepared) of the Phase I is required to help the environmental professional identify recognized environmental conditions at the property, a “User Questionnaire” is completed by the user to help gather information that may identify recognized environmental conditions (RECs) at the property.

We ask that you answer the six (6) questions below to the best of your knowledge. We understand that, in some circumstances, you may have little or no information. Still, we encourage you to complete and return the questionnaire as soon as possible. This will allow us to reflect the fact that the Questionnaire was completed when we issue our report as is required. Completion of the assessment to the new standard, when conducted in connection with the asset purchase of a real property, may entitle the user to certain federal liability protections that result from conducting “All Appropriate Inquires” into the previous ownership and uses of a property.

On the second page of this form is a list of documentation. The E1527-21 Standard requires that the User ensure that the consultant is made aware that any of these materials exist for a site, and if so, that these documents be provided for the consultant’s review. Please indicate whether any of these documents are available and ensure that Environmental Services Company will either receive copies or be provided an opportunity to review the relevant materials.

1. Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state, or local law? No Yes
2. Are you aware of any Activity and Use Limitations (AULs), such as engineering controls, land use restrictions, or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state, or local law? No Yes
3. Do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business? No Yes (if yes please briefly explain on next page or attach records)
4. Does the purchase price being paid for this property reasonably reflect the fair market value of the property? No Yes
  - a. If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the property? No Yes
5. Are you aware of commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases? For example,
  - a. Do you know the past uses of the property?  
No Yes (if yes please briefly explain on next page or attach records)

- b. Do you know of specific chemicals that are present or once were present at the property?  
 No    Yes (if yes please briefly explain on next page or attach records)
  - c. Do you know of spills or other chemical releases that have taken place at the property?  
 No    Yes (if yes please briefly explain on next page or attach records)
  - d. Do you know of any environmental cleanups that have taken place at the property?  
 No    Yes (if yes please briefly explain on next page or attach records)
6. Based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of releases at the property?  
 No    Yes (if yes please briefly explain on next page or attach records)

Further explain any answers requiring clarification or attach records: \_\_\_\_\_

---



---



---

Helpful Documents Checklist

Do you know whether any of the following documents exist, and if so, whether copies can and will be provided to Westwood Infrastructure, Inc for review?

- Environmental site assessment reports
- Environmental compliance audit reports
- Environmental permits (including but not limited to solid waste disposal permits, hazardous waste disposal permits, wastewater permits, NPDES permits, underground injection permits)
- Registrations for underground and above-ground storage tanks
- Registrations for underground injection systems
- Material safety data sheets
- Community right-to-know plan,
- Safety plans; preparedness and prevention plans; spill prevention, countermeasure, and control plans; facility response plans, etc.
- Reports regarding hydrogeologic conditions on the property or surrounding area
- Notices or other correspondence from any government agency relating to past or current violations of environmental laws with respect to the property or relating to environmental liens encumbering the property
- Hazardous waste generator notices or reports
- Geotechnical studies
- Risk assessments
- Recorded AULs.

---

Name	Title	Relationship to site (i.e. lender, purchaser, owner)
------	-------	------------------------------------------------------

---

Signature	Date
-----------	------



The background of the page is a topographic map with red contour lines on a dark red background. A dashed red line runs vertically through the center of the map. There is a small red 'x' mark on the dashed line in the upper-middle section and a solid red dot on the dashed line in the lower-middle section.


# Appendix 4

## Photo Log



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 1	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (secondary borrow site) facing southwest	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 2	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (secondary borrow site) facing northwest	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 3	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (secondary borrow site) facing northeast	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 4	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (secondary borrow site) facing southeast, pile of fill material on the right side of the image	



# Photo Log


<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 5	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of electrical building adjoining the secondary borrow site	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 6	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (temporary access road for construction) facing southeast	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 7	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (temporary access road for construction) facing northeast	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 8	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (temporary access road for construction) facing east	



# Photo Log


<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 9	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of southern portion of the Subject Property facing northwest	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 10	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of southern portion of the Subject Property facing southwest	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 11	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Close up image of AWOS station near the AWOS access road section of the Subject Property	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 12	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image the Subject Property (AWOS access road)	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 13	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (runway 2-20) facing north runway lighting pictured on the right side of the runway pavement	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 14	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (borrow site) facing north	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 15	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property access to borrow site facing east	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 16	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of northern portion of borrow site and northern portion of the Subject Property	



# Photo Log


<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 17	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of northern portion of the Subject Property (State Park land) where tree clearing will take place	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 18	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of northern portion of the Subject Property facing west	



# Photo Log


<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 19	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property facing south from the northern portion	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 20	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (temporary access road for construction) facing east	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 21	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (Taxiway A) facing north, taxiway lighting pictured on the left and right of the taxiway	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 22	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of Subject Property (Taxiway A) facing south, taxiway lighting pictured on the left and right of the taxiway	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 23	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of adjoining western hangers	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 24	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of adjoining southeastern airport property	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 25	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of adjoining western private property	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 26	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of adjoining western private property	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 27	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of adjoining eastern airport property	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 28	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of stormwater/ surface water culvert near the eastern access road to the borrow site.	



# Photo Log


<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 29	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of well that previously services the former terminal building and some northern hangers	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 30	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of previous electrical shed pad on the northern portion of the Subject Property	



# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 31	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of previous electrical shed roof on the northern portion of the Subject Property	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 32	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of refueling station in between the Subject Property and the current terminal building	




# Photo Log


<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 33	
<b>Date:</b> 03/01/2024	
<b>Description:</b> Image of adjoining western terminal building	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 34	
<b>Date:</b> 11/06/2023	
<b>Description:</b> Image of electrical vault on the western portion of the Subject Property, north of the Subject Property	




# Photo Log

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 35	
<b>Date:</b> 11/06/2023	
<b>Description:</b> Image of interior of the electrical vault (electrical equipment pictured)	

<b>Site Location:</b> 3538 Park Dr, Sturgeon Bay, WI	
<b>Photo #</b> 36	
<b>Date:</b> 11/06/2023	
<b>Description:</b> Image of interior of the electrical vault (electrical equipment pictured)	



The background of the page is a topographic map with red contour lines on a dark red background. A dashed red line runs vertically through the center of the page. There are also a few small red 'x' marks and a solid red dot scattered across the map.

# Appendix 5

## ERIS Aerial Photographs





---

# HISTORICAL AERIALS

**Project Property:** Cherryland Airport  
3538 Park Dr  
Sturgeon Bay WI 54235

**Project No:** R3001498.00

**Requested By:** Westwood

**Order No:** 24012901321

**Date Completed:** January 31,2024

Aerial Maps included in this report are produced by the sources listed above and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property. ERIS provides no warranty of accuracy or liability. The information contained in this report has been produced using aerial photos listed in above sources by ERIS Information Inc. (in the US) and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS'. The maps contained in this report do not purport to be and do not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

## **Environmental Risk Information Services**

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)



<b>Date</b>	<b>Source</b>	<b>Scale</b>	<b>Comments</b>
2020	Maxar Technologies	1" = 1200'	
2018	United States Department of Agriculture	1" = 1200'	
2017	United States Department of Agriculture	1" = 1200'	
2015	United States Department of Agriculture	1" = 1200'	
2013	United States Department of Agriculture	1" = 1200'	
2010	United States Department of Agriculture	1" = 1200'	
2008	United States Department of Agriculture	1" = 1200'	
2006	United States Department of Agriculture	1" = 1200'	
2005	United States Department of Agriculture	1" = 1200'	
1992	United States Geological Survey	1" = 1200'	
1986	United States Geological Survey	1" = 1200'	
1981	United States Geological Survey	1" = 1200'	
1974	Agricultural Stabilization & Conserv. Service	1" = 1200'	
1967	Agricultural Stabilization & Conserv. Service	1" = 1200'	
1961	Agricultural Stabilization & Conserv. Service	1" = 1200'	
1951	Agricultural Stabilization & Conserv. Service	1" = 1200'	
1938	Agricultural Stabilization & Conserv. Service	1" = 1200'	

**Environmental Risk Information Services**

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)



1220

Feet



Year: 2020  
Source: MAXAR  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514


Order No: 24012901321





1220

Feet



Year: 2018  
Source: USDA  
Scale: 1" = 1200'  
Comment:


Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220  
Feet



Year: 2017  
Source: USDA  
Scale: 1" = 1200'  
Comment:


Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220  
Feet



Year: 2015  
Source: USDA  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514


Order No: 24012901321





1220

Feet



Year: 2013  
Source: USDA  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514


Order No: 24012901321





1220

Feet



Year: 2010  
Source: USDA  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514


Order No: 24012901321





1220

Feet



Year: 2008  
Source: USDA  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514


Order No: 24012901321





1220

Feet



Year: 2006  
Source: USDA  
Scale: 1" = 1200'  
Comment:


Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220  
Feet



Year: 2005  
Source: USDA  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220

Feet



Year: 1992  
Source: USGS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220

Feet



Year: 1986  
Source: USGS  
Scale: 1" = 1200'  
Comment:


Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220  
Feet



Year: 1981  
Source: USGS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321






1220

Feet

A 40



Year: 1974  
Source: ASCS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220

Feet



Year: 1967  
Source: ASCS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220

Feet



Year: 1961  
Source: ASCS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





1220

Feet

35

36

2



Year: 1951  
Source: ASCS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514


Order No: 24012901321





1220

Feet



Year: 1938  
Source: ASCS  
Scale: 1" = 1200'  
Comment:

Address: 3538 Park Dr, Sturgeon Bay, WI  
Approx Center: -87.42153248,44.84575514

Order No: 24012901321





The background of the page is a dark red topographic map. It features intricate, light red contour lines that create a complex, wavy pattern across the entire surface. A vertical dashed red line runs down the center of the page, starting from the top and ending near the bottom. A small solid red circle is positioned on this dashed line in the lower third of the page. The text is centered horizontally and vertically on the page.

# **Appendix 6**

# **ERIS City Directories**





---

CITY  
**DIRECTORY**

**Project Property:** *Cherryland Airport  
3538 Park Dr  
Sturgeon Bay, WI 54235*

**Project No:** *R3001498.00*

**Requested By:** *Westwood*

**Order No:** *24012901321*

**Date Completed:** *February 02, 2024*

**Environmental Risk Information Services**

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)



February 02, 2024  
RE: CITY DIRECTORY RESEARCH  
3538 Park Dr  
Sturgeon Bay, WI 54235

Thank you for contacting ERIS for an City Directory Search for the site described above. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. We have provided the nearest addresses(s) when adjacent addresses are not listed. If we have searched a range of addresses, all addresses in that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on more highly developed areas. Newly developed areas may be covered in the more recent years, but the older directories will tend to cover only the "central" parts of the city. To complete the search, we have either utilized the ACPL, Library of Congress, State Archives, and/or a regional library or history center as well as multiple digitized directories. These do not claim to be a complete collection of all reverse listing city directories produced.

ERIS has made every effort to provide accurate and complete information but shall not be held liable for missing, incomplete or inaccurate information. To complete this search we used the general range(s) below to search for relevant findings. If you believe there are additional addresses or streets that require searching please contact us at 866-517-5204.

**Search Criteria:**

6500-7300 of County Rd C  
3200-3900 of Park Dr

**Search Notes:**



## Search Results Summary

Date	Source	Comment
2022	DIGITAL BUSINESS DIRECTORY	
2020	DIGITAL BUSINESS DIRECTORY	
2016	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2008	DIGITAL BUSINESS DIRECTORY	
2003	DIGITAL BUSINESS DIRECTORY	
2000	DIGITAL BUSINESS DIRECTORY	
1998	DIGITAL BUSINESS DIRECTORY	
1994	CITY DIRECTORY INC	
1989	JOHNSONS	
1955	JOHNSONS	

### Environmental Risk Information Services

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)



6512 JUNE GORDON...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6671 RICKY DITEWIG...RESIDENTIAL  
 6680 JOHN MAISONNEUVE...RESIDENTIAL  
 6690 TRISTA MAY...RESIDENTIAL  
 6692 JO KAREMPELIS...RESIDENTIAL  
 6694 BARBARA JACQUET...RESIDENTIAL  
 6698 MICHAEL TONEYS...RESIDENTIAL  
 6757 GARY HOLBROOK...RESIDENTIAL  
 6797 LAELONI SHIELDS...RESIDENTIAL  
 6799 TORRENCE LAUTENBACH...RESIDENTIAL  
 6870 BENTLEY POWERBOATS INC...BOAT DEALERS SALES & SERVICE  
 6898 DENISE SCHUPBACH...RESIDENTIAL  
 6914 CHARLES CIHLAR JR...RESIDENTIAL  
 6951 DOOR COUNTY HORSEMANSHIP LLC...NONCLASSIFIED ESTABLISHMENTS  
 6951 JEFFREY LALUZERNE...RESIDENTIAL  
 6988 ARTHUR LOPAS...RESIDENTIAL  
 6990 BARBARA MCQUEEN...RESIDENTIAL  
 6991 SWOLLEN THUMB...ANTIQUES-REPAIRING & RESTORING  
 6991 SWOLLEN THUMB...FURNITURE-REPAIRING & REFINISHING  
 7008 KEVIN WODACK...RESIDENTIAL  
 7053 BLAHE CIHLAS...RESIDENTIAL  
 7054 STEVEN SULLIVAN...RESIDENTIAL  
 7055 WILLIAM NUHS...RESIDENTIAL  
 7057 SUZANNE WHITFORD...RESIDENTIAL  
 7058 STORAGE SERVICES...STORAGE-HOUSEHOLD & COMMERCIAL  
 7058 STORAGE SERVICES...STORAGE  
 7061 JOSEPH MOREAUX...RESIDENTIAL  
 7093 PAUL KEDDELL...RESIDENTIAL  
 7205 DAVID GENGLER...RESIDENTIAL  
 7297 LISA BACON...RESIDENTIAL

3201 LEROY LIEBE...RESIDENTIAL  
 3415 DOOR GUARD SECURITY SYSTEMS...SECURITY CONTROL EQUIP & SYSTEMS-WHLS  
 3418 AVIS RENT A CAR...AUTOMOBILE RENTING  
 3475 DOOR COUNTY HUMANE SOCIETY...PET SHOPS  
 3475 DOOR COUNTY HUMANE SOCIETY...HUMANE SOCIETIES  
 3538 DOOR CNTY CHERRYLAND ARPRT SUE...COUNTY GOVT-TRANSPORTATION PROGRAMS  
 3538 DOOR CNTY CHERRYLAND ARPRT SUE...GOVERNMENT OFFICES-COUNTY  
 3538 DOOR COUNTY PARKS DEPT...PARKS  
 3538 DOOR COUNTY PARKS DEPT...GOVERNMENT OFFICES-COUNTY  
 3538 DOOR COUNTY PARKS DEPT...FEDERAL GOVERNMENT CONTRACTORS  
 3538 FRIENDS OF THE DOOR COUNTY PK...PARKS  
 3538 GRIZZLY SCENIC AIR TOURS...AIRCRAFT CHARTER RENTAL & LEASING SVC  
 3740 SKYDIVE DOOR COUNTY...PARKS  
 3740 BAY SPORT OUTFITTERS LLC...CAMPING EQUIPMENT  
 3740 POTAWATOMI STATE PARK...MUSEUMS  
 3750 DAWN WITTING...RESIDENTIAL  
 3855 ALAN KINTOPF...RESIDENTIAL



6512 JUNE GORDON...RESIDENTIAL  
 6520 JACKI PIERZCHALSKI...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6665 JOYCE WAGNER...RESIDENTIAL  
 6671 PATRICIA DITEWG...RESIDENTIAL  
 6680 JOHN MAISONNEUVE...RESIDENTIAL  
 6692 JO KAREMPELIS...RESIDENTIAL  
 6694 BARBARA JACQUET...RESIDENTIAL  
 6694 DOUG JACQUET...RESIDENTIAL  
 6698 CARROL TONEYS...RESIDENTIAL  
 6797 LAELONI SHIELDS...RESIDENTIAL  
 6799 TORRENCE LAUTENBACH...RESIDENTIAL  
 6870 BENTLEY POWERBOATS INC...BOAT DEALERS SALES & SERVICE  
 6914 DEBRA CIHLAR...RESIDENTIAL  
 6951 JEFFREY LALUZERNE...RESIDENTIAL  
 6988 ALEX LOPAS...RESIDENTIAL  
 6990 BARBARA MCQUEEN...RESIDENTIAL  
 6991 SWOLLEN THUMB...ANTIQUES-REPAIRING & RESTORING  
 6991 SWOLLEN THUMB...FURNITURE-REPAIRING & REFINISHING  
 7008 KEVIN WODACK...RESIDENTIAL  
 7053 BLAHE CIHLAS...RESIDENTIAL  
 7054 CHARMAINE SULLIVAN...RESIDENTIAL  
 7055 ARICK NUHS...RESIDENTIAL  
 7057 GEORGE WHITFORD...RESIDENTIAL  
 7058 STORAGE SERVICES...STORAGE-HOUSEHOLD & COMMERCIAL  
 7058 STORAGE SERVICES...STORAGE  
 7061 JOSEPH MOREAUX...RESIDENTIAL  
 7093 JANEL KEDDELL...RESIDENTIAL  
 7093 PAUL KEDDELL...RESIDENTIAL  
 7297 LISA BACON...RESIDENTIAL

3201 LEROY LIEBE...RESIDENTIAL  
 3201 MARILYN LIEBE...RESIDENTIAL  
 3415 DOOR GUARD SECURITY SYSTEMS...SECURITY CONTROL EQUIP & SYSTEMS-WHLS  
 3418 AVIS RENT A CAR...AUTOMOBILE RENTING  
 3475 DOOR COUNTY HUMANE SOCIETY...PET SHOPS  
 3475 DOOR COUNTY HUMANE SOCIETY...HUMANE SOCIETIES  
 3538 AVIS RENT A CAR...AUTOMOBILE RENTING  
 3538 DOOR CNTY CHERRYLAND ARPRT-SUE...COUNTY GOVT-TRANSPORTATION PROGRAMS  
 3538 DOOR CNTY CHERRYLAND ARPRT-SUE...GOVERNMENT OFFICES-COUNTY  
 3538 DOOR COUNTY PARKS DEPT...FEDERAL GOVERNMENT CONTRACTORS  
 3538 DOOR COUNTY PARKS DEPT...PARKS  
 3538 DOOR COUNTY PARKS DEPT...GOVERNMENT OFFICES-COUNTY  
 3538 FRIENDS OF THE DOOR COUNTY PK...PARKS  
 3538 GRIZZLY SCENIC AIR TOURS...AIRCRAFT CHARTER RENTAL & LEASING SVC  
 3538 SKYDIVE DOOR COUNTY...PARKS  
 3740 BAY SPORT OUTFITTERS LLC...CAMPING EQUIPMENT  
 3740 POTAWATOMI STATE PARK...MUSEUMS  
 3750 DAWN WITTIG...RESIDENTIAL  
 3855 ALAN KINTOPF...RESIDENTIAL  
 3855 LINDA KINTOPF...RESIDENTIAL



6520 JACKI PIERZCHALSKI...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6671 PATRICIA DITEWIG...RESIDENTIAL  
 6671 RICKY DITEWIG...RESIDENTIAL  
 6680 JOHN MAISONNEUVE...RESIDENTIAL  
 6680 MICHELLE MAISONNEUVE...RESIDENTIAL  
 6692 JO KAREMPELIS...RESIDENTIAL  
 6692 MICHAEL KAREMPELIS...RESIDENTIAL  
 6692 WILLIAM KAREMPELIS...RESIDENTIAL  
 6694 BARBARA JACQUET...RESIDENTIAL  
 6694 DOUG JACQUET...RESIDENTIAL  
 6694 ERIK JACQUET...RESIDENTIAL  
 6698 CARROL TONEYS...RESIDENTIAL  
 6698 MICHAEL TONEYS...RESIDENTIAL  
 6799 TORRENCE LAUTENBACH...RESIDENTIAL  
 6870 BENTLEY POWERBOATS INC...BOAT DEALERS SALES & SERVICE  
 6898 DENISE SCHUPBACH...RESIDENTIAL  
 6914 CHARLES CIHLAR JR...RESIDENTIAL  
 6914 DEBRA CIHLAR...RESIDENTIAL  
 6914 RYAN CIHLAR...RESIDENTIAL  
 6951 JEFFREY LALUZERNE...RESIDENTIAL  
 6988 ALEX LOPAS...RESIDENTIAL  
 6988 ARTHUR LOPAS...RESIDENTIAL  
 6988 MARY LOPAS...RESIDENTIAL  
 6990 BARBARA MCQUEEN...RESIDENTIAL  
 6991 SWOLLEN THUMB...ANTIQUES-REPAIRING & RESTORING  
 6991 SWOLLEN THUMB...FURNITURE-REPAIRING & REFINISHING  
 7008 KEVIN WODACK...RESIDENTIAL  
 7008 LORI WODACK...RESIDENTIAL  
 7053 BLAHE CIHLAS...RESIDENTIAL  
 7054 CHARMAINE SULLIVAN...RESIDENTIAL  
 7054 STEVEN SULLIVAN...RESIDENTIAL  
 7055 ARICK NUHS...RESIDENTIAL  
 7055 MARY NUHS...RESIDENTIAL  
 7055 WILLIAM NUHS...RESIDENTIAL  
 7057 GEORGE WHITFORD...RESIDENTIAL  
 7057 SUZANNE WHITFORD...RESIDENTIAL  
 7061 JOSEPH MOREAUX...RESIDENTIAL  
 7061 TAMMY MOREAUX...RESIDENTIAL  
 7093 JANEL KEDDELL...RESIDENTIAL  
 7093 PAUL KEDDELL...RESIDENTIAL  
 7297 LISA BACON...RESIDENTIAL

3201 LEROY LIEBE...RESIDENTIAL  
 3201 MARILYN LIEBE...RESIDENTIAL  
 3415 DOOR GUARD SECURITY SYSTEMS...SECURITY CONTROL EQUIP & SYSTEMS-WHLS  
 3418 AVIS RENT A CAR...AUTOMOBILE DEALERS-USED CARS  
 3418 AVIS RENT A CAR...AUTOMOBILE RENTING  
 3475 DOOR COUNTY HUMANE SOCIETY...HUMANE SOCIETIES  
 3538 CHERRY AIRPORT...SKYDIVING & PARACHUTE JUMPING INSTRCTNS  
 3538 DOOR CNTY CHERRYLAND ARPRT-SUE...COUNTY GOVT-TRANSPORTATION PROGRAMS  
 3538 DOOR CNTY CHERRYLAND ARPRT-SUE...GOVERNMENT OFFICES-COUNTY  
 3538 DOOR COUNTY PARKS DEPT...PARKS  
 3538 FRIENDS OF THE DOOR COUNTY PK...PARKS  
 3538 GRIZZLY SCENIC AIR TOURS...AIRCRAFT CHARTER RENTAL & LEASING SVC  
 3538 SKYDIVE DOOR COUNTY...PARKS  
 3740 BAY SPORT OUTFITTERS LLC...CAMPING EQUIPMENT-RENTING  
 3740 BAY SPORT OUTFITTERS LLC...CAMPING EQUIPMENT  
 3740 D C BIKES CAMP STORE...CAMPING EQUIPMENT  
 3740 D C BIKES CAMP STORE...CAMPERS-SUPPLIES & PARTS  
 3740 POTAWATOMI STATE PARK...MUSEUMS  
 3740 POTAWATOMI STATE PARK...PARKS  
 3750 AUTOMATED MACHINING SYSTEM...MACHINE TOOLS-MANUFACTURERS  
 3855 ALAN KINTOPF...RESIDENTIAL  
 3855 LINDA KINTOPF...RESIDENTIAL



6512 BOB GORDON...RESIDENTIAL  
 6512 GORDON JUNE...RESIDENTIAL  
 6512 JUNE GORDON...RESIDENTIAL  
 6512 STEVEN GORDON...RESIDENTIAL  
 6520 JACKI PIERZCHALSKI...RESIDENTIAL  
 6520 JACQUELINE PIERZCHALSKI...RESIDENTIAL  
 6528 JODI PIERZCHALSKI...RESIDENTIAL  
 6528 PIERZCHALSKI JODI...RESIDENTIAL  
 6532 MITCHELL GERDMANN...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6675 MICHELLE BRICKNER...RESIDENTIAL  
 6680 JOHN MAISONNEUVE...RESIDENTIAL  
 6680 JOHN MICHELLEUVE...RESIDENTIAL  
 6680 MICHELLE MAISONNEUVE...RESIDENTIAL  
 6684 GARY BOYER...RESIDENTIAL  
 6694 DOUGLAS JACQUET...RESIDENTIAL  
 6694 ERIC JACQUET...RESIDENTIAL  
 6694 ERIK JACQUET...RESIDENTIAL  
 6694 HAROLD JACQUET...RESIDENTIAL  
 6696 KENT WHIPP...RESIDENTIAL  
 6696 PEGGY WHIPP...RESIDENTIAL  
 6698 MICHAEL TONEYS...RESIDENTIAL  
 6757 GARY HOLBROOK...RESIDENTIAL  
 6757 HOLBROOK GARY...RESIDENTIAL  
 6757 SANDRA HOLBROOK...RESIDENTIAL  
 6779 JIMBOS ROADSIDE SVC...SERVICES NEC  
 6799 PENNY LAUTENBACH...RESIDENTIAL  
 6799 TORRY LAUTENBACH...RESIDENTIAL  
 6870 BENTLEY POWERBOATS INC...BOAT DEALERS SALES & SERVICE  
 6870 BENTLEY POWERBOATS INC...BOAT DEALERS  
 6898 THERESA CLOSE...RESIDENTIAL  
 6898 THERESA WAVRUNEK...RESIDENTIAL  
 6914 DEBRA CIHLAR...RESIDENTIAL  
 6914 MARK POLCEN...RESIDENTIAL  
 6914 RYAN CIHLAR...RESIDENTIAL  
 6951 JEFFREY LALUZERNE...RESIDENTIAL  
 6988 ALEX LOPAS...RESIDENTIAL  
 6988 ARTHUR LOPAS...RESIDENTIAL  
 6988 LOPAS ART BUILDERS...SINGLE-FAMILY HOUSE CONSTRUCTION  
 6988 LUKE LOPAS...RESIDENTIAL  
 6988 MARY LOPAS...RESIDENTIAL  
 6991 SWOLLEN THUMB...REUPHOLSTERY/FURNITURE REPAIR REPAIR SERVICES  
 6991 SWOLLEN THUMB...REUPHOLSTERY & FURNITURE REPAIR  
 6991 SWOLLEN THUMB...FURNITURE REP/MAINT  
 6991 SWOLLEN THUMB...ANTIQUES-REPAIRING & RESTORING  
 6991 THUMB SWOLLEN...RESIDENTIAL  
 7008 KEVIN WODACK...RESIDENTIAL  
 7008 LORI WODACK...RESIDENTIAL  
 7053 ARNOLD GEITNER...RESIDENTIAL  
 7054 STEVEN SULLIVAN...RESIDENTIAL  
 7054 SULLIVAN SHEET METAL...ROOFING/SIDING CONTRACTOR  
 7055 ARICK NUHS...RESIDENTIAL  
 7055 MARY NUHS...RESIDENTIAL  
 7057 GEORGE WHITFORD...RESIDENTIAL  
 7057 SUZANNE WHITFORD...RESIDENTIAL  
 7061 JOSEPH MOREAUX...RESIDENTIAL  
 7061 TAMMY MOREAUX...RESIDENTIAL  
 7093 JANEL KEDDELL...RESIDENTIAL  
 7093 PAUL KEDDELL...RESIDENTIAL  
 7205 JOYCE WECKLER...RESIDENTIAL

3201 LEROY LIEBE...RESIDENTIAL  
 3201 LEROY LIEBE...REAL PROPERTY LESSOR  
 3201 MARILYN LIEBE...RESIDENTIAL  
 3415 COMBINED INVESTIGATIVE SVCS...DETECTIVE/ARMORED CAR SERVICES  
 3538 DOOR CNTY CHERRYLAND ARPRT-SUE...AIRPORTS  
 3538 DOOR COUNTY CHERRYLAND AIRPORT...AIRPORTS & TERM SVS  
 3538 DOOR COUNTY CHERRYLAND AIRPORT...OTHER AIRPORT OPERATIONS  
 3538 DOOR COUNTY CHERRYLAND AIRPORT...COUNTY GOVT-TRANSPORTATION PROGRAMS  
 3538 DOOR COUNTY PARKS DEPT...AMUS, RECREATION SV  
 3538 DOOR COUNTY PARKS DEPT...NATURE PARKS & OTHER SIMILAR INSTITUTIONS  
 3538 DOOR COUNTY PARKS DEPT...PARKS  
 3538 FRIENDS OF THE DOOR COUNTY PK...PARKS  
 3538 ORION FLIGHT SVC...AIRCRAFT RENTAL  
 3538 ORION FLIGHT SVC...TRANSPORTATION EQUIP RENTAL & LEASING  
 3538 ORION FLIGHT SVC INC...AIRCRAFT CHARTER RENTAL & LEASING SVC  
 3538 SKYDIVE DOOR COUNTY...SKYDIVING & PARACHUTE JUMPING INSTRCTNS  
 3640 CERMAK ARTHUR...RESIDENTIAL  
 3740 D C BIKES CAMP STORE...AMUS, RECREATION SV  
 3740 POTAWATOMI STATE PARK...MUSEUMS  
 3740 POTAWATOMI STATE PARK...NATURE PARKS & OTHER SIMILAR INSTITUTIONS  
 3742 DOOR TECHNOLOGIES...COMPUTER MAINTENANCE/REPAIR  
 3750 AUTOMATED MACHINING SYSTEM...MACHINE TOOLS-MANUFACTURERS  
 3750 AUTOMATED MACHINING SYSTEM...MFG MACHINE TOOL ACCESSORIES MANAGEMENT CONSULTING  
 3750 DAWNS CAMP PARK...AMUSEMENT/RECREATION SERVICES  
 3855 ADAM KINTOPF...RESIDENTIAL  
 3855 ALAN KINTOPF...RESIDENTIAL  
 3855 INTERNL ASSN OF LIONS CLUBS...CIVIC/SOCIAL ASSOCIATION  
 3855 LINDA KINTOPF...RESIDENTIAL



6512 JUNE GORDON...RESIDENTIAL  
 6523 DAVE DURFEE...RESIDENTIAL  
 6523 KERI R SEVERSON...RESIDENTIAL  
 6523 STEPHEN METHERELL...RESIDENTIAL  
 6528 JOHN & JACKIE JR PIERZCHALSKI...RESIDENTIAL  
 6532 GEORGIA J MAPLES...RESIDENTIAL  
 6553 JOHN W OTTO...RESIDENTIAL  
 6663 D M PHILLIPS...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6665 ALBERT WAGNER...RESIDENTIAL  
 6680 JOHN D MAISONNEUVE...RESIDENTIAL  
 6683 TIM & PATSY KRUSE...RESIDENTIAL  
 6684 GARY & CARLA BOYER...RESIDENTIAL  
 6692 WALTER JACQUET...RESIDENTIAL  
 6694 HAROLD V JACQUET...RESIDENTIAL  
 6696 KENT & PEG WHIPP...RESIDENTIAL  
 6698 MICHAEL & CARROL TONEYS...RESIDENTIAL  
 6779 JIMBOS ROADSIDE SVC...SERVICES NEC  
 6781 ANNIE M BASHELL...RESIDENTIAL  
 6797 STEPHANIE J POTIER...RESIDENTIAL  
 6799 TORRY LAUTENBACH...RESIDENTIAL  
 6870 BENTLEY POWERBOATS INC...BOAT DEALERS  
 6898 RICHARD & ESTHER HOFFMAN...RESIDENTIAL  
 6951 MARION KAY...RESIDENTIAL  
 6951 MARK & VICKI POLCEN...RESIDENTIAL  
 6960 JENNIFER L CECI...RESIDENTIAL  
 6980 CHARLES & DEBRA JR CIHLAR...RESIDENTIAL  
 6988 ARTHUR & MARY J LOPAS...RESIDENTIAL  
 6988 LOPAS ART BUILDERS...SINGLE-FAMILY HOUSE CONSTRUCTION  
 6990 BARBARA MCQUEEN...RESIDENTIAL  
 6991 SWOLLEN THUMB...REUPHOLSTERY/FURNITURE REPAIR REPAIR SERVICES  
 6991 SWOLLEN THUMB...FURNITURE REP/MAINT  
 7044 STEVE & CHARMINE C SULLIVAN...RESIDENTIAL  
 7053 ARNOLD GEITNER...RESIDENTIAL  
 7054 SULLIVAN SHEET METAL...ROOFING/SIDING CONTRACTOR  
 7055 WILLIAM & MARY S NUHS...RESIDENTIAL  
 7061 JOE & TAMMY MOREAUX...RESIDENTIAL  
 7088 GARY LARSON...RESIDENTIAL  
 7093 GEORGE WHITFORD...RESIDENTIAL  
 7205 JOHN JR WECKLER...RESIDENTIAL

3201 LEROY & MARILYN LIEBE...RESIDENTIAL  
 3201 LEROY LIEBE...REAL PROPERTY LESSOR  
 3415 COMBINED INVESTIGATIVE SVCS...DETECTIVE/ARMORED CAR SERVICES  
 3415 G WAIT...RESIDENTIAL  
 3475 DOOR COUNTY HUMANE SOCIETY...HUMANE SOCIETIES  
 3538 DOOR COUNTY AVIATION...AIRPORTS & TERM SVS  
 3538 DOOR COUNTY CHERRYLAND AIRPORT...COUNTY GOVT-TRANSPORTATION  
 PROGRAMS  
 3538 DOOR COUNTY CHERRYLAND AIRPORT...AIRPORTS & TERM SVS  
 3538 DOOR COUNTY PARKS DEPT...PARKS  
 3538 DOOR COUNTY PARKS DEPT...AMUS; RECREATION SV  
 3538 ORION FLIGHT SERVICES INC...MEMBERSHIP SPORT/RECREATION CLUB  
 HOTEL/MOTEL OPERATION  
 3538 ORION FLIGHT SVC...AIRCRAFT RENTAL  
 3538 ORION FLIGHT SVC INC...AIRCRAFT CHARTER RENTAL & LEASING SVC  
 3640 ARTHUR L CERMAK...RESIDENTIAL  
 3740 D C BIKES CAMP STORE...AMUS, RECREATION SV  
 3742 DOOR TECHNOLOGIES...COMPUTER MAINTENANCE/REPAIR  
 3750 AUTOMATED MACHINING SYSTEM...MFG MACHINE TOOL ACCESSORIES  
 MANAGEMENT CONSULTING SERV  
 3750 DAWNS CAMP PARK...AMUSEMENT/RECREATION SERVICES  
 3750 FREDRIC H WITTING...RESIDENTIAL  
 3855 ALAN & LINDA B KINTOPF...RESIDENTIAL  
 3855 INTERNATL ASSN OF LIONS CLUBS...CIVIC/SOCIAL ASSOCIATION



6512 JAMES LAU...RESIDENTIAL  
 6523 DAWN E OVERLAND...RESIDENTIAL  
 6528 JASON & PATRICK HEALY BECK...RESIDENTIAL  
 6528 JOHN JR & JACKIE PIERZCHALSKI...RESIDENTIAL  
 6532 GEORGIA J MAPLES...RESIDENTIAL  
 6553 JAMES L OTTO...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6663 OSCAR MRS STRUCK...RESIDENTIAL  
 6665 ALBERT WAGNER...RESIDENTIAL  
 6680 JOHN & MICHELLE MAISONNEUVE...RESIDENTIAL  
 6683 SAMANTHA SIKORSKY...RESIDENTIAL  
 6692 WALTER JACQUET...RESIDENTIAL  
 6694 HAROLD V JACQUET...RESIDENTIAL  
 6696 ORIN GUNNLAUGSSON...RESIDENTIAL  
 6698 MICHAEL & CARROL TONEYS...RESIDENTIAL  
 6779 JIMBO'S ROADSIDE SVC...AUTOMOTIVE MAINTENANCE SERVICES  
 6781 ANNIE M BASHELL...RESIDENTIAL  
 6781 RUSS & SUE KELLER...RESIDENTIAL  
 6799 TORRY LAUTENBACH...RESIDENTIAL  
 6859 JAMES A NORTON...RESIDENTIAL  
 6870 BENTLEY POWERBOATS INC...MARINE SUPPLIES AND EQUIPMENT  
 6898 IVAR LARSON...RESIDENTIAL  
 6898 RICHARD & ESTHER HOFFMAN...RESIDENTIAL  
 6951 MARION KAY...RESIDENTIAL  
 6951 MARK & VICKI POLCEN...RESIDENTIAL  
 6980 CHARLES JR & DEBRA CIHLAR...RESIDENTIAL  
 6988 ARTHUR J & MARY M LOPAS...RESIDENTIAL  
 6990 S HACKER...RESIDENTIAL  
 6991 SWOLLEN THUMB CORP  
 7044 STEVE C & CHARMAINE M SULLIVAN...RESIDENTIAL  
 7053 ARNOLD GEITNER...RESIDENTIAL  
 7055 WILLIAM S NUHS...RESIDENTIAL  
 7061 JOE & TAMMY MOREAUX...RESIDENTIAL  
 7088 LEONARD POTIER...RESIDENTIAL  
 7093 GEO WHITFORD...RESIDENTIAL  
 7205 JOHN WECKLER...RESIDENTIAL

3201 LEROY & MARILYN LIEBE...RESIDENTIAL  
 3415 DOOR GUARD SECURITY SYSTEMS...LIGHTING FIXTURES  
 3418 AVIS RENT A CAR  
 3418 DOOR COUNTY AVIATION  
 3418 DOOR COUNTY CHERRYLAND AIRPORT...WATER VESSELS AND PORT  
 REGULATING AGENCIES  
 3418 DOOR COUNTY PARKS DEPT  
 3455 DOOR COUNTY HUMANE SOCIETY...ATHLETIC ORGANIZATIONS  
 3538 ORION FLIGHT SVC INC  
 3640 ARTHUR L CERMAK...RESIDENTIAL  
 3740 D C BIKE'S CAMP STORE...GAMBLING AND LOTTERY SERVICES  
 3855 ALAN B KINTOPF...RESIDENTIAL

6512 JAMES LAU...RESIDENTIAL  
 6523 DAWN E OVERLAND...RESIDENTIAL  
 6523 JASON & PATRICK HEALY BECK...RESIDENTIAL  
 6528 JOHN JR & JACKIE PIERZCHALSKI...RESIDENTIAL  
 6532 GEORGIA J MAPLES...RESIDENTIAL  
 6553 JAMES L OTTO...RESIDENTIAL  
 6663 DUANE STRUCK...RESIDENTIAL  
 6663 OSCAR MRS STRUCK...RESIDENTIAL  
 6665 ALBERT WAGNER...RESIDENTIAL  
 6680 JOHN & MICHELLE MAISONNEUVE...RESIDENTIAL  
 6683 SAMANTHA SIKORSKY...RESIDENTIAL  
 6692 WALTER JACQUET...RESIDENTIAL  
 6694 HAROLD V JACQUET...RESIDENTIAL  
 6696 ORIN GUNNLAUGSSON...RESIDENTIAL  
 6698 MICHAEL & CARROL TONEYS...RESIDENTIAL  
 6781 ANNIE M BASHELL...RESIDENTIAL  
 6781 RUSS & SUE KELLER...RESIDENTIAL  
 6799 TORRY LAUTENBACH...RESIDENTIAL  
 6859 JAMES A NORTON...RESIDENTIAL  
 6898 IVAR LARSON...RESIDENTIAL  
 6898 RICHARD & ESTHER HOFFMAN...RESIDENTIAL  
 6951 MARION KAY...RESIDENTIAL  
 6951 MARK & VICKI POLCEN...RESIDENTIAL  
 6980 CHARLES JR & DEBRA CIHLAR...RESIDENTIAL  
 6988 ARTHUR J & MARY M LOPAS...RESIDENTIAL  
 6990 S HACKER...RESIDENTIAL  
 6991 SWOLLEN THUMB CORP...RECREATIONAL VEHICLE REPAIR SERVICES  
 7044 STEVE C & CHARMAINE M SULLIVAN...RESIDENTIAL  
 7053 ARNOLD GEITNER...RESIDENTIAL  
 7055 WILLIAM S NUHS...RESIDENTIAL  
 7061 JOE & TAMMY MOREAUX...RESIDENTIAL  
 7088 LEONARD POTIER...RESIDENTIAL  
 7093 GEO WHITFORD...RESIDENTIAL  
 7205 JOHN WECKLER...RESIDENTIAL

3201 LEROY & MARILYN LIEBE...RESIDENTIAL  
 3415 DOOR GUARD SECURITY SYSTEMS...LIGHTING FIXTURES  
 3418 AVIS RENT A CAR  
 3418 COUNTY PARKS DEPT  
 3418 DOOR COUNTY CHERRYLAND AIRPORT...WATER VESSELS AND PORT  
 REGULATING AGENCIES  
 3418 ORION FLIGHT SVC INC  
 3423 T & T AUTO REFINISHING...INTERIOR REPAIR SERVICES  
 3423 TERP'S AUTO SALES  
 3455 DOOR COUNTY HUMANE SOCIETY...ATHLETIC ORGANIZATIONS  
 3640 ARTHUR L CERMAK...RESIDENTIAL  
 3740 POTAWATOMI STATE PARK  
 3750 DAWN'S CAMP STORE  
 3855 ALAN B KINTOPF...RESIDENTIAL



NO LISTING FOUND

- 3415 DOOR GUARD SECURITY SYSTEMS...ELECTRICAL APPARATUS AND EQUIPMENT
- 3415 FAST TRACK SPORTS
- 3418 AVIS RENT A CAR CHERRYLAND AIRPORT...USED CAR DEALERS
- 3418 CHERRYLAND AIRPORT...AIRPORTS, FLYING FIELDS, AND SERVICES
- 3418 DOOR CHERRYLAND AIRPORT...AIRPORTS, FLYING FIELDS, AND SERVICES
- 3418 DOOR COUNTY PARKS DEPT...AIRPORTS, FLYING FIELDS, AND SERVICES
- 3418 DOOR PARKS DEPT...AIRPORTS, FLYING FIELDS, AND SERVICES
- 3418 PARKS DEPT-COUNTY OF DOOR...AIRPORTS, FLYING FIELDS, AND SERVICES
- 3418 PINKHAM AVIATION...AIR TRANSPORTATION, SCHEDULED
- 3418 TRANS NORTH AVIATION LTD OFFICE...AIR TRANSPORTATION, NONSCHEDULED
- 3465 PENINSULA FIBERGLASS...FIBER CANS, DRUMS, AND SIMILAR PRODUCTS

6447 WILLMAN RANDALL  
6512 LAU JAMES - O  
6523 MULTI TENANT RESIDENTIAL  
6528 PERZCHALSKI JOHN  
6532 MAPLES GEORGIA J - O  
6553 OTTO JAMES L  
6663 STRUCK DUANE - O  
6665 WAGNER ALBERT  
6675 LARSON M  
6680 MAISONNEUVE JOHN  
6692 JACQUET WALTER  
6694 JACQUET HAROLD V  
6696 GUNNLAUGSSON  
6696 ORIN - O  
6698 TONEYS MICHAEL  
6781 BASHELL ANNIE M  
6799 LAUTENBACH TORRY - O  
6859 NORTON JAMES A  
6898 HOFFMAN RICHARD  
6898 LARSON IVAR  
6951 KAY MARIAN  
6980 CIHLAR CHARLES  
6988 LOPAS ARTHUR J  
6990 HACKER S  
7053 GEITNER ARNOLD F  
7055 NUHS WM S  
7061 MOREAUZ JOE  
7088 POTIER LEONARD  
7093 WHITFORD GEORGE  
7205 WECKLER JOHN  
7301 HEUBEL JEFF - R  
7334 MILBACH JAMES

3196 PARAL MICHAEL  
3200 BRAUN J L  
3201 LIEBE LEROY E  
3418 CHERRYLAND AIRPORT TRANS NORTH AVIATION LTD  
3465 PENINSULA FIBERGLASS  
3855 KINTOPF ALAN B  
3909 NORMANN CINDY & CATHY  
3909 NORMANN ERIC  
3909 NORMANN MATTHEW



6478 NO INFORMATION  
 6512 LAU JAMES  
 6512 LAU JEFF  
 6523 NORMANN E L  
 6528 PIERZCHALSKI JOHN JR  
 6532 NO INFORMATION  
 6553 OTTO JAMES  
 6663 STRUCK DUANE  
 6665 WAGNER ALBERT  
 6675 LARSON M  
 6680 NO INFORMATION  
 6683 STRUCK G A  
 6684 GUNDERSON JEANETTE C  
 6690 LANE JOHN  
 6692 JACQUET WALTER H  
 6694 JACQUET HAROLD  
 6696 GUNNLAUGSSON ORIN  
 6698 TONEYS MICHAEL  
 6799 LAUTENBACH TORRY  
 6799 RUNWAY THE  
 6859 NORTON JAMES A  
 6859 NORTON JASON  
 6859 NORTON JEFF  
 6898 HOFFMAN ERICK  
 6898 HOFFMAN MELANIE  
 6898 HOFFMAN RICHARD W  
 6898 LARSON IVAR  
 6951 WAUTLET CYNTHIA  
 6951 WAUTLET KEITH  
 6980 CIHLAR CHARLES JR  
 6990 GARRISON M J  
 7008 NO INFORMATION  
 7044 SULLIVAN STEVEN C  
 7053 GEITNER ARNOLD S  
 7055 NUHS WILLIAM S  
 7061 ARNEMAN BRIAN  
 7088 POTIER LEONARD J  
 7093 WHITFORD GEORGE L  
 7205 WECKLER JOHN JR  
 7297 WECKLER FLOYD G  
 7301 NO INFORMATION  
 7334 MILBACH JAMES

3196 SENGBUSCH BRUCE  
 3200 BRAUN DANIEL D  
 3201 LIEBE LEROY E  
 3218 BRANCECUM RICHARD L  
 3415 BENTLEY MARINE  
 3415 DOOR COUNTY SPORTS INC  
 3418 DOOR COUNTY CHERRYLAND AIRPORT & PARK SYSTEMS  
 3418 DOOR CTY CHERRYLAND AIRPORT  
 3418 TRANS NORTH AVIATION  
 3465 PENINSULA FIBERGLASS  
 3501 NO INFORMATION  
 3640 CERMAK ARTHUR  
 3740 POTAWATOMI STATE PARK  
 3855 KINTOPF ALAN  
 3909 NORMANN CATHERINE  
 3909 NORMANN CYNTHIA  
 3909 NORMANN ERIC  
 3966 HANSON LOIS

**1955**

**COUNTY RD C**

*SOURCE: JOHNSONS*

STREET NOT LISTED

**1955**

**PARK DR**

*SOURCE: JOHNSONS*

STREET NOT LISTED



The background of the page is a topographic map with red contour lines on a dark red background. A dashed red line runs vertically through the center of the page. A solid red dot is located on this dashed line in the lower-left quadrant, and a red 'x' is located on the dashed line in the upper-left quadrant, above the text.

# **Appendix 7**

## **ERIS Fire Insurance Maps**





—  
FIRE  
INSURANCE  
MAPS

**Project Property:** Cherryland Airport  
3538 Park Dr  
Sturgeon Bay WI 54235

**Project No:** R3001498.00

**Requested By:** Westwood

**Order No:** 24012901321

**Date Completed:** January 30, 2024

---

**Please note that no information was found for your site or adjacent properties.**



The background of the page is a topographic map with red contour lines on a dark red background. A dashed red line runs vertically through the center of the map. There is a small red 'x' mark on the dashed line in the upper-middle section and a small red dot on the dashed line in the lower-middle section.

# Appendix 8

# ERIS Topographic Maps





---

# TOPOGRAPHIC MAPS

**Project Property:** Cherryland Airport  
3538 Park Dr  
Sturgeon Bay WI 54235

**Project No:** R3001498.00

**Requested By:** Westwood

**Order No:** 24012901321

**Date Completed:** January 30, 2024



We have searched USGS collections of current topographic maps and historical topographic maps for the project property. Below is a list of maps found for the project property and adjacent area. Maps are from 7.5 and 15 minute topographic map series, if available.

Year	Map Series
2018	7.5
2015	7.5
1981	7.5
1960	15

**Topographic Map Symbolology for the maps may be available in the following documents:**

*Pre-1947*

[Page 223 of 1918 Topographic Instructions](#)

[Page 130 of 1928 Topographic Instructions](#)

*1947-2009*

[Topographic Map Symbols](#)

*2009-present*

[US Topo Map Symbols](#)

Topographic Maps included in this report are produced by the USGS and are to be used for research purposes including a phase I report. Maps are not to be resold as commercial property.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc.(in the US) and ERIS Information Limited Partnership (in Canada), both doing business as 'ERIS', using Topographic Maps produced by the USGS.


This maps contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

---

## **Environmental Risk Information Services**

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)



2018


Order No. 24012901321

Available Quadrangle(s): Sturgeon Bay West, WI



Source: USGS 7.5 Minute Topographic Map





2015

Order No. 24012901321




Available Quadrangle(s): Sturgeon Bay West, WI

Source: USGS 7.5 Minute Topographic Map







1981

(1-1981)  
Aerial Photo Year: 1978


Order No. 24012901321



Available Quadrangle(s): Sturgeon Bay West, WI(1-1981)








1960

(1-1960)  
Aerial Photo Year: 1955

Order No. 24012901321



Available Quadrangle(s): Sturgeon Bay, WI(1-1960)

Source: USGS 15 Minute Topographic Map





The background of the page is a dark red topographic map with intricate contour lines. A vertical dashed red line runs down the center-left. A solid red dot is located on this line in the lower third of the page, and a red 'x' is located on the line in the upper third of the page.

# Appendix 9

# ERIS Physical Settings Report





## Property Information

Order Number: 24012901321p  
 Date Completed: January 30, 2024  
 Project Number: R3001498.00  
 Project Property: Cherryland Airport  
 3538 Park Dr Sturgeon Bay WI 54235  
 Coordinates:  
 Latitude: 44.84575514  
 Longitude: -87.42153248  
 UTM Northing: 4965799.77999 Meters  
 UTM Easting: 466651.19904 Meters  
 UTM Zone: UTM Zone 16T  
 Elevation: 719.69 ft  
 Slope Direction: N

Topographic Information.....2  
 Hydrologic Information.....12  
 Geologic Information.....23  
 Soil Information.....27  
 Wells and Additional Sources.....53  
 Summary.....58  
 Detail Report.....65  
 Radon Information.....436  
 Appendix.....437  
 Liability Notice.....439


The ERIS **Physical Setting Report - PSR** provides comprehensive information about the physical setting around a site and includes a complete overview of topography and surface topology, in addition to hydrologic, geologic and soil characteristics. The location and detailed attributes of oil and gas wells, water wells, public water systems and radon are also included for review.

The compilation of both physical characteristics of a site and additional attribute data is useful in assessing the impact of migration of contaminants and subsequent impact on soils and groundwater.


### Disclaimer

This Report does not provide a full environmental evaluation for the site or adjacent properties. Please see the terms and disclaimer at the end of the Report for greater detail.

# Topographic Information



**Current USGS Topo (2018)**




**Quadrangle(s):** Institute,WI; Green Bay (All Water),WI; Sturgeon Bay East,WI; Idlewild,WI; Sturgeon Bay West,WI; Little Sturgeon,WI



Source: USGS 7.5 Minute Topographic Map



# Topographic Information



## Current USGS Topo - Page 1




Quadrangle(s): Sturgeon Bay West, WI


Source: USGS 7.5 Minute Topographic Map



# Topographic Information



## Current USGS Topo - Page 2




Quadrangle(s): Sturgeon Bay East,WI; Sturgeon Bay West,WI

Source: USGS 7.5 Minute Topographic Map





# Topographic Information



**Current USGS Topo - Page 3**



**Quadrangle(s): Sturgeon Bay West, WI**

Source: USGS 7.5 Minute Topographic Map






# Topographic Information



Current USGS Topo - Page 4



Quadrangle(s): Sturgeon Bay East, WI; Sturgeon Bay West, WI

Source: USGS 7.5 Minute Topographic Map






# Topographic Information


The previous topographic map(s) are created by seamlessly merging and cutting current USGS topographic data. Below are shaded relief map(s), derived from USGS elevation data to show surrounding topography in further detail.

Topographic information at project property:

Elevation: 719.69 ft  
Slope Direction: N




# Topographic Information






# Topographic Information




# Topographic Information






# Topographic Information






# Hydrologic Information



## Wetland




This map shows wetland existence using data from US Fish & Wildlife. Data coverage is shown to the right. Gray indicates no data available in the area.

- |                                                                                                                       |                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
|  Estuarine and Marine Deepwater    |  Freshwater Pond |
|  Estuarine and Marine Wetland      |  Lake            |
|  Freshwater Emergent Wetland       |  Other           |
|  Freshwater Forested/Shrub Wetland |  Riverine        |











# Hydrologic Information



## Wetland Type - Page 1




- |                                                                                                                       |                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
|  Estuarine and Marine Deepwater    |  Freshwater Pond |
|  Estuarine and Marine Wetland      |  Lake            |
|  Freshwater Emergent Wetland       |  Other           |
|  Freshwater Forested/Shrub Wetland |  Riverine        |






# Hydrologic Information



## Wetland Type - Page 2



This map shows wetland existence using data from US Fish & Wildlife. Data coverage is shown to the right. Gray indicates no data available in the area.


- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland

- Freshwater Pond
- Lake
- Other
- Riverine





# Hydrologic Information



## Flood Hazard Zones

This map shows FEMA flood hazard zones based on FEMA's National Flood Hazard Layer. FIRM Panels are overlaid. An absent FIRM panel represents no data available.

- 1% Annual Chance Flood Hazard
- Regulatory Floodway
- Special Floodway
- Area of Undetermined Flood Hazard

- 0.2% Annual Chance Flood Hazard
- Future Conditions 1% Annual Chance Flood Hazard
- Area with Reduced Risk Due to Levee
- Area with Risk Due to Levee
- Open Water



**Quadrangle(s):** Institute, WI; Green Bay (All Water), WI; Sturgeon Bay East, WI;





# Hydrologic Information




## Flood Hazard Zones - Page 1

This map shows FEMA flood hazard zones based on FEMA's National Flood Hazard Layer. FIRM Panels are overlaid. An absent FIRM panel represents no data available.

- 1% Annual Chance Flood Hazard
- Regulatory Floodway
- Special Floodway
- Area of Undetermined Flood Hazard

- 0.2% Annual Chance Flood Hazard
- Future Conditions 1% Annual Chance Flood Hazard
- Area with Reduced Risk Due to Levee
- Area with Risk Due to Levee
- Open Water



Quadrangle(s):





# Hydrologic Information




## Flood Hazard Zones - Page 2

This map shows FEMA flood hazard zones based on FEMA's National Flood Hazard Layer. FIRM Panels are overlaid. An absent FIRM panel represents no data available.

- 1% Annual Chance Flood Hazard
- Regulatory Floodway
- Special Floodway
- Area of Undetermined Flood Hazard

- 0.2% Annual Chance Flood Hazard
- Future Conditions 1% Annual Chance Flood Hazard
- Area with Reduced Risk Due to Levee
- Area with Risk Due to Levee
- Open Water



**Quadrangle(s):**





# Hydrologic Information




## Flood Hazard Zones - Page 3

This map shows FEMA flood hazard zones based on FEMA's National Flood Hazard Layer. FIRM Panels are overlaid. An absent FIRM panel represents no data available.

- 1% Annual Chance Flood Hazard
- Regulatory Floodway
- Special Floodway
- Area of Undetermined Flood Hazard

- 0.2% Annual Chance Flood Hazard
- Future Conditions 1% Annual Chance Flood Hazard
- Area with Reduced Risk Due to Levee
- Area with Risk Due to Levee
- Open Water




Quadrangle(s):





# Hydrologic Information



## Flood Hazard Zones - Page 4

This map shows FEMA flood hazard zones based on FEMA's National Flood Hazard Layer. FIRM Panels are overlaid. An absent FIRM panel represents no data available.

- |                                                                                                                       |                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|  1% Annual Chance Flood Hazard     |  0.2% Annual Chance Flood Hazard                 |
|  Regulatory Floodway               |  Future Conditions 1% Annual Chance Flood Hazard |
|  Special Floodway                  |  Area with Reduced Risk Due to Levee             |
|  Area of Undetermined Flood Hazard |  Area with Risk Due to Levee                     |
|                                                                                                                       |  Open Water                                      |

Quadrangle(s):



## Hydrologic Information

The Wetland Type map shows wetland existence overlaid on an aerial imagery. The Flood Hazard Zones map shows FEMA flood hazard zones overlaid on an aerial imagery. Relevant FIRM panels and detailed zone information is provided below. For detailed Zone descriptions please click the link: <https://floodadvocate.com/fema-zone-definitions>

---

Available FIRM Panels in area: 55029C0459C(effective:2009-03-02) 55029C0460C(effective:2009-03-02)  
55029C0455C(effective:2009-03-02) 55029C0452C(effective:2009-03-02)  
55029C0458C(effective:2009-03-02)

---

### Flood Zone AE-01

Zone: AE  
Zone subtype:

---

### Flood Zone X-12

Zone: X  
Zone subtype: AREA OF MINIMAL FLOOD HAZARD



## Hydrologic Information

### FEMA Flood Zone Definitions

#### Special Flood Hazard Areas – High Risk

Special Flood Hazard Areas represent the area subject to inundation by 1-percent-annual chance flood. Structures located within the SFHA have a 26-percent chance of flooding during the life of a standard 30-year mortgage. Federal floodplain management regulations and mandatory flood insurance purchase requirements apply in these zones.

ZONE	DESCRIPTION
A	Areas subject to inundation by the 1-percent-annual-chance flood event. Because detailed hydraulic analyses have not been performed, no Base Flood Elevations (BFEs) or flood depths are shown.
AE, A1-A30	Areas subject to inundation by the 1-percent-annual-chance flood event determined by detailed methods. BFEs are shown within these zones. (Zone AE is used on new and revised maps in place of Zones A1–A30.)
AH	Areas subject to inundation by 1-percent-annual-chance shallow flooding (usually areas of ponding) where average depths are 1–3 feet. BFEs derived from detailed hydraulic analyses are shown in this zone.
AO	Areas subject to inundation by 1-percent-annual-chance shallow flooding (usually sheet flow on sloping terrain) where average depths are 1–3 feet. Average flood depths derived from detailed hydraulic analyses are shown within this zone.
AR	Areas that result from the decertification of a previously accredited flood protection system that is determined to be in the process of being restored to provide base flood protection.
A99	Areas subject to inundation by the 1-percent-annual-chance flood event, but which will ultimately be protected upon completion of an under-construction Federal flood protection system. These are areas of special flood hazard where enough progress has been made on the construction of a protection system, such as dikes, dams, and levees, to consider it complete for insurance rating purposes. Zone A99 may be used only when the flood protection system has reached specified statutory progress toward completion. No BFEs or flood depths are shown.

#### Coastal High Hazard Areas – High Risk

Coastal High Hazard Areas (CHHA) represent the area subject to inundation by 1-percent-annual chance flood, extending from offshore to the inland limit of a primary front dune along an open coast and any other area subject to high velocity wave action from storms or seismic sources. Structures located within the CHHA have a 26-percent chance of flooding during the life of a standard 30-year mortgage. Federal floodplain management regulations and mandatory purchase requirements apply in these zones.

ZONE	DESCRIPTION
V	Areas along coasts subject to inundation by the 1-percent-annual-chance flood event with additional hazards associated with storm-induced waves. Because detailed coastal analyses have not been performed, no BFEs or flood depths are shown.
VE, V1-V30	Areas along coasts subject to inundation by the 1-percent-annual-chance flood event with additional hazards due to storm-induced velocity wave action. BFEs derived from detailed hydraulic coastal analyses are shown within these zones. (Zone VE is used on new and revised maps in place of Zones V1–V30.)

## Hydrologic Information

### Moderate and Minimal Risk Areas

Areas of moderate or minimal hazard are studied based upon the principal source of flood in the area. However, buildings in these zones could be flooded by severe, concentrated rainfall coupled with inadequate local drainage systems. Local stormwater drainage systems are not normally considered in a community's flood insurance study. The failure of a local drainage system can create areas of high flood risk within these zones. Flood insurance is available in participating communities, but is not required by regulation in these zones. Nearly 25-percent of all flood claims filed are for structures located within these zones.


ZONE	DESCRIPTION
B, X (shaded)	Moderate risk areas within the 0.2-percent-annual-chance floodplain, areas of 1-percent-annual-chance flooding where average depths are less than 1 foot, areas of 1-percent-annual-chance flooding where the contributing drainage area is less than 1 square mile, and areas protected from the 1-percent-annual-chance flood by a levee. No BFEs or base flood depths are shown within these zones. (Zone X (shaded) is used on new and revised maps in place of Zone B.)
C, X (unshaded)	Minimal risk areas outside the 1-percent and .2-percent-annual-chance floodplains. No BFEs or base flood depths are shown within these zones. (Zone X (unshaded) is used on new and revised maps in place of Zone C.)

### Undetermined Risk Areas


ZONE	DESCRIPTION
D	Unstudied areas where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.



# Geologic Information




## Geologic Units




This map shows geologic units in the area. Please refer to the report for detailed descriptions.



# Geologic Information



## Geologic Units - Page 1




This maps shows geologic units in the area. Please refer to the report for detailed descriptions.





# Geologic Information



## Geologic Units - Page 2

This maps shows geologic units in the area. Please refer to the report for detailed descriptions.



## Geologic Information

The previous page shows USGS geology information. Detailed information about each unit is provided below.


---

### Geologic Unit Su

Unit Name:	Silurian, undivided
Unit Age:	Silurian
Primary Rock Type:	dolostone (dolomite)
Secondary Rock Type:	
Unit Description:	Silurian, undivided - Dolomite, undivided; includes Cayugan, Niagaran, and Alexandrian series



# Soil Information



## SSURGO Soils

0 0.2 0.4 0.8 1.2 Miles




This maps shows SSURGO soil units around the target property. Please refer to the report for detailed soil descriptions.






# Soil Information



## SSURGO Soils - Page 1




This maps shows SSURGO soil units around the target property. Please refer to the report for detailed soil descriptions.






# Soil Information



Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

## SSURGO Soils - Page 2



This maps shows SSURGO soil units around the target property. Please refer to the report for detailed soil descriptions.



## Soil Information

The previous page shows a soil map using SSURGO data from USDA Natural Resources Conservation Service. Detailed information about each unit is provided below.

---

### Map Unit 7201 (2.35%)

Map Unit Name: Onaway fine sandy loam, moraine, 6 to 12 percent slopes, eroded  
Bedrock Depth - Min:  
Watertable Depth - Annual Min:  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Onaway(88%)	
horizon Ap(0cm to 20cm)	Fine sandy loam
horizon E(20cm to 36cm)	Fine sandy loam
horizon B/E(36cm to 46cm)	Loam
horizon Bt(46cm to 64cm)	Loam
horizon 2C(64cm to 97cm)	Sandy loam
horizon 2Cd(97cm to 200cm)	Sandy loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: 7201 - Onaway fine sandy loam, moraine, 6 to 12 percent slopes, eroded

Component: Onaway (88%)

The Onaway component makes up 88 percent of the map unit. Slopes are 6 to 12 percent. This component is on ground moraines on till plains, end moraines on till plains. The parent material consists of calcareous loamy till. Depth to a root restrictive layer, densic material, is 29 to 53 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent.

Component: Nadeau (3%)

Generated brief soil descriptions are created for major soil components. The Nadeau soil is a minor component.

Component: Ossineke (3%)

Generated brief soil descriptions are created for major soil components. The Ossineke soil is a minor component.

Component: Menominee (3%)

Generated brief soil descriptions are created for major soil components. The Menominee soil is a minor component.

Component: Fairport (3%)

Generated brief soil descriptions are created for major soil components. The Fairport soil is a minor component.

---

### Map Unit 7208 (6.7%)

Map Unit Name: Onaway-Ossineke fine sandy loams, moraine, 1 to 6 percent slopes  
Bedrock Depth - Min:  
Watertable Depth - Annual Min: 46cm  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below



## Soil Information

### Onaway(55%)

horizon Ap(0cm to 20cm)	Fine sandy loam
horizon E(20cm to 36cm)	Fine sandy loam
horizon B/E(36cm to 46cm)	Loam
horizon Bt(46cm to 64cm)	Loam
horizon 2C(64cm to 97cm)	Sandy loam
horizon 2Cd(97cm to 200cm)	Sandy loam

### Ossineke(40%)

horizon Ap(0cm to 23cm)	Fine sandy loam
horizon Bw(23cm to 41cm)	Fine sandy loam
horizon E(41cm to 61cm)	Loamy sand
horizon E/B(61cm to 79cm)	Sandy loam
horizon B/E(79cm to 89cm)	Clay loam
horizon Bt(89cm to 102cm)	Clay loam
horizon 2Cd(102cm to 200cm)	Gravelly sandy loam

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: 7208 - Onaway-Ossineke fine sandy loams, moraine, 1 to 6 percent slopes

#### Component: Onaway (55%)

The Onaway component makes up 55 percent of the map unit. Slopes are 1 to 6 percent. This component is on ground moraines on till plains. The parent material consists of calcareous loamy till. Depth to a root restrictive layer, densic material, is 29 to 53 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent.

#### Component: Ossineke (40%)

The Ossineke component makes up 40 percent of the map unit. Slopes are 1 to 4 percent. This component is on moraines on till plains. The parent material consists of loamy drift over calcareous loamy basal till. Depth to a root restrictive layer, densic material, is 20 to 45 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 18 inches during April, May. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 5 percent.

#### Component: Solona (2%)

Generated brief soil descriptions are created for major soil components. The Solona soil is a minor component.

#### Component: Menominee (2%)

Generated brief soil descriptions are created for major soil components. The Menominee soil is a minor component.

#### Component: Fairport (1%)

Generated brief soil descriptions are created for major soil components. The Fairport soil is a minor component.

---

### Map Unit ApC (0.34%)

Map Unit Name:

Alpena gravelly sandy loam, 0 to 12 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min:

Drainage Class - Dominant:

Excessively drained

Hydrologic Group - Dominant:

A - Soils in this group have low runoff potential when thoroughly wet. Water is transmitted freely through the soil.

Major components are printed below

Alpena(87%)

## Soil Information

horizon A(0cm to 13cm)	Gravelly sandy loam
horizon Bw(13cm to 25cm)	Gravelly sandy loam
horizon 2C(25cm to 200cm)	Stratified very gravelly sand to sand

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: ApC - Alpena gravelly sandy loam, 0 to 12 percent slopes

#### Component: Alpena (87%)

The Alpena component makes up 87 percent of the map unit. Slopes are 0 to 12 percent. This component is on beach ridges on outwash plains. The parent material consists of loamy glaciofluvial deposits over stratified sandy and gravelly outwash. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is excessively drained. Water movement in the most restrictive layer is high. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 6s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 18 percent. There are no saline horizons within 30 inches of the soil surface.

#### Component: Kiva (10%)

Generated brief soil descriptions are created for major soil components. The Kiva soil is a minor component.

#### Component: Eastport (2%)

Generated brief soil descriptions are created for major soil components. The Eastport soil is a minor component.

#### Component: Longrie (1%)

Generated brief soil descriptions are created for major soil components. The Longrie soil is a minor component.

---

### Map Unit Ax (10.55%)

Map Unit Name:	Angelica loam, 0 to 2 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	0cm
Drainage Class - Dominant:	Poorly drained
Hydrologic Group - Dominant:	B/D - These soils have moderately low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

#### Angelica(95%)

horizon A(0cm to 13cm)	Loam
horizon Bg(13cm to 43cm)	Loam
horizon Bw(43cm to 64cm)	Loam
horizon Cg(64cm to 200cm)	Loam

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: Ax - Angelica loam, 0 to 2 percent slopes

#### Component: Angelica (95%)

The Angelica component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on till plains on depressions. The parent material consists of glacial loamy till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during January, February, March, April, May, November, December. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 2w. This soil meets hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 23 percent. There are no saline horizons within 30 inches of the soil surface.

#### Component: Solona (5%)



## Soil Information

Generated brief soil descriptions are created for major soil components. The Solona soil is a minor component.

---

### Map Unit Bn (8.75%)

Map Unit Name:	Bonduel loam, 0 to 3 percent slopes
Bedrock Depth - Min:	94cm
Watertable Depth - Annual Min:	15cm
Drainage Class - Dominant:	Somewhat poorly drained
Hydrologic Group - Dominant:	C/D - These soils have moderately high runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Bonduel(85%)	
horizon Ap(0cm to 20cm)	Loam
horizon BE(20cm to 36cm)	Loam
horizon Bt(36cm to 64cm)	Loam
horizon C(64cm to 94cm)	Loam
horizon R(94cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Bn - Bonduel loam, 0 to 3 percent slopes

Component: Bonduel (85%)

The Bonduel component makes up 85 percent of the map unit. Slopes are 0 to 3 percent. This component is on bedrock-controlled ground moraines on hills. The parent material consists of loamy till over residuum weathered from dolomite. Depth to a root restrictive layer, bedrock, lithic, is 34 to 40 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 6 inches during January, February, March, April, May, November, December. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Bonduel (5%)

Generated brief soil descriptions are created for major soil components. The Bonduel, wet soil is a minor component.

Component: Solona (3%)

Generated brief soil descriptions are created for major soil components. The Solona soil is a minor component.

Component: Longrie (3%)

Generated brief soil descriptions are created for major soil components. The Longrie soil is a minor component.

Component: Charlevoix (2%)

Generated brief soil descriptions are created for major soil components. The Charlevoix soil is a minor component.

Component: Ruse (2%)

Generated brief soil descriptions are created for major soil components. The Ruse soil is a minor component.

---

### Map Unit Bo (1.25%)

Map Unit Name:	Bonduel variant fine sandy loam, shallow
Bedrock Depth - Min:	43cm
Watertable Depth - Annual Min:	0cm
Drainage Class - Dominant:	Somewhat poorly drained
Hydrologic Group - Dominant:	C/D - These soils have moderately high runoff potential when drained and high runoff potential when undrained.

Major components are printed below

## Soil Information

Bonduel variant(90%)

horizon A,E(0cm to 25cm)

horizon Bt(25cm to 43cm)

horizon 2R(43cm to 200cm)

Fine sandy loam

Loam

Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Bo - Bonduel variant fine sandy loam, shallow

Component: Bonduel variant fine sandy loam (90%)

The Bonduel variant fine sandy loam, shallow component makes up 90 percent of the map unit. Slopes are 0 to 4 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is rarely ponded. A seasonal zone of water saturation is at 0 inches during March. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 3w. This soil does not meet hydric criteria.

Component: Bonduel loam (5%)

Generated brief soil descriptions are created for major soil components. The Bonduel loam soil is a minor component.

Component: Bonduel variant,wet (2%)

Generated brief soil descriptions are created for major soil components. The Bonduel variant,wet, wet soil is a minor component.

Component: Namur variant loam (2%)

Generated brief soil descriptions are created for major soil components. The Namur variant loam soil is a minor component.

Component: Bonduel variant silt loam (1%)

Generated brief soil descriptions are created for major soil components. The Bonduel variant silt loam, shallow soil is a minor component.

---

### Map Unit Bp (2.5%)

Map Unit Name:

Bonduel variant loam, wet

Bedrock Depth - Min:

81cm

Watertable Depth - Annual Min:

0cm

Drainage Class - Dominant:

Poorly drained

Hydrologic Group - Dominant:

C/D - These soils have moderately high runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Bonduel variant(90%)

horizon A(0cm to 15cm)

horizon Bg(15cm to 61cm)

horizon C(61cm to 81cm)

horizon 2R(81cm to 200cm)

Loam

Loam

Loam

Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Bp - Bonduel variant loam, wet

Component: Bonduel variant (90%)

The Bonduel variant, wet component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on depressions on bedrock-controlled ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is rarely flooded. It is rarely ponded. A seasonal zone of water saturation is at 0 inches during March. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 2w. This soil meets hydric criteria.



## Soil Information

Component: Surface is silt loam (4%)

Generated brief soil descriptions are created for major soil components. The Surface is silt loam soil is a minor component.

Component: Bonduel loam (2%)

Generated brief soil descriptions are created for major soil components. The Bonduel loam soil is a minor component.

Component: Namur Variant loam (2%)

Generated brief soil descriptions are created for major soil components. The Namur Variant loam soil is a minor component.

Component: Bedrock is at less than 20 (1%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at less than 20 soil is a minor component.

Component: Bedrock is at more than 40 (1%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at more than 40 soil is a minor component.

---

### Map Unit BrB (0.04%)

Map Unit Name: Boyer loamy sand, 2 to 6 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: A - Soils in this group have low runoff potential when thoroughly wet. Water is transmitted freely through the soil.

Major components are printed below

Boyer(90%)

horizon Ap(0cm to 18cm)	Loamy sand
horizon E(18cm to 25cm)	Loamy sand
horizon Bt(25cm to 81cm)	Sandy loam
horizon 2C(81cm to 200cm)	Stratified sand to gravel

Component Description:

Minor map unit components are excluded from this report.

Map Unit: BrB - Boyer loamy sand, 2 to 6 percent slopes

Component: Boyer (90%)

The Boyer component makes up 90 percent of the map unit. Slopes are 2 to 6 percent. This component is on outwash plains on plains. The parent material consists of sandy and loamy drift over sandy and gravelly outwash. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is high. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Wasepi (5%)

Generated brief soil descriptions are created for major soil components. The Wasepi soil is a minor component.

Component: Sisson (3%)

Generated brief soil descriptions are created for major soil components. The Sisson soil is a minor component.

Component: Plainfield (2%)

Generated brief soil descriptions are created for major soil components. The Plainfield soil is a minor component.

---

### Map Unit Ca (0.39%)

Map Unit Name: Carbondale muck, 0 to 2 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min: 0cm

## Soil Information

Drainage Class - Dominant: Very poorly drained  
Hydrologic Group - Dominant: A/D - These soils have low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Carbondale(85%)  
horizon Oa(0cm to 81cm) Muck  
horizon Oe(81cm to 200cm) Mucky peat

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Ca - Carbondale muck, 0 to 2 percent slopes

Component: Carbondale (85%)

The Carbondale component makes up 85 percent of the map unit. Slopes are 0 to 2 percent. This component is on lakebeds (relict) on uplands. The parent material consists of herbaceous organic material. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is very poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is very high. Shrink-swell potential is low. This soil is frequently flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during January, February, March, April, May, June, July, August, September, November, December. Organic matter content in the surface horizon is about 55 percent. Nonirrigated land capability classification is 6w. This soil meets hydric criteria. There are no saline horizons within 30 inches of the soil surface.

Component: Markey (8%)

Generated brief soil descriptions are created for major soil components. The Markey soil is a minor component.

Component: Cathro (7%)

Generated brief soil descriptions are created for major soil components. The Cathro soil is a minor component.

---

### Map Unit Cm (2.41%)

Map Unit Name: Cathro muck  
Bedrock Depth - Min:  
Watertable Depth - Annual Min: 0cm  
Drainage Class - Dominant: Very poorly drained  
Hydrologic Group - Dominant: B/D - These soils have moderately low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Cathro(95%)  
horizon Oa(0cm to 76cm) Muck  
horizon 2C(76cm to 152cm) Loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Cm - Cathro muck

Component: Cathro (95%)

The Cathro component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on depressions on lake plains. The parent material consists of herbaceous organic material over loamy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is very poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is very high. Shrink-swell potential is low. This soil is frequently flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during February, March, April. Organic matter content in the surface horizon is about 73 percent. Nonirrigated land capability classification is 6w. This soil meets hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 15 percent.

Component: Carbondale muck (5%)

Generated brief soil descriptions are created for major soil components. The Carbondale muck soil is a minor component.



## Soil Information

### Map Unit Cp (1.91%)

Map Unit Name:	Chippeny muck
Bedrock Depth - Min:	97cm
Watertable Depth - Annual Min:	0cm
Drainage Class - Dominant:	Very poorly drained
Hydrologic Group - Dominant:	C/D - These soils have moderately high runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Chippeny(95%)	
horizon Oa(0cm to 69cm)	Muck
horizon 2C(69cm to 97cm)	Gravelly silty clay loam
horizon 2R(97cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Cp - Chippeny muck

Component: Chippeny (95%)

The Chippeny component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on depressions on bedrock-controlled lake plains. The parent material consists of herbaceous organic material over sandy glaciofluvial deposits. Depth to a root restrictive layer, bedrock, lithic, is 20 to 51 inches. The natural drainage class is very poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very high. Shrink-swell potential is low. This soil is frequently flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during January, February, March, April. Organic matter content in the surface horizon is about 65 percent. Nonirrigated land capability classification is 6w. This soil meets hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 11 percent.

Component: Bonduel loam (3%)

Generated brief soil descriptions are created for major soil components. The Bonduel loam soil is a minor component.

Component: Namur loam (2%)

Generated brief soil descriptions are created for major soil components. The Namur loam soil is a minor component.

### Map Unit De (0.12%)

Map Unit Name:	Deford loamy fine sand
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	0cm
Drainage Class - Dominant:	Poorly drained
Hydrologic Group - Dominant:	A/D - These soils have low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Deford(95%)	
horizon A(0cm to 10cm)	Loamy fine sand
horizon Cg(10cm to 152cm)	Fine sand

Component Description:

Minor map unit components are excluded from this report.

Map Unit: De - Deford loamy fine sand

Component: Deford (95%)

The Deford component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on depressions on lake plains, depressions on outwash plains. The parent material consists of sandy glaciofluvial deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is high. Available

## Soil Information

water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is frequently flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during February, March, April. Organic matter content in the surface horizon is about 7 percent. Nonirrigated land capability classification is 5w. This soil meets hydric criteria.

Component: Markey muck (3%)

Generated brief soil descriptions are created for major soil components. The Markey muck soil is a minor component.

Component: Wainola loamy fine sand (2%)

Generated brief soil descriptions are created for major soil components. The Wainola loamy fine sand soil is a minor component.

---

### Map Unit Dv (0.22%)

Map Unit Name:	Duel variant sandy loam
Bedrock Depth - Min:	81cm
Watertable Depth - Annual Min:	0cm
Drainage Class - Dominant:	Poorly drained
Hydrologic Group - Dominant:	B/D - These soils have moderately low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Duel variant(90%)	
horizon A(0cm to 23cm)	Sandy loam
horizon Cg(23cm to 81cm)	Sand
horizon 2R(81cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Dv - Duel variant sandy loam

Component: Duel variant (90%)

The Duel variant component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on depressions on bedrock-controlled outwash plains. The parent material consists of loamy drift over sandy drift. Depth to a root restrictive layer, bedrock, lithic, is 24 to 40 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is occasionally ponded. A seasonal zone of water saturation is at 0 inches during February, March, April, May. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 4w. This soil meets hydric criteria.

Component: Bedrock is at 40 to 60 (2%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at 40 to 60 soil is a minor component.

Component: Duel loamy sand (2%)

Generated brief soil descriptions are created for major soil components. The Duel loamy sand soil is a minor component.

Component: Surface is loamy sand (2%)

Generated brief soil descriptions are created for major soil components. The Surface is loamy sand soil is a minor component.

Component: Poorly drained areas (2%)

Generated brief soil descriptions are created for major soil components. The Poorly drained areas soil is a minor component.

Component: Bonduel Wet Variant loam (2%)

Generated brief soil descriptions are created for major soil components. The Bonduel Wet Variant loam soil is a minor component.

---

### Map Unit Gp (0.06%)

Map Unit Name:	Gravel pits
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	



## Soil Information

Hydrologic Group - Dominant:

Major components are printed below

Pits(99%)

horizon H1(0cm to 25cm)

Stratified extremely gravelly coarse sand to very gravelly sand

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Gp - Gravel pits

Component: Pits (99%)

Generated brief soil descriptions are created for major soil components. The Pits is a miscellaneous area.

Component: Aquents (1%)

Generated brief soil descriptions are created for major soil components. The Aquents soil is a minor component.

---

### Map Unit KhB2 (0.78%)

Map Unit Name:

Kewaunee silt loam, 2 to 6 percent slopes, eroded

Bedrock Depth - Min:

Watertable Depth - Annual Min:

Drainage Class - Dominant:

Well drained

Hydrologic Group - Dominant:

D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Kewaunee(88%)

horizon Ap(0cm to 18cm)

Silt loam

horizon Bt1(18cm to 36cm)

Silty clay loam

horizon 2Bt2(36cm to 56cm)

Silty clay

horizon 2BC(56cm to 71cm)

Silty clay loam

horizon 2Cd(71cm to 200cm)

Silty clay loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: KhB - Kewaunee silt loam, 2 to 6 percent slopes

Component: Kewaunee (94%)

The Kewaunee component makes up 94 percent of the map unit. Slopes are 2 to 6 percent. This component is on ground moraines on uplands. The parent material consists of loess over clayey till and/or calcareous, dense clayey till. Depth to a root restrictive layer, densic material, is 26 to 40 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Poygan (3%)

Generated brief soil descriptions are created for major soil components. The Poygan, occasionally ponded soil is a minor component.

Component: Manawa (3%)

Generated brief soil descriptions are created for major soil components. The Manawa soil is a minor component.

---

### Map Unit KoA (0.5%)

Map Unit Name:

Kolberg silt loam, 0 to 2 percent slopes

## Soil Information

Bedrock Depth - Min: 76cm  
Watertable Depth - Annual Min:  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Kolberg(92%)

horizon Ap(0cm to 18cm)	Silt loam
horizon B/E(18cm to 33cm)	Clay loam
horizon Bt(33cm to 61cm)	Silty clay
horizon 2C(61cm to 76cm)	Loam
horizon 3R(76cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: KoA - Kolberg silt loam, 0 to 2 percent slopes

Component: Kolberg (90%)

The Kolberg component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on bedrock-controlled ground moraines. The parent material consists of silty alluvium over clayey till over loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is moderate. This soil is not flooded. It is rarely ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2s. This soil does not meet hydric criteria.

Component: Bedrock is at 40 to 60 (4%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at 40 to 60 soil is a minor component.

Component: Kewaunee silt loam (2%)

Generated brief soil descriptions are created for major soil components. The Kewaunee silt loam soil is a minor component.

Component: Kolberg Variant loam (2%)

Generated brief soil descriptions are created for major soil components. The Kolberg Variant loam soil is a minor component.

Component: Manawa silt loam (1%)

Generated brief soil descriptions are created for major soil components. The Manawa silt loam soil is a minor component.

Component: Slope is greater than 2% (1%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 2% soil is a minor component.

---

### Map Unit KoB (4.42%)

Map Unit Name: Kolberg silt loam, 2 to 6 percent slopes  
Bedrock Depth - Min: 64cm  
Watertable Depth - Annual Min:  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Kolberg(90%)

horizon Ap(0cm to 10cm)	Silt loam
horizon B/E(10cm to 20cm)	Silty clay loam
horizon Bt(20cm to 64cm)	Clay
horizon 2R(64cm to 200cm)	Bedrock

Component Description:



## Soil Information

Minor map unit components are excluded from this report.

Map Unit: KoB - Kolberg silt loam, 2 to 6 percent slopes

Component: Kolberg (90%)

The Kolberg component makes up 90 percent of the map unit. Slopes are 2 to 6 percent. This component is on bedrock-controlled ground moraines. The parent material consists of silty alluvium over clayey till over loamy till. Depth to a root restrictive layer, bedrock, lithic, is 20 to 40 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria.

Component: Bedrock is at 40 to 60 (4%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at 40 to 60 soil is a minor component.

Component: Kewaunee silt loam (2%)

Generated brief soil descriptions are created for major soil components. The Kewaunee silt loam soil is a minor component.

Component: Kolberg Variant loam (2%)

Generated brief soil descriptions are created for major soil components. The Kolberg Variant loam soil is a minor component.

Component: Slope is greater than 6% (1%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 6% soil is a minor component.

Component: Slope is less than 2% (1%)

Generated brief soil descriptions are created for major soil components. The Slope is less than 2% soil is a minor component.

---

### Map Unit KvB (3.2%)

Map Unit Name: Kolberg variant loam, 1 to 6 percent slopes

Bedrock Depth - Min: 46cm

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Kolberg variant(85%)

horizon Ap,Bs(0cm to 25cm)	Loam
horizon B/E,Bt(25cm to 46cm)	Clay loam
horizon 2R(46cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: KvB - Kolberg variant loam, 1 to 6 percent slopes

Component: Kolberg silt loam (%)

Generated brief soil descriptions are created for major soil components. The Kolberg silt loam soil is a minor component.

Component: Slope is greater than 6% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 6% soil is a minor component.

Component: Summerville loam (%)

Generated brief soil descriptions are created for major soil components. The Summerville loam soil is a minor component.

Component: Bedrock outcrops (%)

Generated brief soil descriptions are created for major soil components. The Bedrock outcrops soil is a minor component.

Component: Namur loam (%)

Generated brief soil descriptions are created for major soil components. The Namur loam soil is a minor component.

## Soil Information

Component: Kolberg variant (100%)

The Kolberg variant component makes up 100 percent of the map unit. Slopes are 1 to 6 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 12 to 24 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is moderate. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria.

---

### Map Unit LoA (1.65%)

Map Unit Name: Longrie Loam, 0 to 2 percent slopes  
Bedrock Depth - Min: 76cm  
Watertable Depth - Annual Min:  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Longrie(95%)	
horizon Ap(0cm to 10cm)	Loam
horizon E(10cm to 15cm)	Sandy loam
horizon Bs(15cm to 36cm)	Sandy loam
horizon C(36cm to 76cm)	Fine sandy loam
horizon 2R(76cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: LoA - Longrie Loam, 0 to 2 percent slopes

Component: Longrie (95%)

The Longrie component makes up 95 percent of the map unit. Slopes are 0 to 2 percent. This component is on bedrock-controlled ground moraines, uplands. The parent material consists of loamy till over residuum weathered from limestone. Depth to a root restrictive layer, bedrock, lithic, is 25 to 35 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2s. This soil does not meet hydric criteria. There are no saline horizons within 30 inches of the soil surface.

Component: Summerville (3%)

Generated brief soil descriptions are created for major soil components. The Summerville soil is a minor component.

Component: Kolberg (2%)

Generated brief soil descriptions are created for major soil components. The Kolberg soil is a minor component.

---

### Map Unit LoB (9.81%)

Map Unit Name: Longrie Loam, 2 to 6 percent slopes  
Bedrock Depth - Min: 76cm  
Watertable Depth - Annual Min:  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Longrie(92%)	
horizon Ap(0cm to 8cm)	Loam
horizon E(8cm to 13cm)	Sandy loam



## Soil Information

horizon Bs(13cm to 36cm)	Sandy loam
horizon C(36cm to 76cm)	Fine sandy loam
horizon 2R(76cm to 200cm)	Bedrock

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: LoB - Longrie Loam, 2 to 6 percent slopes

#### Component: Longrie (92%)

The Longrie component makes up 92 percent of the map unit. Slopes are 2 to 6 percent. This component is on bedrock-controlled ground moraines, uplands. The parent material consists of loamy till over residuum weathered from limestone. Depth to a root restrictive layer, bedrock, lithic, is 25 to 35 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. There are no saline horizons within 30 inches of the soil surface.

#### Component: Summerville (5%)

Generated brief soil descriptions are created for major soil components. The Summerville soil is a minor component.

#### Component: Kolberg (3%)

Generated brief soil descriptions are created for major soil components. The Kolberg soil is a minor component.

---

### Map Unit McA (0.33%)

Map Unit Name:	Manawa silt loam, 0 to 3 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	15cm
Drainage Class - Dominant:	Somewhat poorly drained
Hydrologic Group - Dominant:	D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
Major components are printed below	
Manawa(85%)	
horizon Ap(0cm to 18cm)	Silt loam
horizon 2Bt(18cm to 56cm)	Silty clay
horizon 2Cd(56cm to 200cm)	Silty clay

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: McA - Manawa silt loam, 0 to 3 percent slopes

#### Component: Manawa (85%)

The Manawa component makes up 85 percent of the map unit. Slopes are 0 to 3 percent. This component is on drainageways on ground moraines on uplands. The parent material consists of thin loess over clayey till and/or calcareous, dense clayey till. Depth to a root restrictive layer, densic material, is 20 to 40 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately low. Available water to a depth of 60 inches (or restricted depth) is low. Shrink-swell potential is high. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 6 inches during March, April. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent. There are no saline horizons within 30 inches of the soil surface.

#### Component: Kewaunee (8%)

Generated brief soil descriptions are created for major soil components. The Kewaunee soil is a minor component.

#### Component: Poygan (7%)

Generated brief soil descriptions are created for major soil components. The Poygan, occasionally ponded soil is a minor component.

## Soil Information

### Map Unit NaB (13.85%)

Map Unit Name:	Namur loam, 0 to 6 percent slopes
Bedrock Depth - Min:	20cm
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
Major components are printed below	
Namur(85%)	
horizon A,Bw(0cm to 20cm)	Loam
horizon 2R(20cm to 200cm)	Bedrock

#### Component Description:

Minor map unit components are excluded from this report.

Map Unit: NaB - Namur loam, 0 to 6 percent slopes

#### Component: Bedrock outcrops (%)

Generated brief soil descriptions are created for major soil components. The Bedrock outcrops soil is a minor component.

#### Component: Bonduel Shallow Variant (%)

Generated brief soil descriptions are created for major soil components. The Bonduel Shallow Variant soil is a minor component.

#### Component: Summerville loam (%)

Generated brief soil descriptions are created for major soil components. The Summerville loam soil is a minor component.

#### Component: Slope is greater than 6% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 6% soil is a minor component.

#### Component: Namur Variant loam (%)

Generated brief soil descriptions are created for major soil components. The Namur Variant loam soil is a minor component.

#### Component: Namur (100%)

The Namur component makes up 100 percent of the map unit. Slopes are 0 to 6 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 5 to 12 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 6s. This soil does not meet hydric criteria.

### Map Unit NaC (1.27%)

Map Unit Name:	Namur loam, 6 to 12 percent slopes
Bedrock Depth - Min:	20cm
Watertable Depth - Annual Min:	
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.
Major components are printed below	
Namur(95%)	
horizon A,Bw(0cm to 20cm)	Loam
horizon 2R(20cm to 200cm)	Bedrock

#### Component Description:



## Soil Information

Minor map unit components are excluded from this report.

Map Unit: NaC - Namur loam, 6 to 12 percent slopes

Component: Slope is greater than 12% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 12% soil is a minor component.

Component: Summerville loam (%)

Generated brief soil descriptions are created for major soil components. The Summerville loam soil is a minor component.

Component: Namur (100%)

The Namur component makes up 100 percent of the map unit. Slopes are 6 to 12 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 5 to 12 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 6s. This soil does not meet hydric criteria.

---

### Map Unit Nv (0.09%)

Map Unit Name: Namur variant loam

Bedrock Depth - Min: 23cm

Watertable Depth - Annual Min: 0cm

Drainage Class - Dominant: Somewhat poorly drained

Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Namur variant(90%)

horizon A(0cm to 13cm)

Loam

horizon Bg(13cm to 23cm)

Very fine sandy loam

horizon R(23cm to 200cm)

Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Nv - Namur variant loam

Component: Namur variant (90%)

The Namur variant component makes up 90 percent of the map unit. Slopes are 0 to 2 percent. This component is on depressions on bedrock-controlled till plains. The parent material consists of loamy till. Depth to a root restrictive layer, bedrock, lithic, is 5 to 10 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is occasionally ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 3 percent. Nonirrigated land capability classification is 6s. This soil meets hydric criteria.

Component: Summerville (4%)

Generated brief soil descriptions are created for major soil components. The Summerville soil is a minor component.

Component: Bonduel (3%)

Generated brief soil descriptions are created for major soil components. The Bonduel, wet phase soil is a minor component.

Component: Namur (3%)

Generated brief soil descriptions are created for major soil components. The Namur soil is a minor component.

---

### Map Unit OmB (0.59%)

Map Unit Name: Omena sandy loam, 2 to 6 percent slopes

Bedrock Depth - Min:

## Soil Information

Watertable Depth - Annual Min:	175cm
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	B - Soils in this group have moderately low runoff potential when thoroughly wet. Water transmission through the soil is unimpeded.
Major components are printed below	
Omena(90%)	
horizon A,E,Bs(0cm to 25cm)	Sandy loam
horizon Bt(25cm to 43cm)	Loam
horizon C(43cm to 152cm)	Sandy loam

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: OmB - Omena sandy loam, 2 to 6 percent slopes

Component: Bedrock is at 40 to 60 (%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at 40 to 60 soil is a minor component.

Component: Emmet sandy loam (%)

Generated brief soil descriptions are created for major soil components. The Emmet sandy loam soil is a minor component.

Component: Omena Variant sandy loam (%)

Generated brief soil descriptions are created for major soil components. The Omena Variant sandy loam soil is a minor component.

Component: Slope is greater than 6% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 6% soil is a minor component.

Component: Slope is less than 2% (%)

Generated brief soil descriptions are created for major soil components. The Slope is less than 2% soil is a minor component.

Component: Omena (100%)

The Omena component makes up 100 percent of the map unit. Slopes are 2 to 6 percent. This component is on ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 69 inches during April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent.

---

### Map Unit OmC (1.94%)

Map Unit Name:	Omena sandy loam, 6 to 12 percent slopes
Bedrock Depth - Min:	
Watertable Depth - Annual Min:	175cm
Drainage Class - Dominant:	Well drained
Hydrologic Group - Dominant:	B - Soils in this group have moderately low runoff potential when thoroughly wet. Water transmission through the soil is unimpeded.
Major components are printed below	
Omena(90%)	
horizon A,E,Bs(0cm to 25cm)	Sandy loam
horizon Bt(25cm to 43cm)	Loam
horizon C(43cm to 152cm)	Sandy loam

### Component Description:

Minor map unit components are excluded from this report.

Map Unit: OmC - Omena sandy loam, 6 to 12 percent slopes

Component: Bedrock is at 40 to 60 inches (%)



## Soil Information

Generated brief soil descriptions are created for major soil components. The Bedrock is at 40 to 60 inches soil is a minor component.

Component: Slope is less than 6% (%)

Generated brief soil descriptions are created for major soil components. The Slope is less than 6% soil is a minor component.

Component: Slope is greater than 12% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 12% soil is a minor component.

Component: Emmet sandy loam (%)

Generated brief soil descriptions are created for major soil components. The Emmet sandy loam soil is a minor component.

Component: Omena (100%)

The Omena component makes up 100 percent of the map unit. Slopes are 6 to 12 percent. This component is on ground moraines. The parent material consists of loamy till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 69 inches during April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 20 percent.

---

### Map Unit OzB (0.73%)

Map Unit Name: Omro silt loam, 2 to 6 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min: 76cm

Drainage Class - Dominant: Moderately well drained

Hydrologic Group - Dominant: C - Soils in this group have moderately high runoff potential when thoroughly wet. Water transmission through the soil is somewhat restricted.

Major components are printed below

Omro(90%)

horizon Ap(0cm to 15cm)

Silt loam

horizon Bt(15cm to 76cm)

Clay

horizon 2C(76cm to 152cm)

Fine sandy loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: OzB - Omro silt loam, 2 to 6 percent slopes

Component: Emmet sandy loam (%)

Generated brief soil descriptions are created for major soil components. The Emmet sandy loam soil is a minor component.

Component: Kewaunee silt loam (%)

Generated brief soil descriptions are created for major soil components. The Kewaunee silt loam soil is a minor component.

Component: Bedrock is at 40 to 60 (%)

Generated brief soil descriptions are created for major soil components. The Bedrock is at 40 to 60 soil is a minor component.

Component: Omro (100%)

The Omro component makes up 100 percent of the map unit. Slopes are 2 to 6 percent. This component is on ground moraines. The parent material consists of silty alluvium over loamy till over clayey till over loamy till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is moderately well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is moderate. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 30 inches during March, April, May. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 30 percent.

---

### Map Unit SoA (3.16%)

Map Unit Name: Solona loam, 0 to 3 percent slopes

## Soil Information

Bedrock Depth - Min:

Watertable Depth - Annual Min: 0cm

Drainage Class - Dominant: Somewhat poorly drained

Hydrologic Group - Dominant: B/D - These soils have moderately low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Solona(95%)

horizon Ap,E(0cm to 30cm)

Loam

horizon Bt(30cm to 69cm)

Fine sandy loam

horizon C(69cm to 152cm)

Loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: SoA - Solona loam, 0 to 3 percent slopes

Component: Solona (95%)

The Solona component makes up 95 percent of the map unit. Slopes are 0 to 3 percent. This component is on drainageways on hills. The parent material consists of loamy till. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is occasionally flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during March, April. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 2w. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 18 percent.

Component: Angelica (3%)

Generated brief soil descriptions are created for major soil components. The Angelica soil is a minor component.

Component: Onaway (2%)

Generated brief soil descriptions are created for major soil components. The Onaway soil is a minor component.

---

### Map Unit SvA (4.15%)

Map Unit Name: Summerville loam, 0 to 2 percent slopes

Bedrock Depth - Min: 38cm

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Summerville(85%)

horizon Ap,E(0cm to 30cm)

Loam

horizon Bs(30cm to 38cm)

Fine sandy loam

horizon 2R(38cm to 200cm)

Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: SvA - Summerville loam, 0 to 2 percent slopes

Component: Bedrock outcrops (%)

Generated brief soil descriptions are created for major soil components. The Bedrock outcrops soil is a minor component.

Component: Namur Variant loam (%)

Generated brief soil descriptions are created for major soil components. The Namur Variant loam soil is a minor component.

Component: Bonduel Shallow Variant (%)



## Soil Information

Generated brief soil descriptions are created for major soil components. The Bonduel Shallow Variant soil is a minor component.

Component: Longrie loam (%)

Generated brief soil descriptions are created for major soil components. The Longrie loam soil is a minor component.

Component: Slope is greater than 2% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 2% soil is a minor component.

Component: Summerville (100%)

The Summerville component makes up 100 percent of the map unit. Slopes are 0 to 2 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy alluvium. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 3s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 15 percent.

---

### Map Unit SvB (14.82%)

Map Unit Name: Summerville loam, 2 to 6 percent slopes

Bedrock Depth - Min: 38cm

Watertable Depth - Annual Min:

Drainage Class - Dominant: Well drained

Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Summerville(85%)

horizon Ap,E(0cm to 30cm)

Loam

horizon Bs(30cm to 38cm)

Fine sandy loam

horizon 2R(38cm to 200cm)

Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: SvB - Summerville loam, 2 to 6 percent slopes

Component: Bedrock outcrops (%)

Generated brief soil descriptions are created for major soil components. The Bedrock outcrops soil is a minor component.

Component: Slope is less than 2% (%)

Generated brief soil descriptions are created for major soil components. The Slope is less than 2% soil is a minor component.

Component: Kolberg Variant loam (%)

Generated brief soil descriptions are created for major soil components. The Kolberg Variant loam soil is a minor component.

Component: Longrie loam (%)

Generated brief soil descriptions are created for major soil components. The Longrie loam soil is a minor component.

Component: Namur loam (%)

Generated brief soil descriptions are created for major soil components. The Namur loam soil is a minor component.

Component: Slope is greater than 6% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 6% soil is a minor component.

Component: Summerville (100%)

The Summerville component makes up 100 percent of the map unit. Slopes are 2 to 6 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy alluvium. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated

## Soil Information

land capability classification is 3s. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 15 percent.

### Map Unit SvC (0.06%)

Map Unit Name: Summerville loam, 6 to 12 percent slopes  
Bedrock Depth - Min: 38cm  
Watertable Depth - Annual Min:  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.

Major components are printed below

Summerville(85%)	
horizon Ap,E(0cm to 30cm)	Loam
horizon Bs(30cm to 38cm)	Fine sandy loam
horizon 2R(38cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: SvC - Summerville loam, 6 to 12 percent slopes

Component: Kolberg Variant loam (%)

Generated brief soil descriptions are created for major soil components. The Kolberg Variant loam soil is a minor component.

Component: Bedrock outcrops (%)

Generated brief soil descriptions are created for major soil components. The Bedrock outcrops soil is a minor component.

Component: Longrie loam (%)

Generated brief soil descriptions are created for major soil components. The Longrie loam soil is a minor component.

Component: Namur loam (%)

Generated brief soil descriptions are created for major soil components. The Namur loam soil is a minor component.

Component: Slope is greater than 12% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 12% soil is a minor component.

Component: Slope is less than 6% (%)

Generated brief soil descriptions are created for major soil components. The Slope is less than 6% soil is a minor component.

Component: Summerville (100%)

The Summerville component makes up 100 percent of the map unit. Slopes are 6 to 12 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy alluvium. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. There is no zone of water saturation within a depth of 72 inches. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 4e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 15 percent.

### Map Unit SvD (0.29%)

Map Unit Name: Summerville loam, 12 to 20 percent slopes  
Bedrock Depth - Min: 38cm  
Watertable Depth - Annual Min: 178cm  
Drainage Class - Dominant: Well drained  
Hydrologic Group - Dominant: D - Soils in this group have high runoff potential when thoroughly wet. Water movement through the soil is restricted or very restricted.



## Soil Information

Major components are printed below

Summerville(90%)

horizon Ap,E(0cm to 30cm)	Loam
horizon Bs(30cm to 38cm)	Fine sandy loam
horizon 2R(38cm to 200cm)	Bedrock

Component Description:

Minor map unit components are excluded from this report.

Map Unit: SvD - Summerville loam, 12 to 20 percent slopes

Component: Bedrock outcrops (%)

Generated brief soil descriptions are created for major soil components. The Bedrock outcrops soil is a minor component.

Component: Slope is less than 12% (%)

Generated brief soil descriptions are created for major soil components. The Slope is less than 12% soil is a minor component.

Component: Namur loam (%)

Generated brief soil descriptions are created for major soil components. The Namur loam soil is a minor component.

Component: Slope is greater than 20% (%)

Generated brief soil descriptions are created for major soil components. The Slope is greater than 20% soil is a minor component.

Component: Summerville (100%)

The Summerville component makes up 100 percent of the map unit. Slopes are 12 to 20 percent. This component is on bedrock-controlled ground moraines. The parent material consists of loamy alluvium. Depth to a root restrictive layer, bedrock, lithic, is 10 to 20 inches. The natural drainage class is well drained. Water movement in the most restrictive layer is very low. Available water to a depth of 60 inches (or restricted depth) is very low. Shrink-swell potential is low. This soil is not flooded. It is not ponded. A seasonal zone of water saturation is at 70 inches during January, February, March, April, May, June, July, August, September, October, November, December. Organic matter content in the surface horizon is about 2 percent. Nonirrigated land capability classification is 6e. This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 15 percent.

---

### Map Unit YaA (0.35%)

Map Unit Name: Yahara fine sandy loam, 0 to 3 percent slopes

Bedrock Depth - Min:

Watertable Depth - Annual Min: 50cm

Drainage Class - Dominant: Somewhat poorly drained

Hydrologic Group - Dominant: B/D - These soils have moderately low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Yahara(90%)

horizon Ap(0cm to 38cm)	Fine sandy loam
horizon Bw(38cm to 61cm)	Fine sandy loam
horizon C(61cm to 200cm)	Stratified silt to fine sand

Component Description:

Minor map unit components are excluded from this report.

Map Unit: YaA - Yahara fine sandy loam, 0 to 3 percent slopes

Component: Yahara (90%)

The Yahara component makes up 90 percent of the map unit. Slopes are 0 to 3 percent. This component is on drainageways on lake plains. The parent material consists of loamy lacustrine deposits over stratified sandy and silty lacustrine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is somewhat poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is rarely ponded. A seasonal zone of water saturation is at 20 inches during January, February, March, April, May, December. Organic matter content in the surface horizon is about 4 percent. Nonirrigated land capability classification is 2w.

## Soil Information

This soil does not meet hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 10 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Gilford (6%)

Generated brief soil descriptions are created for major soil components. The Gilford soil is a minor component.

Component: Sisson (4%)

Generated brief soil descriptions are created for major soil components. The Sisson soil is a minor component.

---

### Map Unit Yv (0.44%)

Map Unit Name: Yahara silt loam, wet substratum, 0 to 2 percent slopes  
Bedrock Depth - Min:  
Watertable Depth - Annual Min: 0cm  
Drainage Class - Dominant: Poorly drained  
Hydrologic Group - Dominant: B/D - These soils have moderately low runoff potential when drained and high runoff potential when undrained.

Major components are printed below

Yahara(85%)

horizon A(0cm to 23cm)	Silt loam
horizon Bg(23cm to 58cm)	Silt loam
horizon Cg1(58cm to 107cm)	Stratified very fine sand to silt
horizon Cg2(107cm to 200cm)	Stratified silt to silty clay loam

Component Description:

Minor map unit components are excluded from this report.

Map Unit: Yv - Yahara silt loam, wet substratum, 0 to 2 percent slopes

Component: Yahara (85%)


The Yahara, wet substratum component makes up 85 percent of the map unit. Slopes are 0 to 2 percent. This component is on drainageways on lake plains. The parent material consists of sandy and silty lacustrine deposits. Depth to a root restrictive layer is greater than 60 inches. The natural drainage class is poorly drained. Water movement in the most restrictive layer is moderately high. Available water to a depth of 60 inches (or restricted depth) is high. Shrink-swell potential is low. This soil is not flooded. It is frequently ponded. A seasonal zone of water saturation is at 0 inches during January, February, March, April, May, November, December. Organic matter content in the surface horizon is about 4 percent. Nonirrigated land capability classification is 3w. This soil meets hydric criteria. The calcium carbonate equivalent within 40 inches, typically, does not exceed 5 percent. There are no saline horizons within 30 inches of the soil surface.

Component: Yahara (15%)

Generated brief soil descriptions are created for major soil components. The Yahara soil is a minor component.



# Wells and Additional Sources



Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

## Wells & Additional Sources



- |                                |                                    |
|--------------------------------|------------------------------------|
| ▲ Sites with Higher Elevation  | ▲ OGW Sites with Higher Elevation  |
| ■ Sites with Same Elevation    | ■ OGW Sites with Same Elevation    |
| ▼ Sites with Lower Elevation   | ▼ OGW Sites with Lower Elevation   |
| ○ Sites with Unknown Elevation | ● OGW Sites with Unknown Elevation |






# Wells and Additional Sources



## Wells & Additional Sources - Page 1




- |                                |                                    |
|--------------------------------|------------------------------------|
| ▲ Sites with Higher Elevation  | ▲ OGW Sites with Higher Elevation  |
| ■ Sites with Same Elevation    | ■ OGW Sites with Same Elevation    |
| ▼ Sites with Lower Elevation   | ▼ OGW Sites with Lower Elevation   |
| ○ Sites with Unknown Elevation | ● OGW Sites with Unknown Elevation |






# Wells and Additional Sources



## Wells & Additional Sources - Page 2



- |                                |                                    |
|--------------------------------|------------------------------------|
| ▲ Sites with Higher Elevation  | ▲ OGW Sites with Higher Elevation  |
| ■ Sites with Same Elevation    | ■ OGW Sites with Same Elevation    |
| ▼ Sites with Lower Elevation   | ▼ OGW Sites with Lower Elevation   |
| ○ Sites with Unknown Elevation | ● OGW Sites with Unknown Elevation |






# Wells and Additional Sources



## Wells & Additional Sources - Page 3



- |                                |                                    |
|--------------------------------|------------------------------------|
| ▲ Sites with Higher Elevation  | ▲ OGW Sites with Higher Elevation  |
| ■ Sites with Same Elevation    | ■ OGW Sites with Same Elevation    |
| ▼ Sites with Lower Elevation   | ▼ OGW Sites with Lower Elevation   |
| ○ Sites with Unknown Elevation | ● OGW Sites with Unknown Elevation |






# Wells and Additional Sources



Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

## Wells & Additional Sources - Page 4



- |                                |                                    |
|--------------------------------|------------------------------------|
| ▲ Sites with Higher Elevation  | ▲ OGW Sites with Higher Elevation  |
| ■ Sites with Same Elevation    | ■ OGW Sites with Same Elevation    |
| ▼ Sites with Lower Elevation   | ▼ OGW Sites with Lower Elevation   |
| ○ Sites with Unknown Elevation | ● OGW Sites with Unknown Elevation |



# Wells and Additional Sources Summary

## Federal Sources

### Public Water Systems Violations and Enforcement Data

Map Key	PWS ID	Distance (ft)	Direction
7	WI4150532	634.21	SW
7	WI4150531	634.21	SW
7	WI4150887	634.21	SW
7	WI4151219	634.21	SW
7	WI4151221	634.21	SW
7	WI4150716	634.21	SW
23	WI4150710	81.97	S
37	WI4151970	2347.75	ENE
37	WI4151849	2347.75	ENE
37	WI4151671	2347.75	ENE
102	WI4150720	4069.02	ENE
121	WI4150983	4563.50	E
127	WI4150712	4711.21	E
185	WI4150119	4762.70	SSE
186	WI4151936	4810.46	SSE
187	WI4150071	4776.77	SSE
187	WI4151213	4776.77	SSE
188	WI4150514	4805.72	SSE
188	WI4150809	4805.72	SSE
190	WI4151841	4842.83	SSE
191	WI4151050	4898.15	SSE
192	WI4150001	4915.53	SSE
192	WI4150220	4915.53	SSE
193	WI4151926	4935.61	SSE
194	WI4150218	5184.58	SSE
194	WI4150312	5184.58	SSE
195	WI4151884	5182.63	SSE
196	WI4151216	5269.95	SSE

### Safe Drinking Water Information System (SDWIS)

Map Key	PWS ID	Distance (ft)	Direction
189	WI4151051	4827.39	SSE
191	WI4151050	4898.15	SSE
194	WI4150218	5184.58	SSE
194	WI4150312	5184.58	SSE
195	WI4151884	5182.63	SSE

### USGS National Water Information System

Map Key	Site No	Distance (ft)	Direction
27	USGS-445007087252501	145.64	S
109	USGS-445058087240401	4132.88	ENE
125	USGS-445123087241801	3335.25	NE
162	USGS-445006087264401	4333.49	WSW
167	USGS-445151087245301	3359.80	NNE

## State Sources



## Wells and Additional Sources Summary

### Historic Well Construction Reports (1930-1989)

Map Key	WID	Distance (ft)	Direction
2	15000539	0.00	-
4	15500560	795.05	WSW
4	15000538	795.05	WSW
8	15500564	92.80	S
18	15500676	2143.39	SSE
18	15500677	2143.39	SSE
18	15000535	2143.39	SSE
20	15502341	1817.08	ENE
25	15502420	1038.80	SW
25	15502419	1038.80	SW
25	15502396	1038.80	SW
25	15500650	1038.80	SW
28	15000138	147.73	S
34	15500717	2411.24	ESE
34	15500715	2411.24	ESE
34	15500711	2411.24	ESE
34	15500714	2411.24	ESE
34	15500697	2411.24	ESE
34	15500712	2411.24	ESE
34	15500713	2411.24	ESE
34	15500710	2411.24	ESE
34	15500708	2411.24	ESE
41	15505675	0.00	-
44	15000599	1120.03	NNW
55	15001011	3016.00	E
55	15000536	3016.00	E
55	15500687	3016.00	E
57	15001015	2359.45	SSE
61	15001010	3069.32	ENE
61	15502384	3069.32	ENE
61	15000537	3069.32	ENE
66	15500610	890.96	S
71	15501280	1918.21	NNW
71	15501416	1918.21	NNW
77	15500685	3482.65	E
77	15500213	3482.65	E
82	15001008	3675.86	E
87	15502451	4078.20	ESE
89	15500609	1628.33	SW
91	15500589	3223.96	SSE
94	15501145	4664.59	WNW
94	15501143	4664.59	WNW
94	15501144	4664.59	WNW
96	15000540	4902.62	W
99	15500678	4231.77	ESE
104	15500694	4117.57	E
104	15500692	4117.57	E
107	15500689	4223.34	E
110	15000137	4158.50	ENE
113	15505636	3213.80	NE
119	15500683	4570.14	ESE
130	15500556	783.92	SSW
134	15000544	2877.09	SW
143	15500680	5143.40	ESE
143	15502363	5143.40	ESE
143	15001009	5143.40	ESE
143	15502373	5143.40	ESE
143	15500681	5143.40	ESE
148	15000600	2875.15	N
151	15500583	2451.46	S
151	15500608	2451.46	S
153	15500637	1592.25	S

## Wells and Additional Sources Summary

153	15500549	1592.25	S
153	15500594	1592.25	S
153	15500671	1592.25	S
153	15500649	1592.25	S
158	15000545	1459.26	SSW
164	15500615	5034.61	SSE
164	15500611	5034.61	SSE
164	15500607	5034.61	SSE
164	15500629	5034.61	SSE
164	15500616	5034.61	SSE
164	15500618	5034.61	SSE
164	15500614	5034.61	SSE
164	15500612	5034.61	SSE
166	15000027	3292.57	NNE
170	15505673	4618.21	NNW
175	15500660	3396.41	S
177	15500413	2832.35	S
177	15500424	2832.35	S
177	15500447	2832.35	S
177	15500559	2832.35	S
201	15500122	4533.79	S
201	15500091	4533.79	S
201	15500625	4533.79	S
203	15001017	4128.39	S
206	15001016	4089.90	SSW
211	15500132	4920.03	S
211	15500101	4920.03	S

### Oil and Gas Wells

Map Key	ID	Distance (ft)	Direction
No records found			

### Public Water Supply Systems

Map Key	DNR PWS ID	Distance (ft)	Direction
6	41508874	630.33	SW
13	41511855	1451.73	NNW
13	41517179	1451.73	NNW
13	41503143	1451.73	NNW
13	41500668	1451.73	NNW
13	41511866	1451.73	NNW
13	41519698	1451.73	NNW
13	41503154	1451.73	NNW
13	41511877	1451.73	NNW
13	41501570	1451.73	NNW
39	41518499	2378.94	ENE
39	41516717	2378.94	ENE
39	41519709	2378.94	ENE
46	41505134	2508.23	ENE
46	41507829	2508.23	ENE
103	41507202	4098.51	ENE
122	41509831	4595.22	E
122	41509820	4595.22	E
128	41507125	4745.31	E
184	41519071	4286.58	S
197	41500712	5252.97	SSE

### Well Construction Report

Map Key	WI Unique Well No	Distance (ft)	Direction
---------	-------------------	---------------	-----------



## Wells and Additional Sources Summary

1	8DC680	0.00	-
3	NC665	20.15	SSW
5	8DC677	790.88	WSW
5	JA505	790.88	WSW
9	8DC679	97.09	S
10	FH327	831.79	NNW
10	FD726	831.79	NNW
11	CA848	892.42	NNW
12	FH248	0.00	-
14	WX531	1635.58	SSE
15	YB833	2219.95	NW
16	OG584	1747.60	E
17	8DC659	2310.22	SE
19	8DC662	2146.66	SSE
19	8DC661	2146.66	SSE
19	8DC660	2146.66	SSE
21	FS504	1817.74	ENE
21	JC902	1817.74	ENE
21	KZ431	1817.74	ENE
22	FH270	2210.16	ESE
24	UZ747	613.22	N
26	8DA856	1034.80	SW
26	MJ112	1034.80	SW
26	8DA857	1034.80	SW
26	8DC678	1034.80	SW
26	RW721	1034.80	SW
26	8DA855	1034.80	SW
29	TR692	695.38	S
30	OV629	2238.44	E
31	ZB280	3163.43	WNW
32	DA720	2560.44	WSW
33	OL564	2292.53	SSE
35	FH247	2416.25	ESE
35	8DC658	2416.25	ESE
35	8DC657	2416.25	ESE
35	8DC649	2416.25	ESE
35	FH246	2416.25	ESE
35	8DC656	2416.25	ESE
35	8DC651	2416.25	ESE
35	8DC652	2416.25	ESE
35	8DC650	2416.25	ESE
35	8DC655	2416.25	ESE
35	8DC654	2416.25	ESE
35	8DC653	2416.25	ESE
36	TE481	153.47	SSW
38	WM262	1480.97	NE
40	MJ118	0.00	-
42	8DD193	1115.76	NNW
43	OG583	2546.15	E
45	WM263	1992.81	NE
47	NC226	1184.06	S
47	LG530	1184.06	S
48	LG501	83.02	SSW
49	FH268	3216.84	SE
50	TS949	3353.42	NW
51	OV627	2834.74	E
52	SS768	2835.68	E
53	TE465	2786.39	ENE
54	FH432	2316.79	SW
54	QU007	2316.79	SW
56	8DC671	3019.21	E
56	NY701	3019.21	E
56	8DC670	3019.21	E
56	8DC672	3019.21	E
58	8DC738	2364.10	SSE

## Wells and Additional Sources Summary

58	FH117	2364.10	SSE
59	YG936	1963.37	SW
60	QU034	3061.13	E
62	GV682	3071.12	ENE
62	HC151	3071.12	ENE
62	8DA854	3071.12	ENE
62	8DC674	3071.12	ENE
63	WN672	2602.72	NNW
64	XJ742	1381.06	SW
65	DS838	3340.59	ESE
67	8DC717	895.68	S
68	WJ960	479.91	SSW
69	OV630	3317.08	E
70	8DD191	1913.28	NNW
70	8DD192	1913.28	NNW
72	UL841	3729.48	SE
73	RZ284	1892.96	SW
74	RT366	154.04	SSW
75	CW900	3886.64	SE
76	VH240	1524.79	SW
78	8DC669	3485.86	E
78	8DC668	3485.86	E
79	WN674	167.21	SSW
80	AAJ545	3985.92	SE
81	SF352	3576.24	E
83	AAJ546	3994.14	SE
84	UX180	4119.91	SE
85	TL881	464.92	SSW
86	SR045	4420.87	WNW
88	8DA852	4084.63	ESE
88	OG566	4084.63	ESE
88	MV003	4084.63	ESE
90	8DC716	1623.12	SW
90	NM525	1623.12	SW
92	8DC737	3229.27	SSE
93	8DD188	4660.33	WNW
93	EX842	4660.33	WNW
93	8DD189	4660.33	WNW
93	8DD190	4660.33	WNW
93	LG504	4660.33	WNW
93	FH194	4660.33	WNW
95	8DC683	4898.52	W
97	NM562	695.64	S
98	FW001	3403.66	WSW
98	NC276	3403.66	WSW
100	8DC663	4237.50	ESE
101	OV631	2194.46	NNW
105	FH113	4119.64	E
105	8DC675	4119.64	E
105	8DC676	4119.64	E
105	JA511	4119.64	E
105	HY927	4119.64	E
106	SF356	2785.65	NNW
108	FH392	4226.60	E
108	8DC673	4226.60	E
108	FH242	4226.60	E
108	FH220	4226.60	E
108	FH393	4226.60	E
108	JF683	4226.60	E
111	WI181	4504.87	SE
112	FD724	3216.74	NE
114	AAL768	4301.20	E
115	AAE790	5225.80	WNW
116	BJ231	238.92	SSW
117	TE468	4768.64	SE
118	OG547	4484.39	E



## Wells and Additional Sources Summary

120	FH115	4574.94	ESE
120	8DC667	4574.94	ESE
123	VE942	4654.60	SE
124	WN499	4951.71	SE
126	CE585	4951.81	NW
129	ZR929	4880.32	SE
131	8LS774	790.05	SSW
132	ZB224	2387.83	N
133	TV566	4127.20	SSE
135	FH249	3995.25	NNW
136	FH142	2872.81	SW
136	8DC709	2872.81	SW
137	ZZ529	1112.75	S
138	YE510	4700.51	SE
139	WM448	5271.44	SE
140	RC482	5040.46	SE
141	YF786	3470.80	NE
142	UM081	1498.32	SSW
144	FW880	5149.14	ESE
144	8DC665	5149.14	ESE
144	8DA853	5149.14	ESE
144	8DC666	5149.14	ESE
144	RW149	5149.14	ESE
144	FH168	5149.14	ESE
144	AH609	5149.14	ESE
144	FH245	5149.14	ESE
144	8DC664	5149.14	ESE
144	FH244	5149.14	ESE
145	SF353	5120.87	ESE
146	SS790	3144.26	SW
147	8DD194	2869.97	N
148	NC229	2875.15	N
149	SU946	4552.39	WSW
150	ZB250	4948.10	SE
152	8DC714	2457.52	S
152	8DC715	2457.52	S
152	FH141	2457.52	S
153	8DC713	1592.25	S
154	8DA870	1597.40	S
154	8DA869	1597.40	S
154	8DC712	1597.40	S
154	AX060	1597.40	S
155	VD326	3202.36	N
156	CD493	2871.72	NNE
156	FD721	2871.72	NNE
156	8DD195	2871.72	NNE
157	RX924	4995.87	SE
159	8DC710	1465.01	SSW
160	NC655	5246.37	NW
161	TM286	3640.57	NNW
163	HY992	5118.92	SSE
165	8DC718	5040.37	SSE
165	8DC724	5040.37	SSE
165	8DC725	5040.37	SSE
165	8DC722	5040.37	SSE
165	8DC721	5040.37	SSE
165	8DC720	5040.37	SSE
165	8DC719	5040.37	SSE
165	8DC723	5040.37	SSE
168	UB141	5010.42	SSE
169	8DB019	4612.19	NNW
169	EX841	4612.19	NNW
171	ZU154	2369.91	S
172	NZ946	2589.32	S
173	XV219	2405.43	S
174	UM018	2737.75	S

## Wells and Additional Sources Summary

176	8DA868	3403.28	S
178	8DA866	2837.28	S
178	NY706	2837.28	S
178	NC232	2837.28	S
178	MJ170	2837.28	S
178	DA742	2837.28	S
178	FV205	2837.28	S
178	8DA865	2837.28	S
178	8DA867	2837.28	S
178	FT106	2837.28	S
178	KL464	2837.28	S
178	8DC711	2837.28	S
178	DS816	2837.28	S
178	MJ151	2837.28	S
178	KL744	2837.28	S
178	MH729	2837.28	S
178	FY950	2837.28	S
178	NY707	2837.28	S
178	MQ218	2837.28	S
178	GG320	2837.28	S
178	IE097	2837.28	S
179	VL729	2841.37	S
180	NY739	2765.05	SSW
181	OG506	3184.86	S
182	RX901	3150.30	S
183	QU023	3095.86	S
198	XQ950	3500.94	SSW
199	KV199	3946.40	S
200	YF889	3727.18	SSW
201	CW309	4533.79	S
202	8DC771	4538.84	S
202	8DC770	4538.84	S
202	FH148	4538.84	S
204	8DC769	4135.02	S
204	CX396	4135.02	S
204	KZ384	4135.02	S
204	KL703	4135.02	S
204	EF022	4135.02	S
205	8DC753	5258.57	S
206	8DC766	4089.90	SSW
207	SF387	4679.20	S
208	TT446	4656.02	S
209	LG577	4590.48	S
209	RW448	4590.48	S
210	FH147	4355.66	SSW
212	8DC767	4926.77	S
212	8DC768	4926.77	S
213	VL713	4824.50	S
214	UM054	4971.26	S
215	MJ134	5110.87	S

### Well Inventory

Map Key	ID	Distance (ft)	Direction
No records found			



# Wells and Additional Sources Detail Report

## Public Water Systems Violations and Enforcement Data

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
7	SW	0.12	634.21	721.42	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 542359011  
 City Name: STURGEON BAY  
 Address Line 1: 3538 PARK DR  
 PWS ID: WI4150532  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/05/1981  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
7	SW	0.12	634.21	721.42	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 542359011  
 City Name: STURGEON BAY  
 Address Line 1: 3538 PARK DR  
 PWS ID: WI4150531  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/05/1981  
 Phone Number:

## Wells and Additional Sources Detail Report

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
7	SW	0.12	634.21	721.42	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235-9011  
 City Name: Sturgeon Bay  
 Address Line 1: 3538 Park Dr  
 PWS ID: WI4150887  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
7	SW	0.12	634.21	721.42	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 542359011  
 City Name: STURGEON BAY  
 Address Line 1: 3538 PARK DR  
 PWS ID: WI4151219  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I



# Wells and Additional Sources Detail Report

PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/01/1991  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
7	SW	0.12	634.21	721.42	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 542359011  
 City Name: STURGEON BAY  
 Address Line 1: 3538 PARK DR  
 PWS ID: WI4151221  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 04/09/2003  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
7	SW	0.12	634.21	721.42	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235-9011  
 City Name: Sturgeon Bay  
 Address Line 1: 3538 Park Dr  
 PWS ID: WI4150716  
 PWS Type Code: TNCWS

## Wells and Additional Sources Detail Report

PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 30/09/2013  
 Phone Number:

--Details--

Population Served Count: 27  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
23	S	0.02	81.97	718.23	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 6799 CTH C  
 PWS ID: WI4150710  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/09/1991  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
37	ENE	0.44	2,347.75	665.82	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235



# Wells and Additional Sources Detail Report

City Name: Sturgeon Bay  
 Address Line 1: 3665 GRONDIN RD  
 PWS ID: WI4151970  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
37	ENE	0.44	2,347.75	665.82	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 3665 GRONDIN RD  
 PWS ID: WI4151849  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
37	ENE	0.44	2,347.75	665.82	PWSV

# Wells and Additional Sources Detail Report

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 3665 GRONDIN RD  
 PWS ID: WI4151671  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

---

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
102	ENE	0.77	4,069.02	588.28	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 3662 N DULUTH AVE  
 PWS ID: WI4150720  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI



## Wells and Additional Sources Detail Report

Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
121	E	0.86	4,563.50	585.52	PWSV

Address Line 2:

State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 3540 N DULUTH AVE  
 PWS ID: WI4150983  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/07/1997  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
127	E	0.89	4,711.21	590.19	PWSV

Address Line 2:

State Code: WI  
 Zip Code: 542359088  
 City Name: STURGEON BAY  
 Address Line 1: 3528 N DULUTH AVE  
 PWS ID: WI4150712  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/07/1992  
 Phone Number:

--Details--

## Wells and Additional Sources Detail Report

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
185	SSE	0.90	4,762.70	738.86	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 6554 GREEN BAY RD  
 PWS ID: WI4150119  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/02/1991  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
186	SSE	0.91	4,810.46	731.55	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 6318 STH 57  
 PWS ID: WI4151936  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active



# Wells and Additional Sources Detail Report

PWS Deactivation Date:  
Phone Number:

--Details--

Population Served Count: 28  
City Served: STURGEON BAY  
County Served: Door  
State Served: WI  
Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
187	SSE	0.90	4,776.77	738.07	PWSV

Address Line 2:  
State Code: WI  
Zip Code: 54235  
City Name: STURGEON BAY  
Address Line 1: 6553 GREEN BAY RD  
PWS ID: WI4150071  
PWS Type Code: TNCWS  
PWS Type Description: Transient Non-Community Water System  
Primary Source Code: GW  
Primary Source Desc: Groundwater  
PWS Activity Code: I  
PWS Activity Description: Inactive  
PWS Deactivation Date: 01/02/1991  
Phone Number:

--Details--

Population Served Count: 25  
City Served:  
County Served:  
State Served: WI  
Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
187	SSE	0.90	4,776.77	738.07	PWSV

Address Line 2:  
State Code: WI  
Zip Code: 54235  
City Name: STURGEON BAY  
Address Line 1: 6553 GREEN BAY RD  
PWS ID: WI4151213  
PWS Type Code: TNCWS  
PWS Type Description: Transient Non-Community Water System

## Wells and Additional Sources Detail Report

Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/01/1991  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
188	SSE	0.91	4,805.72	735.10	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 6415 GREEN BAY ROAD  
 PWS ID: WI4150514  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/06/1989  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
188	SSE	0.91	4,805.72	735.10	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY



## Wells and Additional Sources Detail Report

Address Line 1: 6401 HWY 57  
 PWS ID: WI4150809  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: I  
 PWS Activity Description: Inactive  
 PWS Deactivation Date: 01/03/1991  
 Phone Number:

--Details--

Population Served Count: 35  
 City Served:  
 County Served:  
 State Served: WI  
 Zip Code Served:

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
190	SSE	0.92	4,842.83	732.54	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 6225 STH 57  
 PWS ID: WI4151841  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
191	SSE	0.93	4,898.15	727.93	PWSV

## Wells and Additional Sources Detail Report

Address Line 2:  
State Code: WI  
Zip Code: 54235  
City Name: STURGEON BAY  
Address Line 1: 5890 STH 57  
PWS ID: WI4151050  
PWS Type Code: TNCWS  
PWS Type Description: Transient Non-Community Water System  
Primary Source Code: GW  
Primary Source Desc: Groundwater  
PWS Activity Code: A  
PWS Activity Description: Active  
PWS Deactivation Date:  
Phone Number:

--Details--

Population Served Count: 31  
City Served: STURGEON BAY  
County Served: Door  
State Served: WI  
Zip Code Served:

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">192</a>	SSE	0.93	4,915.53	725.62	PWSV

Address Line 2:  
State Code: WI  
Zip Code: 54235  
City Name: Sturgeon Bay  
Address Line 1: 5806 STH 42  
PWS ID: WI4150001  
PWS Type Code: TNCWS  
PWS Type Description: Transient Non-Community Water System  
Primary Source Code: GW  
Primary Source Desc: Groundwater  
PWS Activity Code: A  
PWS Activity Description: Active  
PWS Deactivation Date:  
Phone Number:

--Details--

Population Served Count: 35  
City Served: STURGEON BAY  
County Served: Door  
State Served: WI  
Zip Code Served:



## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
192	SSE	0.93	4,915.53	725.62	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 5806 STH 42  
 PWS ID: WI4150220  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 34  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
193	SSE	0.93	4,935.61	726.61	PWSV

Address Line 2: PO Box 638  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 5773 STH 42  
 PWS ID: WI4151926  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 47

## Wells and Additional Sources Detail Report

City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
194	SSE	0.98	5,184.58	719.38	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 4528 STH 57  
 PWS ID: WI4150218  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
194	SSE	0.98	5,184.58	719.38	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 4528 STH 57  
 PWS ID: WI4150312  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:



# Wells and Additional Sources Detail Report

Phone Number:

--Details--

Population Served Count: 27  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
195	SSE	0.98	5,182.63	719.38	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: STURGEON BAY  
 Address Line 1: 4599 STH 57  
 PWS ID: WI4151884  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW  
 Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 25  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
196	SSE	1.00	5,269.95	720.30	PWSV

Address Line 2:  
 State Code: WI  
 Zip Code: 54235  
 City Name: Sturgeon Bay  
 Address Line 1: 4128 STH 42-57  
 PWS ID: WI4151216  
 PWS Type Code: TNCWS  
 PWS Type Description: Transient Non-Community Water System  
 Primary Source Code: GW

## Wells and Additional Sources Detail Report

Primary Source Desc: Groundwater  
 PWS Activity Code: A  
 PWS Activity Description: Active  
 PWS Deactivation Date:  
 Phone Number:

--Details--

Population Served Count: 31  
 City Served: STURGEON BAY  
 County Served: Door  
 State Served: WI  
 Zip Code Served:

### Safe Drinking Water Information System (SDWIS)

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
189	SSE	0.91	4,827.39	733.51	SDWIS

PWS ID: WI4151051  
 PWS Type: Transient non-community system  
 No of Facilities: 3  
 No of Violations: 40  
 No of Site Visits: 9  
 Cities Served: STURGEON BAY  
 Counties Served: Door  
 Population Served Count: 25  
 Primacy Agency: Wisconsin  
 EPA Region: Region 5

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
191	SSE	0.93	4,898.15	727.93	SDWIS

PWS ID: WI4151050  
 PWS Type: Transient non-community system  
 No of Facilities: 3  
 No of Violations: 42  
 No of Site Visits: 7  
 Cities Served: STURGEON BAY  
 Counties Served: Door  
 Population Served Count: 31  
 Primacy Agency: Wisconsin  
 EPA Region: Region 5

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
194	SSE	0.98	5,184.58	719.38	SDWIS



## Wells and Additional Sources Detail Report

PWS ID: WI4150218  
 PWS Type: Transient non-community system  
 No of Facilities: 2  
 No of Violations: 3  
 No of Site Visits: 4  
 Cities Served: STURGEON BAY  
 Counties Served: Door  
 Population Served Count: 25  
 Primacy Agency: Wisconsin  
 EPA Region: Region 5

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
194	SSE	0.98	5,184.58	719.38	SDWIS

PWS ID: WI4150312  
 PWS Type: Transient non-community system  
 No of Facilities: 5  
 No of Violations: 7  
 No of Site Visits: 4  
 Cities Served: STURGEON BAY  
 Counties Served: Door  
 Population Served Count: 27  
 Primacy Agency: Wisconsin  
 EPA Region: Region 5

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
195	SSE	0.98	5,182.63	719.38	SDWIS

PWS ID: WI4151884  
 PWS Type: Transient non-community system  
 No of Facilities: 2  
 No of Violations: 42  
 No of Site Visits: 7  
 Cities Served: STURGEON BAY  
 Counties Served: Door  
 Population Served Count: 25  
 Primacy Agency: Wisconsin  
 EPA Region: Region 5

### USGS National Water Information System

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
27	S	0.03	145.64	717.94	FED USGS

Site No: USGS-445007087252501  
 Site Type: Well

## Wells and Additional Sources Detail Report

Formation Type:  
 Date Drilled:  
 Well Depth: 310  
 Well Depth Unit: ft  
 Well Hole Depth: 310  
 Well Hole Depth Unit: ft  
 Reporting Agency: USGS Wisconsin Water Science Center  
 Station Name: DR-27/25E/11-0138  
 Latitude: 44.83527430000000  
 Longitude: -87.4237087000000

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
109	ENE	0.78	4,132.88	586.35	FED USGS

Site No: USGS-445058087240401  
 Site Type: Well  
 Formation Type:  
 Date Drilled:  
 Well Depth: 140  
 Well Depth Unit: ft  
 Well Hole Depth: 140  
 Well Hole Depth Unit: ft  
 Reporting Agency: USGS Wisconsin Water Science Center  
 Station Name: DR-27/25E/01-0137  
 Latitude: 44.84944086000000  
 Longitude: -87.4012093000000

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
125	NE	0.63	3,335.25	598.05	FED USGS

Site No: USGS-445123087241801  
 Site Type: Well  
 Formation Type:  
 Date Drilled:  
 Well Depth: 133  
 Well Depth Unit: ft  
 Well Hole Depth: 133  
 Well Hole Depth Unit: ft  
 Reporting Agency: USGS Wisconsin Water Science Center  
 Station Name: DR-28/25E/36-0029  
 Latitude: 44.85638505000000  
 Longitude: -87.4050984000000

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
162	WSW	0.82	4,333.49	700.95	FED USGS



## Wells and Additional Sources Detail Report

Site No: USGS-445006087264401  
 Site Type: Well  
 Formation Type:  
 Date Drilled:  
 Well Depth: 182  
 Well Depth Unit: ft  
 Well Hole Depth: 182  
 Well Hole Depth Unit: ft  
 Reporting Agency: USGS Wisconsin Water Science Center  
 Station Name: DR-27/25E/03-0139  
 Latitude: 44.83499626000000  
 Longitude: -87.4456532000000

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
167	NNE	0.64	3,359.80	623.57	FED USGS

Site No: USGS-445151087245301  
 Site Type: Well  
 Formation Type: Silurian System  
 Date Drilled: 19560827  
 Well Depth: 180  
 Well Depth Unit: ft  
 Well Hole Depth: 180  
 Well Hole Depth Unit: ft  
 Reporting Agency: USGS Wisconsin Water Science Center  
 Station Name: DR-28/25E/36-0027  
 Latitude: 44.86416248000000  
 Longitude: -87.4148209000000

### Historic Well Construction Reports (1930-1989)

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
2	-	0.00	0.00	713.33	WATER WELLS

WID:	15000539	Latitude:	44.84638
Depth to Bedrock:		Longitude:	-87.422603
County Name:	DOOR		

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
4	WSW	0.15	795.05	717.99	WATER WELLS

WID:	15500560	Latitude:	44.842774
Depth to Bedrock:		Longitude:	-87.427656
County Name:	DOOR		

## Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
4	WSW	0.15	795.05	717.99	WATER WELLS

WID:	15000538	Latitude:	44.842774
Depth to Bedrock:		Longitude:	-87.427656
County Name:	DOOR		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
8	S	0.02	92.80	721.51	WATER WELLS

WID:	15500564	Latitude:	44.839115
Depth to Bedrock:		Longitude:	-87.422692
County Name:	DOOR		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
18	SSE	0.41	2,143.39	709.70	WATER WELLS

WID:	15500676	Latitude:	44.837256
Depth to Bedrock:		Longitude:	-87.415164
County Name:	DOOR		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
18	SSE	0.41	2,143.39	709.70	WATER WELLS

WID:	15500677	Latitude:	44.837256
Depth to Bedrock:		Longitude:	-87.415164
County Name:	DOOR		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
18	SSE	0.41	2,143.39	709.70	WATER WELLS

WID:	15000535	Latitude:	44.837256
Depth to Bedrock:		Longitude:	-87.415164
County Name:	DOOR		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
20	ENE	0.34	1,817.08	673.46	WATER WELLS

WID:	15502341	Latitude:	44.848038
Depth to Bedrock:		Longitude:	-87.409971
County Name:	DOOR		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----



## Wells and Additional Sources Detail Report

25 SW 0.20 1,038.80 709.99 WATER WELLS

WID: 15502420 Latitude: 44.837322  
 Depth to Bedrock: Longitude: -87.43022  
 County Name: DOOR

**Map Key**      **Direction**      **Distance (mi)**      **Distance (ft)**      **Elevation (ft)**      **DB**  
 25 SW 0.20 1,038.80 709.99 WATER WELLS

WID: 15502419 Latitude: 44.837322  
 Depth to Bedrock: Longitude: -87.43022  
 County Name: DOOR

**Map Key**      **Direction**      **Distance (mi)**      **Distance (ft)**      **Elevation (ft)**      **DB**  
 25 SW 0.20 1,038.80 709.99 WATER WELLS

WID: 15502396 Latitude: 44.837322  
 Depth to Bedrock: Longitude: -87.43022  
 County Name: DOOR

**Map Key**      **Direction**      **Distance (mi)**      **Distance (ft)**      **Elevation (ft)**      **DB**  
 25 SW 0.20 1,038.80 709.99 WATER WELLS

WID: 15500650 Latitude: 44.837322  
 Depth to Bedrock: Longitude: -87.43022  
 County Name: DOOR

**Map Key**      **Direction**      **Distance (mi)**      **Distance (ft)**      **Elevation (ft)**      **DB**  
 28 S 0.03 147.73 718.05 WATER WELLS

WID: 15000138 Latitude: 44.835253  
 Depth to Bedrock: Longitude: -87.423824  
 County Name: DOOR

**Map Key**      **Direction**      **Distance (mi)**      **Distance (ft)**      **Elevation (ft)**      **DB**  
 34 ESE 0.46 2,411.24 698.39 WATER WELLS

WID: 15500717 Latitude: 44.842399  
 Depth to Bedrock: Longitude: -87.407822  
 County Name: DOOR

**Map Key**      **Direction**      **Distance (mi)**      **Distance (ft)**      **Elevation (ft)**      **DB**

## Wells and Additional Sources Detail Report

<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS
WID:		15500715	Latitude:		44.842399
Depth to Bedrock:			Longitude:		-87.407822
County Name:		DOOR			

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS
WID:		15500711	Latitude:		44.842399
Depth to Bedrock:			Longitude:		-87.407822
County Name:		DOOR			

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS
WID:		15500714	Latitude:		44.842399
Depth to Bedrock:			Longitude:		-87.407822
County Name:		DOOR			

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS
WID:		15500697	Latitude:		44.842399
Depth to Bedrock:			Longitude:		-87.407822
County Name:		DOOR			

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS
WID:		15500712	Latitude:		44.842399
Depth to Bedrock:			Longitude:		-87.407822
County Name:		DOOR			

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS
WID:		15500713	Latitude:		44.842399
Depth to Bedrock:			Longitude:		-87.407822
County Name:		DOOR			

---

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">34</a>	ESE	0.46	2,411.24	698.39	WATER WELLS



## Wells and Additional Sources Detail Report

WID: 15500710      Latitude: 44.842399  
 Depth to Bedrock:      Longitude: -87.407822  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
34	ESE	0.46	2,411.24	698.39	WATER WELLS

WID: 15500708      Latitude: 44.842399  
 Depth to Bedrock:      Longitude: -87.407822  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
41	-	0.00	0.00	689.77	WATER WELLS

WID: 15505675      Latitude: 44.855507  
 Depth to Bedrock:      Longitude: -87.420046  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
44	NNW	0.21	1,120.03	695.96	WATER WELLS

WID: 15000599      Latitude: 44.855512  
 Depth to Bedrock:      Longitude: -87.42509  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
55	E	0.57	3,016.00	648.27	WATER WELLS

WID: 15001011      Latitude: 44.844345  
 Depth to Bedrock:      Longitude: -87.404925  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
55	E	0.57	3,016.00	648.27	WATER WELLS

WID: 15000536      Latitude: 44.844345  
 Depth to Bedrock:      Longitude: -87.404925  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
55	E	0.57	3,016.00	648.27	WATER WELLS

## Wells and Additional Sources Detail Report

WID: 15500687      Latitude: 44.844345  
 Depth to Bedrock:      Longitude: -87.404925  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
57	SSE	0.45	2,359.45	709.96	WATER WELLS

WID: 15001015      Latitude: 44.833642  
 Depth to Bedrock:      Longitude: -87.415192  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
61	ENE	0.58	3,069.32	660.70	WATER WELLS

WID: 15001010      Latitude: 44.847945  
 Depth to Bedrock:      Longitude: -87.404903  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
61	ENE	0.58	3,069.32	660.70	WATER WELLS

WID: 15502384      Latitude: 44.847945  
 Depth to Bedrock:      Longitude: -87.404903  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
61	ENE	0.58	3,069.32	660.70	WATER WELLS

WID: 15000537      Latitude: 44.847945  
 Depth to Bedrock:      Longitude: -87.404903  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
66	S	0.17	890.96	714.53	WATER WELLS

WID: 15500610      Latitude: 44.831891  
 Depth to Bedrock:      Longitude: -87.422754  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
71	NNW	0.36	1,918.21	701.35	WATER WELLS



## Wells and Additional Sources Detail Report

WID: 15501280 Latitude: 44.857358  
 Depth to Bedrock: Longitude: -87.427618  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
71	NNW	0.36	1,918.21	701.35	WATER WELLS

WID: 15501416 Latitude: 44.857358  
 Depth to Bedrock: Longitude: -87.427618  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
77	E	0.66	3,482.65	650.68	WATER WELLS

WID: 15500685 Latitude: 44.845946  
 Depth to Bedrock: Longitude: -87.403055  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
77	E	0.66	3,482.65	650.68	WATER WELLS

WID: 15500213 Latitude: 44.845946  
 Depth to Bedrock: Longitude: -87.403055  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
82	E	0.70	3,675.86	642.61	WATER WELLS

WID: 15001008 Latitude: 44.842412  
 Depth to Bedrock: Longitude: -87.402736  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
87	ESE	0.77	4,078.20	704.18	WATER WELLS

WID: 15502451 Latitude: 44.837107  
 Depth to Bedrock: Longitude: -87.404979  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
89	SW	0.31	1,628.33	709.97	WATER WELLS

## Wells and Additional Sources Detail Report

WID: 15500609 Latitude: 44.833731  
 Depth to Bedrock: Longitude: -87.435262  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
91	SSE	0.61	3,223.96	713.31	WATER WELLS

WID: 15500589 Latitude: 44.8318  
 Depth to Bedrock: Longitude: -87.412652  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
94	WNW	0.88	4,664.59	740.64	WATER WELLS

WID: 15501145 Latitude: 44.851849  
 Depth to Bedrock: Longitude: -87.440181  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
94	WNW	0.88	4,664.59	740.64	WATER WELLS

WID: 15501143 Latitude: 44.851849  
 Depth to Bedrock: Longitude: -87.440181  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
94	WNW	0.88	4,664.59	740.64	WATER WELLS

WID: 15501144 Latitude: 44.851849  
 Depth to Bedrock: Longitude: -87.440181  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
96	W	0.93	4,902.62	710.66	WATER WELLS

WID: 15000540 Latitude: 44.846379  
 Depth to Bedrock: Longitude: -87.442771  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
99	ESE	0.80	4,231.77	659.89	WATER WELLS



## Wells and Additional Sources Detail Report

WID: 15500678      Latitude: 44.838878  
 Depth to Bedrock:      Longitude: -87.402417  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
104	E	0.78	4,117.57	591.20	WATER WELLS

WID: 15500694      Latitude: 44.847726  
 Depth to Bedrock:      Longitude: -87.400748  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
104	E	0.78	4,117.57	591.20	WATER WELLS

WID: 15500692      Latitude: 44.847726  
 Depth to Bedrock:      Longitude: -87.400748  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
107	E	0.80	4,223.34	633.04	WATER WELLS

WID: 15500689      Latitude: 44.844167  
 Depth to Bedrock:      Longitude: -87.400275  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
110	ENE	0.79	4,158.50	585.27	WATER WELLS

WID: 15000137      Latitude: 44.84945  
 Depth to Bedrock:      Longitude: -87.40111  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
113	NE	0.61	3,213.80	623.85	WATER WELLS

WID: 15505636      Latitude: 44.855259  
 Depth to Bedrock:      Longitude: -87.405459  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
119	ESE	0.87	4,570.14	630.39	WATER WELLS

## Wells and Additional Sources Detail Report

WID: 15500683      Latitude: 44.840651  
 Depth to Bedrock:      Longitude: -87.39986  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
130	SSW	0.15	783.92	719.41	WATER WELLS

WID: 15500556      Latitude: 44.828309  
 Depth to Bedrock:      Longitude: -87.427783  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
134	SW	0.54	2,877.09	704.37	WATER WELLS

WID: 15000544      Latitude: 44.833713  
 Depth to Bedrock:      Longitude: -87.440314  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
143	ESE	0.97	5,143.40	644.98	WATER WELLS

WID: 15500680      Latitude: 44.837032  
 Depth to Bedrock:      Longitude: -87.399884  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
143	ESE	0.97	5,143.40	644.98	WATER WELLS

WID: 15502363      Latitude: 44.837032  
 Depth to Bedrock:      Longitude: -87.399884  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
143	ESE	0.97	5,143.40	644.98	WATER WELLS

WID: 15001009      Latitude: 44.837032  
 Depth to Bedrock:      Longitude: -87.399884  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
143	ESE	0.97	5,143.40	644.98	WATER WELLS



## Wells and Additional Sources Detail Report

WID: 15502373      Latitude: 44.837032  
 Depth to Bedrock:      Longitude: -87.399884  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
143	ESE	0.97	5,143.40	644.98	WATER WELLS

WID: 15500681      Latitude: 44.837032  
 Depth to Bedrock:      Longitude: -87.399884  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
148	N	0.54	2,875.15	709.48	WATER WELLS

WID: 15000600      Latitude: 44.862818  
 Depth to Bedrock:      Longitude: -87.425124  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
151	S	0.46	2,451.46	724.81	WATER WELLS

WID: 15500583      Latitude: 44.826474  
 Depth to Bedrock:      Longitude: -87.420278  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
151	S	0.46	2,451.46	724.81	WATER WELLS

WID: 15500608      Latitude: 44.826474  
 Depth to Bedrock:      Longitude: -87.420278  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
153	S	0.30	1,592.25	712.98	WATER WELLS

WID: 15500637      Latitude: 44.826504  
 Depth to Bedrock:      Longitude: -87.425299  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
153	S	0.30	1,592.25	712.98	WATER WELLS

## Wells and Additional Sources Detail Report

WID: 15500549      Latitude: 44.826504  
 Depth to Bedrock:      Longitude: -87.425299  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
153	S	0.30	1,592.25	712.98	WATER WELLS

WID: 15500594      Latitude: 44.826504  
 Depth to Bedrock:      Longitude: -87.425299  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
153	S	0.30	1,592.25	712.98	WATER WELLS

WID: 15500671      Latitude: 44.826504  
 Depth to Bedrock:      Longitude: -87.425299  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
153	S	0.30	1,592.25	712.98	WATER WELLS

WID: 15500649      Latitude: 44.826504  
 Depth to Bedrock:      Longitude: -87.425299  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
158	SSW	0.28	1,459.26	717.17	WATER WELLS

WID: 15000545      Latitude: 44.826534  
 Depth to Bedrock:      Longitude: -87.430321  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

WID: 15500615      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS



## Wells and Additional Sources Detail Report

WID: 15500611      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

WID: 15500607      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

WID: 15500629      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

WID: 15500616      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

WID: 15500618      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

WID: 15500614      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
164	SSE	0.95	5,034.61	709.70	WATER WELLS

## Wells and Additional Sources Detail Report

WID: 15500612      Latitude: 44.828117  
 Depth to Bedrock:      Longitude: -87.407575  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
166	NNE	0.62	3,292.57	627.94	WATER WELLS

WID: 15000027      Latitude: 44.864003  
 Depth to Bedrock:      Longitude: -87.415  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
170	NNW	0.87	4,618.21	707.04	WATER WELLS

WID: 15505673      Latitude: 44.862806  
 Depth to Bedrock:      Longitude: -87.435296  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
175	S	0.64	3,396.41	725.17	WATER WELLS

WID: 15500660      Latitude: 44.822868  
 Depth to Bedrock:      Longitude: -87.420296  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
177	S	0.54	2,832.35	719.94	WATER WELLS

WID: 15500413      Latitude: 44.822905  
 Depth to Bedrock:      Longitude: -87.425325  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
177	S	0.54	2,832.35	719.94	WATER WELLS

WID: 15500424      Latitude: 44.822905  
 Depth to Bedrock:      Longitude: -87.425325  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
177	S	0.54	2,832.35	719.94	WATER WELLS



## Wells and Additional Sources Detail Report

WID: 15500447      Latitude: 44.822905  
 Depth to Bedrock:      Longitude: -87.425325  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
<a href="#">177</a>	S	0.54	2,832.35	719.94	WATER WELLS

WID: 15500559      Latitude: 44.822905  
 Depth to Bedrock:      Longitude: -87.425325  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
<a href="#">201</a>	S	0.86	4,533.79	724.71	WATER WELLS

WID: 15500122      Latitude: 44.819255  
 Depth to Bedrock:      Longitude: -87.42031  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
<a href="#">201</a>	S	0.86	4,533.79	724.71	WATER WELLS

WID: 15500091      Latitude: 44.819255  
 Depth to Bedrock:      Longitude: -87.42031  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
<a href="#">201</a>	S	0.86	4,533.79	724.71	WATER WELLS

WID: 15500625      Latitude: 44.819255  
 Depth to Bedrock:      Longitude: -87.42031  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
<a href="#">203</a>	S	0.78	4,128.39	715.53	WATER WELLS

WID: 15001017      Latitude: 44.819277  
 Depth to Bedrock:      Longitude: -87.425345  
 County Name: DOOR

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
<a href="#">206</a>	SSW	0.77	4,089.90	708.55	WATER WELLS

## Wells and Additional Sources Detail Report

WID: 15001016 Latitude: 44.819297  
 Depth to Bedrock: Longitude: -87.430381  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
211	S	0.93	4,920.03	719.93	WATER WELLS

WID: 15500132 Latitude: 44.817446  
 Depth to Bedrock: Longitude: -87.422843  
 County Name: DOOR

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
211	S	0.93	4,920.03	719.93	WATER WELLS

WID: 15500101 Latitude: 44.817446  
 Depth to Bedrock: Longitude: -87.422843  
 County Name: DOOR

### Public Water Supply Systems

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
6	SW	0.12	630.33	721.27	PWS

DNR PWS ID:	41508874	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Other non-community service		
Most Recent Sanitary Survey:	10/19/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41511855	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	



## Wells and Additional Sources Detail Report

Transient Pop:	100	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41517179	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	04/28/2016
Transient Pop:	125	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41503143	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	04/23/2019
Transient Pop:	25	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Campground		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41500668	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0

## Wells and Additional Sources Detail Report

Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41511866	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	04/23/2019
Transient Pop:	25	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41519698	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	04/23/2019
Transient Pop:	100	Season Ends:	10/31/2000
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41503154	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	
DNR Region:	Northeast Region	Water Meters:	



## Wells and Additional Sources Detail Report

County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	04/23/2019
Transient Pop:	25	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Campground		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41511877	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	04/23/2019
Transient Pop:	50	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	07/28/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
13	NNW	0.27	1,451.73	699.42	PWS

DNR PWS ID:	41501570	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Destroyed	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	State Park		
Most Recent Sanitary Survey:	06/10/1999		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
39	ENE	0.45	2,378.94	665.38	PWS

DNR PWS ID:	41518499	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	

## Wells and Additional Sources Detail Report

DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:		Season Begins:	05/01/1960
Transient Pop:	25	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Resort		
Most Recent Sanitary Survey:	10/19/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
39	ENE	0.45	2,378.94	665.38	PWS

DNR PWS ID:	41516717	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Resort		
Most Recent Sanitary Survey:	10/19/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
39	ENE	0.45	2,378.94	665.38	PWS

DNR PWS ID:	41519709	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:		Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Other non-community service		
Most Recent Sanitary Survey:	10/19/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
46	ENE	0.48	2,508.23	664.22	PWS

DNR PWS ID:	41505134	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0



## Wells and Additional Sources Detail Report

Status:	Active	Service Connects:	0
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:		Season Begins:	05/01/1999
Transient Pop:	25	Season Ends:	10/31/1999
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Mobile Home Park		
Most Recent Sanitary Survey:	08/09/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
46	ENE	0.48	2,508.23	664.22	PWS

DNR PWS ID:	41507829	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	0
County:	Door	Storage Capacity:	0
Non Transient Pop:	0	Season Begins:	05/01/1960
Transient Pop:	110	Season Ends:	10/31/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Campground		
Most Recent Sanitary Survey:	08/09/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
103	ENE	0.78	4,098.51	587.63	PWS

DNR PWS ID:	41507202	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Motel or Hotel / Restaurant		
Most Recent Sanitary Survey:	06/01/2023		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
122	E	0.87	4,595.22	585.51	PWS

DNR PWS ID:	41509831	Purchased Grnd Wtr:	0
-------------	----------	---------------------	---

## Wells and Additional Sources Detail Report

Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Private, serves fewer than 25 people	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	05/01/1960
Transient Pop:	20	Season Ends:	09/30/1988
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Motel or Hotel		
Most Recent Sanitary Survey:	07/30/1997		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">122</a>	E	0.87	4,595.22	585.51	PWS

DNR PWS ID:	41509820	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Motel or Hotel / Restaurant		
Most Recent Sanitary Survey:	06/15/2022		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">128</a>	E	0.90	4,745.31	586.10	PWS

DNR PWS ID:	41507125	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Inactive	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	07/01/1960
Transient Pop:	5	Season Ends:	09/30/1960
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Resort		
Most Recent Sanitary Survey:			

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">184</a>	S	0.81	4,286.58	726.79	PWS



# Wells and Additional Sources Detail Report

DNR PWS ID:	41519071	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Active	Service Connects:	
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	2	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Motel or Hotel		
Most Recent Sanitary Survey:	05/23/2019		

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
197	SSE	0.99	5,252.97	719.43	PWS

DNR PWS ID:	41500712	Purchased Grnd Wtr:	0
Type:	Transient, non-community	Purchased Surf Wtr:	0
Status:	Inactive	Service Connects:	1
DNR Region:	Northeast Region	Water Meters:	
County:	Door	Storage Capacity:	
Non Transient Pop:	0	Season Begins:	
Transient Pop:	25	Season Ends:	
Surface Water:	0	Provide Wtr to Sys:	No
Ground Water:	100	Recei Wtr from Sys:	No
Service Types:	Motel or Hotel		
Most Recent Sanitary Survey:			

## Well Construction Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
1	-	0.00	0.00	713.36	PRIVATE WW

WI Unique Well No:	8DC680	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	

## Wells and Additional Sources Detail Report

Lot: Block: Government Parcel: Survey Township:       27 Survey Range:           25 Survey Section:         2 Q Section:               NE QQ Section: Well Status: Original Year: Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address: Owner City: Owner State: Owner Zip: Constructor Name: Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC680">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx? id=WellConstructionReport&amp;download=false&amp;WUWN=8DC680</a>	Pumping At: Pumping Units: For: Well Start Depth: Developed: Disinfected: Capped: Proper Seal: Contractor Signed: Rig Oper Signed: Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:               113830289 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir:         E Well Name: Calc Specific Cap: Well Depth Amt: Well Dep Amt Text: Static Depth: Location Method:         Q section centroid Casing Depth Amt: Decade Complete:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
---------	-----------	---------------	---------------	----------------	----



# Wells and Additional Sources Detail Report

3                      SSW                      0.00                      20.15                      729.52                      PRIVATE WW

<p>WI Unique Well No:                      NC665</p> <p>High Cap Well No:</p> <p>Hi Cap Well:</p> <p>Hi Cap Property:</p> <p>County Well Loc:</p> <p>DNR Region:</p> <p>County:</p> <p>Muni Type:</p> <p>Tax Parcel No:</p> <p>Well Complete Date:                      07/08/1999</p> <p>DNR Rec Date:</p> <p>Fire No:</p> <p>Subdivision:</p> <p>Lot:</p> <p>Block:</p> <p>Government Parcel:</p> <p>Survey Township:                      27</p> <p>Survey Range:                      25</p> <p>Survey Section:                      2</p> <p>Q Section:                      SE</p> <p>QQ Section:                      NW</p> <p>Well Status:                      Replacement</p> <p>Original Year:</p> <p>Replace Reason:</p> <p>Prev WI Well No:</p> <p>Replace Well No:</p> <p>Well Const Type:</p> <p>Other Const Type:</p> <p>Category:</p> <p>No Services:</p> <p>Facility Type:</p> <p>High Pt Property:</p> <p>In Floodplain:</p> <p>Rotary Mud Circ:</p> <p>Rotary Air:</p> <p>Rotary Foam:</p> <p>Reverse Rotary:</p> <p>Cable Tool Bit:</p> <p>Cable Bit Diameter:</p> <p>Owner:</p> <p>Owner Address:                      3418 PARK DR</p> <p>Owner City:</p> <p>Owner State:</p> <p>Owner Zip:</p>	<p>Temp Outer Cas:</p> <p>Temp Casing Diam:</p> <p>Temp Casing Rem:</p> <p>Why Not Removed:</p> <p>Other Drill Method:</p> <p>Other Drillin Desc:</p> <p>Screen Diameter:</p> <p>Screen Description:</p> <p>Casing Depth Amt:                      182 FEET</p> <p>Screen To:</p> <p>Sealant Method:</p> <p>Static Depth Amt:                      80</p> <p>Pumping Level:</p> <p>Pumping At:</p> <p>Pumping Units:</p> <p>For:</p> <p>Well Start Depth:</p> <p>Developed:</p> <p>Disinfected:</p> <p>Capped:</p> <p>Proper Seal:</p> <p>Contractor Signed:</p> <p>Rig Oper Signed:</p> <p>Geologic Log No:</p> <p>Common Well No:</p> <p>DNR Facility ID:</p> <p>Watr Seq No:                      1057819</p> <p>LL Lat Dd Amt:</p> <p>LL Long Dd Amt:</p> <p>Survey Range Dir:                      E</p> <p>Well Name:</p> <p>Calc Specific Cap:</p> <p>Well Depth Amt:                      264</p> <p>Well Dep Amt Text:                      264 FEET</p> <p>Static Depth:                      feet below ground surface</p> <p>Location Method:                      QQ section centroid</p> <p>Casing Depth Amt:                      182</p> <p>Decade Complete:                      1990-1999</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Constructor Name: CHARLIES PUMPS & WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NC665>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
5	WSW	0.15	790.88	717.99	PRIVATE WW

WI Unique Well No:	8DC677	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830286
Other Const Type:		LL Lat Dd Amt:	



## Wells and Additional Sources Detail Report

Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC677">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC677</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
5	WSW	0.15	790.88	717.99	PRIVATE WW

WI Unique Well No:	JA505	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	40 FEET
Well Complete Date:	07/15/1954	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	29

## Wells and Additional Sources Detail Report

Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	U	Capped:	
QQ Section:	U	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1110755
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	208
Rotary Mud Circ:		Well Dep Amt Text:	208 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	40
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	ROUTE 3		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	ALORIS RETZLOFF		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			
Exception Area Comments:			
Well URL:			
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=JA505">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=JA505</a>		



# Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
9	S	0.02	97.09	721.45	PRIVATE WW

WI Unique Well No:	8DC679	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830288
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Q section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			

# Wells and Additional Sources Detail Report

Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC679>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
10	NNW	0.16	831.79	698.74	PRIVATE WW

WI Unique Well No:	FH327	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	90 FEET
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114176476



# Wells and Additional Sources Detail Report

Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 90
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 6888 SAND BAY RD.	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH327">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH327</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
10	NNW	0.16	831.79	698.74	PRIVATE WW

WI Unique Well No: FD726	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:
Muni Type:	Screen Description:
Tax Parcel No:	Casing Depth Amt: 172 FEET
Well Complete Date: 09/01/1983	Screen To:
DNR Rec Date:	Sealant Method:

## Wells and Additional Sources Detail Report

Fire No:		Static Depth Amt:	86
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1276456
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	242
Rotary Mud Circ:		Well Dep Amt Text:	242 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	BOX 341		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	HARVEY JORNS JR.		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity			
Comments:			
Exception Area			
Comments:			
Well URL:			
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FD726">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FD726</a>		



# Wells and Additional Sources Detail Report

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
11	NNW	0.17	892.42	699.30	PRIVATE WW

WI Unique Well No:	CA848	Temp Outer Cas:			
High Cap Well No:		Temp Casing Diam:			
Hi Cap Well:		Temp Casing Rem:			
Hi Cap Property:		Why Not Removed:			
County Well Loc:		Other Drill Method:			
DNR Region:		Other Drillin Desc:			
County:		Screen Diameter:			
Muni Type:		Screen Description:			
Tax Parcel No:		Casing Depth Amt:	171 FEET		
Well Complete Date:	05/19/1989	Screen To:			
DNR Rec Date:		Sealant Method:			
Fire No:		Static Depth Amt:	92		
Subdivision:		Pumping Level:			
Lot:		Pumping At:			
Block:		Pumping Units:			
Government Parcel:		For:			
Survey Township:	28	Well Start Depth:			
Survey Range:	25	Developed:			
Survey Section:	35	Disinfected:			
Q Section:	SW	Capped:			
QQ Section:	NE	Proper Seal:			
Well Status:	Replacement	Contractor Signed:			
Original Year:		Rig Oper Signed:			
Replace Reason:		Geologic Log No:			
Prev WI Well No:		Common Well No:			
Replace Well No:		DNR Facility ID:			
Well Const Type:		Watr Seq No:	559675		
Other Const Type:		LL Lat Dd Amt:	44.8519		
Category:		LL Long Dd Amt:	-87.4253		
No Services:		Survey Range Dir:	E		
Facility Type:		Well Name:			
High Pt Property:		Calc Specific Cap:			
In Floodplain:		Well Depth Amt:	246		
Rotary Mud Circ:		Well Dep Amt Text:	246 FEET		
Rotary Air:		Static Depth:	feet below ground surface		
Rotary Foam:		Location Method:	Parcel centroid		
Reverse Rotary:		Casing Depth Amt:	171		
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990		
Cable Bit Diameter:					
Owner:					
Owner Address:	3740 PARK DR				
Owner City:					

# Wells and Additional Sources Detail Report

Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS @ WELL DRILLING I  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=CA848>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
12	-	0.00	0.00	721.63	PRIVATE WW

WI Unique Well No: FH248  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date:  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 2  
 Q Section: SE  
 QQ Section: SW  
 Well Status:  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 170 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt:  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:



## Wells and Additional Sources Detail Report

Well Const Type:	Watr Seq No:	114182930
Other Const Type:	LL Lat Dd Amt:	
Category:	LL Long Dd Amt:	
No Services:	Survey Range Dir:	E
Facility Type:	Well Name:	
High Pt Property:	Calc Specific Cap:	
In Floodplain:	Well Depth Amt:	
Rotary Mud Circ:	Well Dep Amt Text:	
Rotary Air:	Static Depth:	
Rotary Foam:	Location Method:	QQ section centroid
Reverse Rotary:	Casing Depth Amt:	170
Cable Tool Bit:	Decade Complete:	
Cable Bit Diameter:		
Owner:		
Owner Address:	6980 CTY C	
Owner City:		
Owner State:		
Owner Zip:		
Constructor Name:		
Constructor Addr:		
Constructor City:		
Constructor State:		
Constructor Zip:		
Seal Description:		
Drilling Difficulty:		
Other Driller Comments:		
Water Quality Comments:		
Water Quantity		
Comments:		
Exception Area		
Comments:		
Well URL:		
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH248">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH248</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
14	SSE	0.31	1,635.58	709.70	PRIVATE WW

WI Unique Well No:	WX531	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:	08/24/2012	172 FEET
		Screen To:

## Wells and Additional Sources Detail Report

DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	27461125
Other Const Type:		LL Lat Dd Amt:	44.8372
Category:		LL Long Dd Amt:	-87.41720000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	1824 GEORGIA ST		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			
Exception Area Comments:			
Well URL:			

# Wells and Additional Sources Detail Report

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WX531>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
15	NW	0.42	2,219.95	720.90	PRIVATE WW

WI Unique Well No:	YB833	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	06/20/2017	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	97966700
Other Const Type:		LL Lat Dd Amt:	44.8507
Category:		LL Long Dd Amt:	-87.43090000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	242
Rotary Mud Circ:		Well Dep Amt Text:	242 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	6888 SAND BAY RD		



# Wells and Additional Sources Detail Report

Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=YB833>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
16	E	0.33	1,747.60	703.35	PRIVATE WW

WI Unique Well No:	OG584	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	10/13/2000	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	

# Wells and Additional Sources Detail Report

Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1136466
Other Const Type:	LL Lat Dd Amt: 44.8436
Category:	LL Long Dd Amt: -87.41
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 280
Rotary Mud Circ:	Well Dep Amt Text: 280 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 3551 GRONDIN RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=OG584">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=OG584</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
17	SE	0.44	2,310.22	709.70	PRIVATE WW

WI Unique Well No: 8DC659	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:
Muni Type:	Screen Description:
Tax Parcel No:	Casing Depth Amt:

## Wells and Additional Sources Detail Report

Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	E	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830268
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity			
Comments:			
Exception Area			
Comments:			



# Wells and Additional Sources Detail Report

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC659>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
19	SSE	0.41	2,146.66	709.70	PRIVATE WW

WI Unique Well No:	8DC662	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830271
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			

# Wells and Additional Sources Detail Report

Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC662>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
19	SSE	0.41	2,146.66	709.70	PRIVATE WW

WI Unique Well No:	8DC661	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	SW	Capped:
QQ Section:	SW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:
Replace Reason:		Geologic Log No:

# Wells and Additional Sources Detail Report

Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830270
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC661">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC661</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
19	SSE	0.41	2,146.66	709.70	PRIVATE WW

WI Unique Well No: 8DC660	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:
Muni Type:	Screen Description:



## Wells and Additional Sources Detail Report

Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830269
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity			
Comments:			
Exception Area			

# Wells and Additional Sources Detail Report

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC660>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
21	ENE	0.34	1,817.74	673.46	PRIVATE WW

WI Unique Well No: FS504  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 06/02/1994  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 1  
 Q Section: NW  
 QQ Section: NE  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 173 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 60  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 609219  
 LL Lat Dd Amt:  
 LL Long Dd Amt:  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 295  
 Well Dep Amt Text: 295 FEET  
 Static Depth: feet below ground surface  
 Location Method: QQ section centroid  
 Casing Depth Amt: 173  
 Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3665 GRONDIN RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FS504>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
21	ENE	0.34	1,817.74	673.46	PRIVATE WW

WI Unique Well No:	JC902	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	173 FEET
Well Complete Date:	07/02/1987	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	82.5
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1275756
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 295
Rotary Mud Circ:	Well Dep Amt Text: 295 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 173
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: 3665 GRONDIN RD.	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: HAROLD EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=JC902">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=JC902</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
21	ENE	0.34	1,817.74	673.46	PRIVATE WW

WI Unique Well No: KZ431	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	08/08/1997	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	130
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	666607
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	320
Rotary Mud Circ:		Well Dep Amt Text:	320 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	3665 GRONDIN RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=KZ431>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
22	ESE	0.42	2,210.16	720.29	PRIVATE WW

WI Unique Well No: FH270

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: SW

QQ Section: NE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114178640

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3554 GRONDIN RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH270>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
24	N	0.12	613.22	693.90	PRIVATE WW

WI Unique Well No:	UZ747	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	05/18/2010	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	86
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 2863431
Other Const Type:	LL Lat Dd Amt: 44.8542667
Category:	LL Long Dd Amt: -87.4234833
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 243
Rotary Mud Circ:	Well Dep Amt Text: 243 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Latitude and longitude
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 2010-2019
Cable Bit Diameter:	
Owner:	
Owner Address: 6792 DJUPLIN RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: RETZLAFF & GREGORICH	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=UZ747">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=UZ747</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
26	SW	0.20	1,034.80	709.87	PRIVATE WW

WI Unique Well No: 8DA856	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113828460
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA856>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
26	SW	0.20	1,034.80	709.87	PRIVATE WW

WI Unique Well No: MJ112

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 12/31/1997

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 2

Q Section: SW

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 172 FEET

Screen To:

Sealant Method:

Static Depth Amt: 110

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 689821

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 305

Well Dep Amt Text: 305 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 172

Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: PARK RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS @ WELL DRILLING I  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=MJ112>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">26</a>	SW	0.20	1,034.80	709.87	PRIVATE WW

WI Unique Well No:	8DA857	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	2	Disinfected:
Q Section:	SW	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113828461
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA857">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA857</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
26	SW	0.20	1,034.80	709.87	PRIVATE WW

WI Unique Well No:	8DC678	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830287
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC678>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
26	SW	0.20	1,034.80	709.87	PRIVATE WW

WI Unique Well No: RW721  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 09/27/2001  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 2  
 Q Section: SW  
 QQ Section: SE  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 171 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 100  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 1267361  
 LL Lat Dd Amt:  
 LL Long Dd Amt:  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 304  
 Well Dep Amt Text: 304 FEET  
 Static Depth: feet below ground surface  
 Location Method: QQ section centroid  
 Casing Depth Amt: 171  
 Decade Complete: 2000-2009

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 4234 Island Circle Dr.  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS & WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=RW721>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">26</a>	SW	0.20	1,034.80	709.87	PRIVATE WW

WI Unique Well No:	8DA855	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	2	Disinfected:
Q Section:	SW	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113828459
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA855">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA855</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
29	S	0.13	695.38	714.86	PRIVATE WW

WI Unique Well No:	TR692	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	09/28/2004	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	142
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1488892
Other Const Type:		LL Lat Dd Amt:	44.834900000000005
Category:		LL Long Dd Amt:	-87.4214
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	321
Rotary Mud Circ:		Well Dep Amt Text:	321 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	6757 CTY C		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	JORNS HARVEY & DAVID WELL DRLG INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TR692>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
30	E	0.42	2,238.44	692.03	PRIVATE WW

WI Unique Well No: OV629  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 04/28/2001  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 1  
 Q Section: NW  
 QQ Section: SE  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 170 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 50  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 1139002  
 LL Lat Dd Amt: 44.843900000000005  
 LL Long Dd Amt: -87.408  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 240  
 Well Dep Amt Text: 240 FEET  
 Static Depth: feet below ground surface  
 Location Method: Parcel centroid  
 Casing Depth Amt: 170  
 Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3555 GRONDIN RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OV629>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
31	WNW	0.60	3,163.43	711.11	PRIVATE WW

WI Unique Well No:	ZB280	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	09/14/2018	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           1467 WICK AVE Owner City: Owner State: Owner Zip: Constructor Name:       EUCLIDE, MARK E Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=ZB280">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=ZB280</a> Well Constr Url:	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:             113680909 LL Lat Dd Amt:           44.848400000000005 LL Long Dd Amt:         -87.4353 Survey Range Dir:       E Well Name: Calc Specific Cap: Well Depth Amt:         242 Well Dep Amt Text:       242 FEET Static Depth:           feet below ground surface Location Method:       Latitude and longitude Casing Depth Amt:       172 Decade Complete:       2010-2019
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
32	WSW	0.48	2,560.44	712.27	PRIVATE WW

WI Unique Well No:       DA720 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	01/08/1990	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	50
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	578263
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	265
Rotary Mud Circ:		Well Dep Amt Text:	265 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	23 S LANSING AVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	HAROLD A EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=DA720>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
33	SSE	0.43	2,292.53	710.00	PRIVATE WW

WI Unique Well No: OL564

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 10/17/2000

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 90

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1089295

LL Lat Dd Amt: 44.8359

LL Long Dd Amt: -87.415

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 282

Well Dep Amt Text: 282 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 171

Decade Complete: 2000-2009

## Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6684 CO C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: VAN DE YACHT BILL WTR WELL & SPECIA  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OL564>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	FH247	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	UN	Capped:
QQ Section:	UN	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114164468
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 3612 N DULUTH	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH247">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH247</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No: 8DC658	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830267
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC658>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC657	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830266
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC657>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC649	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830258
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC649">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC649</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	FH246	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	UN	Capped:	
QQ Section:	UN	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114163900
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:	3600 N DULUTH		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH246>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC656	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830265
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC656>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC651	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address: Owner City: Owner State: Owner Zip: Constructor Name: Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url:	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No: 113830260 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir: E Well Name: Calc Specific Cap: Well Depth Amt: Well Dep Amt Text: Static Depth: Location Method: Section centroid Casing Depth Amt: Decade Complete:
https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC651	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No: 8DC652 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
----------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830261
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC652>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC650	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830259
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC650>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC655	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830264
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC655">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC655</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC654	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830263
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC654>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
35	ESE	0.46	2,416.25	698.39	PRIVATE WW

WI Unique Well No:	8DC653	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830262
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC653>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
36	SSW	0.03	153.47	720.00	PRIVATE WW

WI Unique Well No:	TE481	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	06/28/2006	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	60
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1627799
Other Const Type:	LL Lat Dd Amt: 44.835
Category:	LL Long Dd Amt: -87.4273
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 260
Rotary Mud Circ:	Well Dep Amt Text: 260 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 172
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 3388 PARK DR	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=TE481">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=TE481</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
38	NE	0.28	1,480.97	674.52	PRIVATE WW

WI Unique Well No: WM262	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/07/2008	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	90
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	36	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1793391
Other Const Type:		LL Lat Dd Amt:	44.853100000000005
Category:		LL Long Dd Amt:	-87.4126
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	223
Rotary Mud Circ:		Well Dep Amt Text:	223 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3740 CTH PD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WM262>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
40	-	0.00	0.00	689.77	PRIVATE WW

WI Unique Well No: MJ118

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 03/03/1998

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 28

Survey Range: 25

Survey Section: 35

Q Section: SE

QQ Section: NE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 182 FEET

Screen To:

Sealant Method:

Static Depth Amt: 140

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 689826

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 244

Well Dep Amt Text: 244 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 182

Decade Complete: 1990-1999



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: PARK RD RT 4  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS @ WELL DRILLING I  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=MJ118>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
42	NNW	0.21	1,115.76	695.96	PRIVATE WW

WI Unique Well No:	8DD193	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	28	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	35	Disinfected:
Q Section:	SE	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address: Owner City: Owner State: Owner Zip: Constructor Name: Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url:	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No: 113830802 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir: E Well Name: Calc Specific Cap: Well Depth Amt: Well Dep Amt Text: Static Depth: Location Method: QQ section centroid Casing Depth Amt: Decade Complete:
https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DD193	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
43	E	0.48	2,546.15	658.07	PRIVATE WW

WI Unique Well No: OG583 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	10/17/2000	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1136465
Other Const Type:		LL Lat Dd Amt:	44.8455
Category:		LL Long Dd Amt:	-87.4067
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3554 GRONDIN RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OG583>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
45	NE	0.38	1,992.81	669.62	PRIVATE WW

WI Unique Well No: WM263

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/12/2008

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 28

Survey Range: 25

Survey Section: 36

Q Section: SW

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 90

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1793392

LL Lat Dd Amt: 44.8523

LL Long Dd Amt: -87.41080000000001

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 223

Well Dep Amt Text: 223 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 171

Decade Complete: 2000-2009

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3740 CTH PD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS & WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WM263>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
47	S	0.22	1,184.06	712.65	PRIVATE WW

WI Unique Well No:	NC226	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	09/04/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           1256 TACOMA BEACH RD Owner City: Owner State: Owner Zip: Constructor Name:       MARK E EUCLIDE Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NC226">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NC226</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:               1023498 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir:         E Well Name: Calc Specific Cap: Well Depth Amt:           320 Well Dep Amt Text:         320 FEET Static Depth:             feet below ground surface Location Method:         QQ section centroid Casing Depth Amt:        170 Decade Complete:         1990-1999
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
47	S	0.22	1,184.06	712.65	PRIVATE WW

WI Unique Well No:       LG530 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	09/02/1996	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	671088
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	340
Rotary Mud Circ:		Well Dep Amt Text:	340 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	49 W MAPLE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=LG530>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
48	SSW	0.02	83.02	718.86	PRIVATE WW

WI Unique Well No: LG501

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/01/1996

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 80

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 671060

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 260

Well Dep Amt Text: 260 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 206 N ELGIN  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=LG501>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
49	SE	0.61	3,216.84	709.70	PRIVATE WW

WI Unique Well No:	FH268	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	SW	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:



# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114173345
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 6512 CTY C	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH268">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH268</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
50	NW	0.64	3,353.42	710.03	PRIVATE WW

WI Unique Well No: TS949	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	08/11/2005	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	120
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1582406
Other Const Type:		LL Lat Dd Amt:	44.851600000000005
Category:		LL Long Dd Amt:	-87.4351
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	243
Rotary Mud Circ:		Well Dep Amt Text:	243 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	1101 SOUTH PRAIRE AVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TS949>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
51	E	0.54	2,834.74	669.05	PRIVATE WW

WI Unique Well No: OV627

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 06/22/2001

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: SW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1261186

LL Lat Dd Amt: 44.8438

LL Long Dd Amt: -87.40570000000001

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 260

Well Dep Amt Text: 260 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 170

Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6530 ERICKSON DR  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OV627>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
52	E	0.54	2,835.68	652.12	PRIVATE WW

WI Unique Well No:	SS768	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	05/18/2005	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           6523 DEER RIDGE LN Owner City: Owner State: Owner Zip: Constructor Name:       MARK E EUCLIDE Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=SS768">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=SS768</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:           1558061 LL Lat Dd Amt:         44.8451 LL Long Dd Amt:       -87.4056 Survey Range Dir:     E Well Name: Calc Specific Cap: Well Depth Amt:       240 Well Dep Amt Text:     240 FEET Static Depth:         feet below ground surface Location Method:     Parcel centroid Casing Depth Amt:    170 Decade Complete:     2000-2009
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
53	ENE	0.53	2,786.39	660.92	PRIVATE WW

WI Unique Well No:       TE465 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	02/13/2006	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	50
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1605870
Other Const Type:		LL Lat Dd Amt:	44.8498
Category:		LL Long Dd Amt:	-87.40700000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3668 GRONDIN RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TE465>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
54	SW	0.44	2,316.79	712.74	PRIVATE WW

WI Unique Well No: FH432

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 2

Q Section: SW

QQ Section: SW

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114190552

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6990 CTY C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH432>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
54	SW	0.44	2,316.79	712.74	PRIVATE WW

WI Unique Well No:	QU007	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	02/19/2002	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	2	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1308175
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 240
Rotary Mud Circ:	Well Dep Amt Text: 240 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 6988 CTY C	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=QU007">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=QU007</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
56	E	0.57	3,019.21	648.27	PRIVATE WW

WI Unique Well No: 8DC671	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830280
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC671>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
56	E	0.57	3,019.21	648.27	PRIVATE WW

WI Unique Well No: NY701

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 07/06/1999

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: SW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 40

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1061066

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 260

Well Dep Amt Text: 260 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: 1990-1999

## Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3665 GRONDIN RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NY701>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
56	E	0.57	3,019.21	648.27	PRIVATE WW

WI Unique Well No:	8DC670	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	NE	Capped:
QQ Section:	SW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830279
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC670">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC670</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
56	E	0.57	3,019.21	648.27	PRIVATE WW

WI Unique Well No:	8DC672	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830281
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC672>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
58	SSE	0.45	2,364.10	710.43	PRIVATE WW

WI Unique Well No:	8DC738	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830347
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



## Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC738>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
58	SSE	0.45	2,364.10	710.43	PRIVATE WW

WI Unique Well No:	FH117	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	12	Disinfected:
Q Section:	NW	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114187569
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 6665 CTY C	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH117">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH117</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
59	SW	0.37	1,963.37	712.38	PRIVATE WW

WI Unique Well No: YG936	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	10/11/2013	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	78
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	43440898
Other Const Type:		LL Lat Dd Amt:	44.8361667
Category:		LL Long Dd Amt:	-87.43424999999999
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	261
Rotary Mud Circ:		Well Dep Amt Text:	261 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	PO BOX 89		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	JORNS HARVEY & DAVID WELL DRLG INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=YG936>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
60	E	0.58	3,061.13	648.78	PRIVATE WW

WI Unique Well No: QU034

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 04/24/2002

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 50

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1332347

LL Lat Dd Amt: 44.845800000000004

LL Long Dd Amt: -87.4047

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 240

Well Dep Amt Text: 240 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 170

Decade Complete: 2000-2009

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6510 DEER RIDGE LN  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=QU034>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
62	ENE	0.58	3,071.12	660.70	PRIVATE WW

WI Unique Well No:	GV682	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	05/23/1978	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	44
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1276171
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 242
Rotary Mud Circ:	Well Dep Amt Text: 242 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: RT. 8	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: HARVEY JORNS	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=GV682">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=GV682</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
62	ENE	0.58	3,071.12	660.70	PRIVATE WW

WI Unique Well No: HC151	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	11/04/1987	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1110000
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	235
Rotary Mud Circ:		Well Dep Amt Text:	235 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	3668 GRONDIN RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	HAROLD EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=HC151>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
62	ENE	0.58	3,071.12	660.70	PRIVATE WW

WI Unique Well No:	8DA854	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113828458
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA854>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
62	ENE	0.58	3,071.12	660.70	PRIVATE WW

WI Unique Well No:	8DC674	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	NE	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830283
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC674">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC674</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
63	NNW	0.49	2,602.72	702.99	PRIVATE WW

WI Unique Well No:	WN672	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	06/23/2009	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	85
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1870542
Other Const Type:		LL Lat Dd Amt:	44.8557
Category:		LL Long Dd Amt:	-87.43090000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	243
Rotary Mud Circ:		Well Dep Amt Text:	243 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	W2520 Cty Rd JJ		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WN672>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
64	SW	0.26	1,381.06	709.49	PRIVATE WW

WI Unique Well No: XJ742

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/05/2014

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: NW

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 172 FEET

Screen To:

Sealant Method:

Static Depth Amt: 120

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 54139190

LL Lat Dd Amt: 44.834900000000005

LL Long Dd Amt: -87.4329

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 262

Well Dep Amt Text: 262 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 172

Decade Complete: 2010-2019



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 302 S FULTON AVE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=XJ742>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
65	ESE	0.63	3,340.59	685.06	PRIVATE WW

WI Unique Well No:	DS838	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	09/17/1992	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	120
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 588670
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 284
Rotary Mud Circ:	Well Dep Amt Text: 284 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 59 N 2ND AVE POB 288	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: CHARLIES PUMPS @ WELL DRILLING I	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=DS838">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=DS838</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
67	S	0.17	895.68	714.53	PRIVATE WW

WI Unique Well No: 8DC717	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830326
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Q section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC717>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
68	SSW	0.09	479.91	713.01	PRIVATE WW

WI Unique Well No: WJ960

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 09/17/2007

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: NW

QQ Section: NE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 116

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1707580

LL Lat Dd Amt: 44.833200000000005

LL Long Dd Amt: -87.4302

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 261

Well Dep Amt Text: 261 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 171

Decade Complete: 2000-2009

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6888 MEREDITH LANE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: JORNS HARVEY & DAVID WELL DRLG INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WJ960>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
69	E	0.63	3,317.08	648.98	PRIVATE WW

WI Unique Well No:	OV630	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	05/06/2001	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1139003
Other Const Type:	LL Lat Dd Amt: 44.845800000000004
Category:	LL Long Dd Amt: -87.4037
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 240
Rotary Mud Circ:	Well Dep Amt Text: 240 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 3665 GRONDIN RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=OV630">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=OV630</a>	
Well Constr Url:	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
70	NNW	0.36	1,913.28	701.35	PRIVATE WW

WI Unique Well No: 8DD191	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830800
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DD191>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
70	NNW	0.36	1,913.28	701.35	PRIVATE WW

WI Unique Well No:	8DD192	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830801
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DD192>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
72	SE	0.71	3,729.48	718.49	PRIVATE WW

WI Unique Well No:	UL841	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	03/25/2008	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	112
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	



## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1750369
Other Const Type:	LL Lat Dd Amt: 44.8370167
Category:	LL Long Dd Amt: -87.4070667
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 283
Rotary Mud Circ:	Well Dep Amt Text: 283 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Latitude and longitude
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 3430 GRANDIN RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: KENNETH GREGORICH	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=UL841">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=UL841</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
73	SW	0.36	1,892.96	711.08	PRIVATE WW

WI Unique Well No: RZ284	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	09/06/2002	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1343174
Other Const Type:		LL Lat Dd Amt:	44.8354
Category:		LL Long Dd Amt:	-87.435
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	244
Rotary Mud Circ:		Well Dep Amt Text:	244 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3527 Zirbel Road		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=RZ284>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
74	SSW	0.03	154.04	716.95	PRIVATE WW

WI Unique Well No: RT366

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 12/16/2003

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: NW

QQ Section: NE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 88

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1442098

LL Lat Dd Amt: 44.8324

LL Long Dd Amt: -87.42830000000001

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 243

Well Dep Amt Text: 243 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 170

Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6865 MEREDITH LN  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: RETZLAFF WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=RT366>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
75	SE	0.74	3,886.64	717.67	PRIVATE WW

WI Unique Well No:	CW900	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	05/18/1990	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	120
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 574583
Other Const Type:	LL Lat Dd Amt: 44.836
Category:	LL Long Dd Amt: -87.4079
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 295
Rotary Mud Circ:	Well Dep Amt Text: 295 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: GRONDIN RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: EUCLIDE WELL DRILLING	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=CW900">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=CW900</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
76	SW	0.29	1,524.79	710.20	PRIVATE WW

WI Unique Well No: VH240	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	08/23/2011	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	15803157
Other Const Type:		LL Lat Dd Amt:	44.834500000000006
Category:		LL Long Dd Amt:	-87.4342
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	8921 POLISH LN		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=VH240>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
78	E	0.66	3,485.86	650.68	PRIVATE WW

WI Unique Well No:	8DC669	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830278
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Q section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC669>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
78	E	0.66	3,485.86	650.68	PRIVATE WW

WI Unique Well No:	8DC668	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	NE	Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830277
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Q section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC668">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC668</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
79	SSW	0.03	167.21	714.53	PRIVATE WW

WI Unique Well No:	WN674	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	07/16/2010	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	55
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	4338977
Other Const Type:		LL Lat Dd Amt:	44.8324167
Category:		LL Long Dd Amt:	-87.4295833
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	263
Rotary Mud Circ:		Well Dep Amt Text:	263 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	810 S LANSING AVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WN674>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
80	SE	0.75	3,985.92	715.84	PRIVATE WW

WI Unique Well No: AAJ545

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 06/11/2021

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NW

QQ Section: NE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 120

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114153312

LL Lat Dd Amt: 44.835

LL Long Dd Amt: -87.4085

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 282

Well Dep Amt Text: 282 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 170

Decade Complete: 2020-PRESENT

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6553 HIGHWAY C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: VAN DE YACHT LEO WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=AAJ545>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
81	E	0.68	3,576.24	649.96	PRIVATE WW

WI Unique Well No:	SF352	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	06/26/2004	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	



# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1474625
Other Const Type:	LL Lat Dd Amt: 44.845800000000004
Category:	LL Long Dd Amt: -87.402700000000001
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 240
Rotary Mud Circ:	Well Dep Amt Text: 240 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 6534 ERICKSON DR	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=SF352">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=SF352</a>
Well Constr Url:	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
83	SE	0.76	3,994.14	716.75	PRIVATE WW

WI Unique Well No: AAJ546	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	06/14/2021	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114153313
Other Const Type:		LL Lat Dd Amt:	44.834700000000005
Category:		LL Long Dd Amt:	-87.4085
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	302
Rotary Mud Circ:		Well Dep Amt Text:	302 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2020-PRESENT
Cable Bit Diameter:			
Owner:			
Owner Address:	6553 HIGHWAY C		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	VAN DE YACHT LEO WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=AAJ546>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
84	SE	0.78	4,119.91	719.54	PRIVATE WW

WI Unique Well No: UX180

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 04/22/2015

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NW

QQ Section: NE

Well Status: Replacement

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 180

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 64314477

LL Lat Dd Amt: 44.8350667

LL Long Dd Amt: -87.4079833

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 263

Well Dep Amt Text: 263 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 170

Decade Complete: 2010-2019



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6553 CO RD C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS & WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=UX180>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
85	SSW	0.09	464.92	709.90	PRIVATE WW

WI Unique Well No:	TL881	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	05/15/2006	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	38
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1617955
Other Const Type:	LL Lat Dd Amt: 44.8324
Category:	LL Long Dd Amt: -87.4312
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 263
Rotary Mud Circ:	Well Dep Amt Text: 263 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 5553 SILVERDALE RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: RETZLAFF WELL DRILLING INC	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=TL881">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=TL881</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
86	WNW	0.84	4,420.87	740.32	PRIVATE WW

WI Unique Well No: SR045	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	01/26/2005	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	60
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1517143
Other Const Type:		LL Lat Dd Amt:	44.8523
Category:		LL Long Dd Amt:	-87.43910000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	280
Rotary Mud Circ:		Well Dep Amt Text:	280 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	6984 DEER TRAIL RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=SR045>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
88	ESE	0.77	4,084.63	704.18	PRIVATE WW

WI Unique Well No:	8DA852	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113828456
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA852>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
88	ESE	0.77	4,084.63	704.18	PRIVATE WW

WI Unique Well No:	OG566	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/02/2000	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	160
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1093072
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 300
Rotary Mud Circ:	Well Dep Amt Text: 300 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 6480 CTY C	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=OG566">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=OG566</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
88	ESE	0.77	4,084.63	704.18	PRIVATE WW

WI Unique Well No: MV003	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	09/25/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	160
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	695446
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	283
Rotary Mud Circ:		Well Dep Amt Text:	283 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	COUNTY RD C		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	RETZLAFF WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=MV003>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
90	SW	0.31	1,623.12	709.97	PRIVATE WW

WI Unique Well No:	8DC716	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830325
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC716>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
90	SW	0.31	1,623.12	709.97	PRIVATE WW

WI Unique Well No:	NM525	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/11/1999	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	50
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           29 W LARCH Owner City: Owner State: Owner Zip: Constructor Name:       MARK E EUCLIDE Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NM525">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NM525</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:               1052457 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir:         E Well Name: Calc Specific Cap: Well Depth Amt:           240 Well Dep Amt Text:         240 FEET Static Depth:             feet below ground surface Location Method:         QQ section centroid Casing Depth Amt:         170 Decade Complete:         1990-1999
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
92	SSE	0.61	3,229.27	713.31	PRIVATE WW

WI Unique Well No:       8DC737 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
----------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830346
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Q section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC737>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
93	WNW	0.88	4,660.33	740.64	PRIVATE WW

WI Unique Well No:	8DD188	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830797
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DD188>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
93	WNW	0.88	4,660.33	740.64	PRIVATE WW

WI Unique Well No:	EX842	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:	09/01/1973	Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	28	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	34	Disinfected:
Q Section:	SE	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114177848
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: 7100 DEER TRAIL RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: JORNS	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=EX842">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=EX842</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
93	WNW	0.88	4,660.33	740.64	PRIVATE WW

WI Unique Well No: 8DD189	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830798
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DD189>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
93	WNW	0.88	4,660.33	740.64	PRIVATE WW

WI Unique Well No: 8DD190

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 28

Survey Range: 25

Survey Section: 34

Q Section: SE

QQ Section: SE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113830799

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DD190>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
93	WNW	0.88	4,660.33	740.64	PRIVATE WW

WI Unique Well No:	LG504	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/05/1996	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 671063
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 260
Rotary Mud Circ:	Well Dep Amt Text: 260 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 6990 DEER TRAIL RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=LG504">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=LG504</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
93	WNW	0.88	4,660.33	740.64	PRIVATE WW

WI Unique Well No: FH194	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:	01/01/1972	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114166005
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	7104 DEER TRAIL RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH194>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
95	W	0.93	4,898.52	710.66	PRIVATE WW

WI Unique Well No:	8DC683	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	3	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830292
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Q section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC683>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
97	S	0.13	695.64	716.16	PRIVATE WW

WI Unique Well No:	NM562	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/13/1999	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	150
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1063118
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 300
Rotary Mud Circ:	Well Dep Amt Text: 300 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 1515 COOK ST	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NM562">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NM562</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
98	WSW	0.64	3,403.66	705.07	PRIVATE WW

WI Unique Well No: FW001	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	07/18/1994	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	3	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	612414
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	280
Rotary Mud Circ:		Well Dep Amt Text:	280 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	CTY C 7044		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FW001>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
98	WSW	0.64	3,403.66	705.07	PRIVATE WW

WI Unique Well No: NC276

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 02/25/1999

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 3

Q Section: SE

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 30

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1044490

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 240

Well Dep Amt Text: 240 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: 1990-1999



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 7008 CTY C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NC276>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
100	ESE	0.80	4,237.50	657.93	PRIVATE WW

WI Unique Well No:	8DC663	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	SE	Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address: Owner City: Owner State: Owner Zip: Constructor Name: Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url:	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No: 113830272 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir: E Well Name: Calc Specific Cap: Well Depth Amt: Well Dep Amt Text: Static Depth: Location Method: Q section centroid Casing Depth Amt: Decade Complete:
https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC663	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
101	NNW	0.42	2,194.46	704.42	PRIVATE WW

WI Unique Well No: OV631 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	04/13/2001	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1139004
Other Const Type:		LL Lat Dd Amt:	44.8596
Category:		LL Long Dd Amt:	-87.427
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3902 SARGEANT RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OV631>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	E	0.78	4,119.64	590.20	PRIVATE WW

WI Unique Well No: FH113

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: NE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 75 FEET

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114165595

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt: 75

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3696 N DULUTH #6  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: NEBEL  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH113>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	E	0.78	4,119.64	590.20	PRIVATE WW

WI Unique Well No:	8DC675	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	NE	Capped:
QQ Section:	NE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830284
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC675">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC675</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	E	0.78	4,119.64	590.20	PRIVATE WW

WI Unique Well No:	8DC676	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830285
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC676>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	E	0.78	4,119.64	590.20	PRIVATE WW

WI Unique Well No: JA511

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 04/16/1971

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: NE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 100 FEET

Screen To:

Sealant Method:

Static Depth Amt: 5

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1275758

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 172

Well Dep Amt Text: 172 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 100

Decade Complete: PRIOR TO 1990



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: ROUTE 6  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: HARVEY JORNS JR  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=JA511>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
105	E	0.78	4,119.64	590.20	PRIVATE WW

WI Unique Well No:	HY927	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	12/28/1994	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	39
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 639235
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 241
Rotary Mud Circ:	Well Dep Amt Text: 241 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 3850 CHERRY RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: JORNS HARVEY @ DAVID WELL DRLG I	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=HY927">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=HY927</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
106	NNW	0.53	2,785.65	709.17	PRIVATE WW

WI Unique Well No: SF356	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/20/2004	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	50
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1500387
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	124 S 16TH PL		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=SF356>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	E	0.80	4,226.60	633.15	PRIVATE WW

WI Unique Well No: FH392

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 09/29/1988

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: SE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114165487

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete: PRIOR TO 1990



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3439 N DULUTH  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: JORNS  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH392>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	E	0.80	4,226.60	633.15	PRIVATE WW

WI Unique Well No:	8DC673	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	NE	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address: Owner City: Owner State: Owner Zip: Constructor Name: Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url:	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No: 113830282 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir: E Well Name: Calc Specific Cap: Well Depth Amt: Well Dep Amt Text: Static Depth: Location Method: QQ section centroid Casing Depth Amt: Decade Complete:
https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC673	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	E	0.80	4,226.60	633.15	PRIVATE WW

WI Unique Well No: FH242 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114170851
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:	3469 N DULUTH		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH242>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	E	0.80	4,226.60	633.15	PRIVATE WW

WI Unique Well No: FH220

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: SE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114172459

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3518 N DULUTH AVE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH220>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	E	0.80	4,226.60	633.15	PRIVATE WW

WI Unique Well No:	FH393	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	NE	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114170670
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 3437 N DULUTH	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH393">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH393</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
108	E	0.80	4,226.60	633.15	PRIVATE WW

WI Unique Well No: JF683	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	109 FEET
Well Complete Date:	12/15/1960	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114189406
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	109
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	3503 N DULUTH		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	PHILLIPS, LEONARD		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=JF683>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
111	SE	0.85	4,504.87	724.58	PRIVATE WW

WI Unique Well No: WI181

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 03/13/2007

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 116

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1679171

LL Lat Dd Amt: 44.8337

LL Long Dd Amt: -87.4067

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 301

Well Dep Amt Text: 301 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 171

Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6528 BARRICK ROAD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: JORNS HARVEY & DAVID WELL DRLG INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WI181>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
112	NE	0.61	3,216.74	623.85	PRIVATE WW

WI Unique Well No:	FD724	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	08/02/1986	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	36	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           3740 PARK DR Owner City: Owner State: Owner Zip: Constructor Name:       ROBERT MASSART Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FD724">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx? id=WellConstructionReport&amp;download=false&amp;WUWN=FD724</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:               1114065 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir:         E Well Name: Calc Specific Cap: Well Depth Amt:           194 Well Dep Amt Text:        194 FEET Static Depth: Location Method:         QQ section centroid Casing Depth Amt:        171 Decade Complete:        PRIOR TO 1990
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
114	E	0.81	4,301.20	588.69	PRIVATE WW

WI Unique Well No:       AAL768 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
----------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	10/01/2021	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	10
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114159580
Other Const Type:		LL Lat Dd Amt:	44.8461
Category:		LL Long Dd Amt:	-87.3999
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	202
Rotary Mud Circ:		Well Dep Amt Text:	202 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2020-PRESENT
Cable Bit Diameter:			
Owner:			
Owner Address:	PO BOX 125		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	VAN DE YACHT LEO WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=AAL768>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
115	WNW	0.99	5,225.80	714.11	PRIVATE WW

WI Unique Well No:	AAE790	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	09/02/2020	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	3	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114137316
Other Const Type:		LL Lat Dd Amt:	44.849900000000005
Category:		LL Long Dd Amt:	-87.443
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	242
Rotary Mud Circ:		Well Dep Amt Text:	242 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2020-PRESENT
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 7271 SAND BAY RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: LUISIER WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=AAE790>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
116	SSW	0.05	238.92	713.20	PRIVATE WW

WI Unique Well No:	BJ231	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	11	Disinfected:
Q Section:	NW	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114189283
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 6838 EDGEWOOD CT	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=BJ231">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=BJ231</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
117	SE	0.90	4,768.64	726.96	PRIVATE WW

WI Unique Well No: TE468	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	09/26/2005	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	140
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1575420
Other Const Type:		LL Lat Dd Amt:	44.8335
Category:		LL Long Dd Amt:	-87.40570000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	320
Rotary Mud Circ:		Well Dep Amt Text:	320 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	6292 TIELENS RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TE468>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
118	E	0.85	4,484.39	586.38	PRIVATE WW

WI Unique Well No: OG547

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 11/09/2000

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: NE

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 110 FEET

Screen To:

Sealant Method:

Static Depth Amt: 5

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1112436

LL Lat Dd Amt: 44.8457

LL Long Dd Amt: -87.39920000000001

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 180

Well Dep Amt Text: 180 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 110

Decade Complete: 2000-2009



## Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3612 N DULUTH AVE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OG547>  
 Well Constr Url:

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
120	ESE	0.87	4,574.94	631.09	PRIVATE WW

WI Unique Well No:	FH115	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:	01/01/1968	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114192483
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: 3580 N DULUTH AVE	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: JORNS	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH115">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH115</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
120	ESE	0.87	4,574.94	631.09	PRIVATE WW

WI Unique Well No: 8DC667	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830276
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC667>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
123	SE	0.88	4,654.60	720.81	PRIVATE WW

WI Unique Well No: VE942

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 12/22/2010

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 130

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 8378185

LL Lat Dd Amt: 44.8326333

LL Long Dd Amt: -87.4064167

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 303

Well Dep Amt Text: 303 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 170

Decade Complete: 2010-2019



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 118 N HUDSON AVE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: RETZLAFF & GREGORICH  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=VE942>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
124	SE	0.94	4,951.71	725.33	PRIVATE WW

WI Unique Well No:	WN499	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	174 FEET
Well Complete Date:	01/07/2009	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1821562
Other Const Type:	LL Lat Dd Amt: 44.8335
Category:	LL Long Dd Amt: -87.405
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 342
Rotary Mud Circ:	Well Dep Amt Text: 342 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 174
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: E176 CTY RD S	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: VAN DE YACHT LEO WELL DRILLING INC	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=WN499">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=WN499</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
126	NW	0.94	4,951.81	751.40	PRIVATE WW

WI Unique Well No: CE585	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	05/18/1990	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	38
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	561854
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	202
Rotary Mud Circ:		Well Dep Amt Text:	202 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	3855 PARK DR		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	ERWIN JORNS		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=CE585>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
129	SE	0.92	4,880.32	723.62	PRIVATE WW

WI Unique Well No: ZR929

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/11/2018

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113676161

LL Lat Dd Amt: 44.8327

LL Long Dd Amt: -87.4055

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 322

Well Dep Amt Text: 322 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 170

Decade Complete: 2010-2019



## Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 810 S LANSING  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: VAN DE YACHT LEO WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=ZR929>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
131	SSW	0.15	790.05	719.56	PRIVATE WW

WI Unique Well No:	8LS774	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	11	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114054629
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8LS774">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8LS774</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
132	N	0.45	2,387.83	703.02	PRIVATE WW

WI Unique Well No: ZB224	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	08/15/2018	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	118
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113678500
Other Const Type:		LL Lat Dd Amt:	44.8619
Category:		LL Long Dd Amt:	-87.4232
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	6835 EDGEWOOD CT		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	RETZLAFF & GREGORICH		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=ZB224>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
133	SSE	0.78	4,127.20	714.59	PRIVATE WW

WI Unique Well No: TV566

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 07/23/2005

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NW

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1552773

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 262

Well Dep Amt Text: 262 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: 2000-2009



## Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3705 S Lenox St  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: VAN DE YACHT BILL WTR WELL & SPECIA  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TV566>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
135	NNW	0.76	3,995.25	717.52	PRIVATE WW

WI Unique Well No:	FH249	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:	01/01/1973	Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	28	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	35	Disinfected:
Q Section:	NW	Capped:
QQ Section:	SW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114184336
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: 6960 DEER TRAIL RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: DICK WICKLEMAN	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH249">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH249</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
136	SW	0.54	2,872.81	704.13	PRIVATE WW

WI Unique Well No: FH142	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	175 FEET
Well Complete Date:	10/18/1977	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	10	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114169576
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	175
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	7053 CTY C		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	HARVEY JORNS WELL DRILLING		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH142>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
136	SW	0.54	2,872.81	704.13	PRIVATE WW

WI Unique Well No:	8DC709	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	10	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830318
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC709>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">137</a>	S	0.21	1,112.75	714.54	PRIVATE WW

WI Unique Well No:	ZZ529	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	04/20/2020	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114119097
Other Const Type:	LL Lat Dd Amt: 44.8279
Category:	LL Long Dd Amt: -87.4256
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 242
Rotary Mud Circ:	Well Dep Amt Text: 242 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Latitude and longitude
Reverse Rotary:	Casing Depth Amt: 172
Cable Tool Bit:	Decade Complete: 2020-PRESENT
Cable Bit Diameter:	
Owner:	
Owner Address: 6844 MEADOW LANE	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: EUCLIDE, MARK E	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=ZZ529">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=ZZ529</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
138	SE	0.89	4,700.51	716.09	PRIVATE WW

WI Unique Well No: YE510	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	09/14/2010	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	85
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	12614091
Other Const Type:		LL Lat Dd Amt:	44.831500000000005
Category:		LL Long Dd Amt:	-87.4067
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	263
Rotary Mud Circ:		Well Dep Amt Text:	263 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	3315 N COLUMBIA AVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=YE510>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
139	SE	1.00	5,271.44	720.43	PRIVATE WW

WI Unique Well No: WM448

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/18/2008

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1785530

LL Lat Dd Amt: 44.833600000000004

LL Long Dd Amt: -87.4035333

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 330

Well Dep Amt Text: 330 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 171

Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6494 BARRICK RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: VAN DE YACHT LEO WELL DRILLING INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=WM448>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
140	SE	0.95	5,040.46	726.40	PRIVATE WW

WI Unique Well No:	RC482	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	05/02/2003	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1385452
Other Const Type:	LL Lat Dd Amt: 44.8323
Category:	LL Long Dd Amt: -87.405
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 320
Rotary Mud Circ:	Well Dep Amt Text: 320 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 6715 BARRICK RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=RC482">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=RC482</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
141	NE	0.66	3,470.80	583.56	PRIVATE WW

WI Unique Well No: YF786	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	10/07/2011	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	2
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	36	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	Replacement	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	19080013
Other Const Type:		LL Lat Dd Amt:	44.8573
Category:		LL Long Dd Amt:	-87.4048
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	213
Rotary Mud Circ:		Well Dep Amt Text:	213 FEET
Rotary Air:		Static Depth:	feet above ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	3740 County Rd PD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=YF786>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
142	SSW	0.28	1,498.32	703.32	PRIVATE WW

WI Unique Well No: UM081

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 06/24/2009

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: NW

QQ Section: SW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 172 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1858777

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 340

Well Dep Amt Text: 340 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 172

Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 7054 CO C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=UM081>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No:	FW880	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	173 FEET
Well Complete Date:	10/27/1992	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	66
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 613277
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 261
Rotary Mud Circ:	Well Dep Amt Text: 261 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 173
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 6424 CTY HWY C	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: JORNS WELL DRILLING INC	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FW880">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FW880</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No: 8DC665	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830274
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC665>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No: 8DA853

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: SE

QQ Section: SE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113828457

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA853>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No:	8DC666	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	SE	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830275
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC666">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC666</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No:	RW149	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	02/06/2001	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1109024
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	264
Rotary Mud Circ:		Well Dep Amt Text:	264 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	6460 COUNTY C		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=RW149>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No: FH168

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 1

Q Section: SE

QQ Section: SE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114168252

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6476 WILKE RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: HARVEY JORNS  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH168>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No:	AH609	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	175 FEET
Well Complete Date:	09/29/1988	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	55
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 548208
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 242
Rotary Mud Circ:	Well Dep Amt Text: 242 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 175
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: N DULTH AVE	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: JORNS WELL DRILLING INC	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=AH609">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=AH609</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No: FH245	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:	01/01/1951	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114170254
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	6413 W DULUTH		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH245>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No:	8DC664	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830273
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC664>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
144	ESE	0.98	5,149.14	644.98	PRIVATE WW

WI Unique Well No:	FH244	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	1	Disinfected:
Q Section:	SE	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114184666
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address: 6424 W DULUTH	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH244">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH244</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
145	ESE	0.97	5,120.87	623.62	PRIVATE WW

WI Unique Well No: SF353	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	05/08/2004	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	1	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1465312
Other Const Type:		LL Lat Dd Amt:	44.8401
Category:		LL Long Dd Amt:	-87.3979
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3489 N DULTH		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=SF353>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
146	SW	0.60	3,144.26	702.68	PRIVATE WW

WI Unique Well No: SS790

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 10/15/2005

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 3

Q Section: SE

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 45

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1578816

LL Lat Dd Amt: 44.833600000000004

LL Long Dd Amt: -87.4414

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 240

Well Dep Amt Text: 240 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 170

Decade Complete: 2000-2009



## Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 7093 CO C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=SS790>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
147	N	0.54	2,869.97	709.48	PRIVATE WW

WI Unique Well No:	8DD194	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	28	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	35	Disinfected:
Q Section:	NE	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830803
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DD194">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DD194</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
148	N	0.54	2,875.15	709.48	PRIVATE WW

WI Unique Well No:	NC229	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	06/24/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1023499
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	3948 SARGEANT RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NC229>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
149	WSW	0.86	4,552.39	699.76	PRIVATE WW

WI Unique Well No: SU946  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 10/22/2005  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 3  
 Q Section: SE  
 QQ Section: SE  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 170 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 30  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 1578830  
 LL Lat Dd Amt: 44.8374  
 LL Long Dd Amt: -87.4453  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 240  
 Well Dep Amt Text: 240 FEET  
 Static Depth: feet below ground surface  
 Location Method: Parcel centroid  
 Casing Depth Amt: 170  
 Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 7088 CO C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=SU946>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
150	SE	0.94	4,948.10	719.49	PRIVATE WW

WI Unique Well No:	ZB250	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	174 FEET
Well Complete Date:	11/21/2018	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113684915
Other Const Type:	LL Lat Dd Amt: 44.8305
Category:	LL Long Dd Amt: -87.4062
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 320
Rotary Mud Circ:	Well Dep Amt Text: 320 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Latitude and longitude
Reverse Rotary:	Casing Depth Amt: 174
Cable Tool Bit:	Decade Complete: 2010-2019
Cable Bit Diameter:	
Owner:	
Owner Address: 3309 COLUMBIA AVE	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: RETZLAFF & GREGORICH	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=ZB250">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=ZB250</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
152	S	0.47	2,457.52	725.40	PRIVATE WW

WI Unique Well No: 8DC714	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830323
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC714>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
152	S	0.47	2,457.52	725.40	PRIVATE WW

WI Unique Well No: 8DC715

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SE

QQ Section: NE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113830324

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC715>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
152	S	0.47	2,457.52	725.40	PRIVATE WW

WI Unique Well No:	FH141	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	01/01/1981	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 114193718
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: PRIOR TO 1990
Cable Bit Diameter:	
Owner:	
Owner Address: 6778 MEADOW LN	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH141">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FH141</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
153	S	0.30	1,592.25	712.98	PRIVATE WW

WI Unique Well No: 8DC713	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830322
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC713>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
154	S	0.30	1,597.40	712.98	PRIVATE WW

WI Unique Well No:	8DA870	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113828474
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA870>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
154	S	0.30	1,597.40	712.98	PRIVATE WW

WI Unique Well No:	8DA869	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	11	Disinfected:
Q Section:	SE	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113828473
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA869">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA869</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
154	S	0.30	1,597.40	712.98	PRIVATE WW

WI Unique Well No:	8DC712	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830321
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC712>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
154	S	0.30	1,597.40	712.98	PRIVATE WW

WI Unique Well No: AX060

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/08/1988

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 555133

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 280

Well Dep Amt Text: 280 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: PRIOR TO 1990



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3035 HIGHLAND HTS RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: HAROLD A EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=AX060>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
155	N	0.61	3,202.36	710.04	PRIVATE WW

WI Unique Well No:	VD326	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	07/09/2010	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 4527126
Other Const Type:	LL Lat Dd Amt: 44.8631167
Category:	LL Long Dd Amt: -87.4270833
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 240
Rotary Mud Circ:	Well Dep Amt Text: 240 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Latitude and longitude
Reverse Rotary:	Casing Depth Amt: 172
Cable Tool Bit:	Decade Complete: 2010-2019
Cable Bit Diameter:	
Owner:	
Owner Address: 7325 HWY 42-57	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=VD326">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=VD326</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
156	NNE	0.54	2,871.72	640.42	PRIVATE WW

WI Unique Well No: CD493	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	173 FEET
Well Complete Date:	05/02/1989	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	6
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	36	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	561254
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	243
Rotary Mud Circ:		Well Dep Amt Text:	243 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	173
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	3740 PARK DRIVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	ERWIN JORNS		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=CD493>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
156	NNE	0.54	2,871.72	640.42	PRIVATE WW

WI Unique Well No: FD721

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/27/1956

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 28

Survey Range: 25

Survey Section: 36

Q Section: NW

QQ Section: NW

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 109 FEET

Screen To:

Sealant Method:

Static Depth Amt: 40

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1274370

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 180

Well Dep Amt Text: 180 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 109

Decade Complete: PRIOR TO 1990



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: STATE CAPITOL BUILDING  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: E. SPERLING  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FD721>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
156	NNE	0.54	2,871.72	640.42	PRIVATE WW

WI Unique Well No:	8DD195	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	28	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	36	Disinfected:
Q Section:	NW	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830804
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DD195">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DD195</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
157	SE	0.95	4,995.87	716.35	PRIVATE WW

WI Unique Well No:	RX924	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	06/21/2002	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	140
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1337471
Other Const Type:		LL Lat Dd Amt:	44.8294
Category:		LL Long Dd Amt:	-87.4067
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	244
Rotary Mud Circ:		Well Dep Amt Text:	244 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3273 N COLUMBIA AVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=RX924>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
159	SSW	0.28	1,465.01	717.17	PRIVATE WW

WI Unique Well No: 8DC710

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SW

QQ Section: NE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113830319

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC710>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
160	NW	0.99	5,246.37	720.33	PRIVATE WW

WI Unique Well No:	NC655	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	07/19/1999	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	34	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1057472
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 244
Rotary Mud Circ:	Well Dep Amt Text: 244 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: PO BOX 365	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: CHARLIES PUMPS & WELL DRILLING INC	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NC655">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NC655</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
161	NNW	0.69	3,640.57	707.79	PRIVATE WW

WI Unique Well No: TM286	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	08/12/2006	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	50
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1637011
Other Const Type:		LL Lat Dd Amt:	44.8637
Category:		LL Long Dd Amt:	-87.4289
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	7325 HWY 42-57		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TM286>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
163	SSE	0.97	5,118.92	714.01	PRIVATE WW

WI Unique Well No: HY992  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 06/16/1995  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 12  
 Q Section: NE  
 QQ Section: SW  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 172 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 135  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 639298  
 LL Lat Dd Amt: 44.8286  
 LL Long Dd Amt: -87.4068  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 264  
 Well Dep Amt Text: 264 FEET  
 Static Depth: feet below ground surface  
 Location Method: Parcel centroid  
 Casing Depth Amt: 172  
 Decade Complete: 1990-1999



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 2121 SUNSHINE CT  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS @ WELL DRILLING I  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=HY992>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC718	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	12	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830327
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC718">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC718</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC724	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830333
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC724>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC725	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830334
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC725>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC722	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	12	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830331
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC722">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC722</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC721	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830330
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC721>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC720	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830329
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC720>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC719	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	12	Disinfected:
Q Section:		Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830328
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC719">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC719</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
165	SSE	0.95	5,040.37	709.70	PRIVATE WW

WI Unique Well No:	8DC723	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	12	Disinfected:	
Q Section:		Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830332
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC723>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
168	SSE	0.95	5,010.42	712.53	PRIVATE WW

WI Unique Well No: UB141

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/23/2008

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 12

Q Section: SE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 173 FEET

Screen To:

Sealant Method:

Static Depth Amt: 80

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1795761

LL Lat Dd Amt: 44.8273

LL Long Dd Amt: -87.4082

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 260

Well Dep Amt Text: 260 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 173

Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 1422 GREEN BAY RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=UB141>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
169	NNW	0.87	4,612.19	707.04	PRIVATE WW

WI Unique Well No:	8DB019	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	28	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	35	Disinfected:
Q Section:	NW	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113828625
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DB019">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DB019</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
169	NNW	0.87	4,612.19	707.04	PRIVATE WW

WI Unique Well No:	EX841	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	01/01/1986	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	28	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	35	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114174424
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	3966 PARK DR		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIE MASSART WELL DRILLING		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=EX841>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
171	S	0.45	2,369.91	719.76	PRIVATE WW

WI Unique Well No: ZU154

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 05/07/2019

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SE

QQ Section: SW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 172 FEET

Screen To:

Sealant Method:

Static Depth Amt: 40

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113693640

LL Lat Dd Amt: 44.8245

LL Long Dd Amt: -87.4243

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 262

Well Dep Amt Text: 262 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 172

Decade Complete: 2010-2019



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6805 EDGEWOOD COURT  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: EUCLIDE, MARK E  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=ZU154>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">172</a>	S	0.49	2,589.32	719.19	PRIVATE WW

WI Unique Well No:	NZ946	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	10/20/2000	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	90
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           6800 HWY 42-57 Owner City: Owner State: Owner Zip: Constructor Name:       MARK E EUCLIDE Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NZ946">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NZ946</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:             1136448 LL Lat Dd Amt:           44.8237 LL Long Dd Amt:         -87.42490000000001 Survey Range Dir:       E Well Name: Calc Specific Cap: Well Depth Amt:         260 Well Dep Amt Text:       260 FEET Static Depth:           feet below ground surface Location Method:       Parcel centroid Casing Depth Amt:       170 Decade Complete:       2000-2009
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
173	S	0.46	2,405.43	729.72	PRIVATE WW

WI Unique Well No:       XV219 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	173 FEET
Well Complete Date:	03/30/2016	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	73
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	78196388
Other Const Type:		LL Lat Dd Amt:	44.8239
Category:		LL Long Dd Amt:	-87.42710000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	283
Rotary Mud Circ:		Well Dep Amt Text:	283 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	173
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	3189 BRIARWOOD LN		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	RETZLAFF & GREGORICH		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=XV219>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
174	S	0.52	2,737.75	721.36	PRIVATE WW

WI Unique Well No:	UM018	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	05/16/2008	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1763545
Other Const Type:		LL Lat Dd Amt:	44.823100000000004
Category:		LL Long Dd Amt:	-87.4259
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 7826 CO C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=UM018>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
176	S	0.64	3,403.28	725.17	PRIVATE WW

WI Unique Well No:	8DA868	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	11	Disinfected:
Q Section:	SE	Capped:
QQ Section:	SE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113828472
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA868">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DA868</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	8DA866	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113828470
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA866>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: NY706  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 10/13/1999  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 11  
 Q Section: SE  
 QQ Section: SW  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 170 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 100  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 1063318  
 LL Lat Dd Amt:  
 LL Long Dd Amt:  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 260  
 Well Dep Amt Text: 260 FEET  
 Static Depth: feet below ground surface  
 Location Method: QQ section centroid  
 Casing Depth Amt: 170  
 Decade Complete: 1990-1999



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6799 WOOD VIEW DR  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NY706>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	NC232	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/01/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1023500
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 260
Rotary Mud Circ:	Well Dep Amt Text: 260 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: BRIARWOOD LN	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NC232">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=NC232</a>
Well Constr Url:	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: MJ170	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	12/11/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	50
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1020196
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	240
Rotary Mud Circ:		Well Dep Amt Text:	240 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	WOODVIEW		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=MJ170>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: DA742  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 06/20/1991  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 11  
 Q Section: SE  
 QQ Section: SW  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 170 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 100  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 578285  
 LL Lat Dd Amt:  
 LL Long Dd Amt:  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 265  
 Well Dep Amt Text: 265 FEET  
 Static Depth: feet below ground surface  
 Location Method: QQ section centroid  
 Casing Depth Amt: 170  
 Decade Complete: 1990-1999



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 1363 CTY C  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: EUCLIDE WELL DRILLING  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=DA742>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	FV205	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	06/10/1992	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           3110 BRIARWOOD LN Owner City: Owner State: Owner Zip: Constructor Name:       MARK E EUCLIDE Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FV205">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FV205</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:               611676 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir:        E Well Name: Calc Specific Cap: Well Depth Amt:           265 Well Dep Amt Text:        265 FEET Static Depth:             feet below ground surface Location Method:         QQ section centroid Casing Depth Amt:        170 Decade Complete:        1990-1999
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:       8DA865 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
----------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113828469
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA865>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: 8DA867

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SE

QQ Section: SW

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 113828471

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DA867>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	FT106	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	06/15/1992	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	100
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 609792
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 265
Rotary Mud Circ:	Well Dep Amt Text: 265 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 3190 BRIARWOOD LN	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FT106">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=FT106</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: KL464	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	09/26/1995	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	654601
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	7638 SR 57		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=KL464>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	8DC711	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830320
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC711>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	DS816	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	05/08/1992	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	55
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	



# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 588649
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 265
Rotary Mud Circ:	Well Dep Amt Text: 265 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: BRIARWOOD LN	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: CHARLIES PUMPS @ WELL DRILLING I	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=DS816">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=DS816</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: MJ151	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	08/17/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	85
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1020189
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	264
Rotary Mud Circ:		Well Dep Amt Text:	264 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	329 W MAPLE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS & WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=MJ151>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: KL744

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 12/27/1995

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SE

QQ Section: SW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 120

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 654862

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 280

Well Dep Amt Text: 280 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 171

Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6806 WOODVIEW DRIVE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=KL744>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	MH729	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	04/24/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 689378
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 260
Rotary Mud Circ:	Well Dep Amt Text: 260 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 3191 MEADOW VIEW LN	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=MH729">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=MH729</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: FY950	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	10/22/1993	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	120
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	614889
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	265
Rotary Mud Circ:		Well Dep Amt Text:	265 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	BRIARWOOD LN		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FY950>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: NY707

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 07/09/1999

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 11

Q Section: SE

QQ Section: SW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 60

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1061068

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 260

Well Dep Amt Text: 260 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 804 W DOVE TREE CT  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NY707>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No:	MQ218	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	11/03/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1022236
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 260
Rotary Mud Circ:	Well Dep Amt Text: 260 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: STAGG RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=MQ218">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=MQ218</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: GG320	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	06/29/1993	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	65
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	618409
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	261
Rotary Mud Circ:		Well Dep Amt Text:	261 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	172
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	KNOLLWOOD SUBDIV		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	JORNS WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=GG320>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
178	S	0.54	2,837.28	719.94	PRIVATE WW

WI Unique Well No: IE097  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 02/22/1995  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 11  
 Q Section: SE  
 QQ Section: SW  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 171 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 130  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 643934  
 LL Lat Dd Amt:  
 LL Long Dd Amt:  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 260  
 Well Dep Amt Text: 260 FEET  
 Static Depth: feet below ground surface  
 Location Method: QQ section centroid  
 Casing Depth Amt: 171  
 Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 22 N 6TH  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=IE097>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
179	S	0.54	2,841.37	724.30	PRIVATE WW

WI Unique Well No:	VL729	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	07/07/2006	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	108
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           3151 BRIAR WOOD LANE Owner City: Owner State: Owner Zip: Constructor Name:       JORNS HARVEY & DAVID WELL DRLG INC Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=VL729">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=VL729</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:             1628869 LL Lat Dd Amt:           44.822700000000005 LL Long Dd Amt:         -87.427100000000001 Survey Range Dir:       E Well Name: Calc Specific Cap: Well Depth Amt:         281 Well Dep Amt Text:      281 FEET Static Depth:           feet below ground surface Location Method:       Parcel centroid Casing Depth Amt:      171 Decade Complete:      2000-2009
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
180	SSW	0.52	2,765.05	720.11	PRIVATE WW

WI Unique Well No:       NY739 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	08/31/1999	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SW	Capped:	
QQ Section:	SE	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1067945
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	260
Rotary Mud Circ:		Well Dep Amt Text:	260 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	7325 HWY 42-57		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=NY739>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
181	S	0.60	3,184.86	720.00	PRIVATE WW

WI Unique Well No: OG506  
 High Cap Well No:  
 Hi Cap Well:  
 Hi Cap Property:  
 County Well Loc:  
 DNR Region:  
 County:  
 Muni Type:  
 Tax Parcel No:  
 Well Complete Date: 07/18/2000  
 DNR Rec Date:  
 Fire No:  
 Subdivision:  
 Lot:  
 Block:  
 Government Parcel:  
 Survey Township: 27  
 Survey Range: 25  
 Survey Section: 11  
 Q Section: SE  
 QQ Section: SW  
 Well Status: New Well  
 Original Year:  
 Replace Reason:  
 Prev WI Well No:  
 Replace Well No:  
 Well Const Type:  
 Other Const Type:  
 Category:  
 No Services:  
 Facility Type:  
 High Pt Property:  
 In Floodplain:  
 Rotary Mud Circ:  
 Rotary Air:  
 Rotary Foam:  
 Reverse Rotary:  
 Cable Tool Bit:  
 Cable Bit Diameter:

Temp Outer Cas:  
 Temp Casing Diam:  
 Temp Casing Rem:  
 Why Not Removed:  
 Other Drill Method:  
 Other Drillin Desc:  
 Screen Diameter:  
 Screen Description:  
 Casing Depth Amt: 170 FEET  
 Screen To:  
 Sealant Method:  
 Static Depth Amt: 100  
 Pumping Level:  
 Pumping At:  
 Pumping Units:  
 For:  
 Well Start Depth:  
 Developed:  
 Disinfected:  
 Capped:  
 Proper Seal:  
 Contractor Signed:  
 Rig Oper Signed:  
 Geologic Log No:  
 Common Well No:  
 DNR Facility ID:  
 Watr Seq No: 1087760  
 LL Lat Dd Amt: 44.8221  
 LL Long Dd Amt: -87.4244  
 Survey Range Dir: E  
 Well Name:  
 Calc Specific Cap:  
 Well Depth Amt: 260  
 Well Dep Amt Text: 260 FEET  
 Static Depth: feet below ground surface  
 Location Method: Parcel centroid  
 Casing Depth Amt: 170  
 Decade Complete: 2000-2009



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6801 WOOD VIEW DR  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: MARK E EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=OG506>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
182	S	0.60	3,150.30	720.00	PRIVATE WW

WI Unique Well No:	RX901	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	03/14/2002	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	40
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           6803 Woodview Dr Owner City: Owner State: Owner Zip: Constructor Name:        CHARLIES PUMPS & WELL DRILLING INC Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=RX901">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=RX901</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:               1337167 LL Lat Dd Amt:             44.8221 LL Long Dd Amt:           -87.42490000000001 Survey Range Dir:         E Well Name: Calc Specific Cap: Well Depth Amt:           264 Well Dep Amt Text:         264 FEET Static Depth:             feet below ground surface Location Method:         Parcel centroid Casing Depth Amt:         172 Decade Complete:         2000-2009
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
183	S	0.59	3,095.86	722.53	PRIVATE WW

WI Unique Well No:        QU023 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
----------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	03/07/2002	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	80
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	11	Disinfected:	
Q Section:	SE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1308179
Other Const Type:		LL Lat Dd Amt:	44.822
Category:		LL Long Dd Amt:	-87.42710000000001
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	300
Rotary Mud Circ:		Well Dep Amt Text:	300 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	7325 HWY 42-57		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=QU023>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
198	SSW	0.66	3,500.94	716.00	PRIVATE WW

WI Unique Well No: XQ950

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 12/08/2015

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 10

Q Section: SE

QQ Section: SE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 172 FEET

Screen To:

Sealant Method:

Static Depth Amt: 76

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 73669176

LL Lat Dd Amt: 44.8214167

LL Long Dd Amt: -87.4339333

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 263

Well Dep Amt Text: 263 FEET

Static Depth: feet below ground surface

Location Method: Latitude and longitude

Casing Depth Amt: 172

Decade Complete: 2010-2019

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6938 STAGG RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: RETZLAFF & GREGORICH  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=XQ950>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
199	S	0.75	3,946.40	716.21	PRIVATE WW

WI Unique Well No:	KV199	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	09/12/1996	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	105
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	



# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 663179
Other Const Type:	LL Lat Dd Amt: 44.819700000000005
Category:	LL Long Dd Amt: -87.4264
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 301
Rotary Mud Circ:	Well Dep Amt Text: 301 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 171
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 421 W WALNUT ST	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: JORNS HARVEY @ DAVID WELL DRLG I	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=KV199">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=KV199</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
200	SSW	0.71	3,727.18	715.97	PRIVATE WW

WI Unique Well No: YF889	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	07/28/2011	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	30
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	14732325
Other Const Type:		LL Lat Dd Amt:	44.8207
Category:		LL Long Dd Amt:	-87.43365
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	262
Rotary Mud Circ:		Well Dep Amt Text:	262 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Latitude and longitude
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	2010-2019
Cable Bit Diameter:			
Owner:			
Owner Address:	1100 VELD AVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	VAN DE YACHT LEO WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

<https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=YF889>

Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
201	S	0.86	4,533.79	724.71	PRIVATE WW

WI Unique Well No: CW309

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 08/15/1989

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 14

Q Section: NE

QQ Section: NE

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 170 FEET

Screen To:

Sealant Method:

Static Depth Amt: 100

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 574007

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 310

Well Dep Amt Text: 310 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 170

Decade Complete: PRIOR TO 1990

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: HWY 57  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: HAROLD EUCLIDE  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=CW309>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">202</a>	S	0.86	4,538.84	724.71	PRIVATE WW

WI Unique Well No:	8DC771	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	14	Disinfected:
Q Section:	NE	Capped:
QQ Section:	NE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830380
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC771">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC771</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
202	S	0.86	4,538.84	724.71	PRIVATE WW

WI Unique Well No:	8DC770	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NE	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830379
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC770>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
202	S	0.86	4,538.84	724.71	PRIVATE WW

WI Unique Well No: FH148

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 14

Q Section: NE

QQ Section: NE

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114196392

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6703 GREEN BAY RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH148>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">204</a>	S	0.78	4,135.02	715.53	PRIVATE WW

WI Unique Well No:	8DC769	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	14	Disinfected:
Q Section:	NE	Capped:
QQ Section:	NW	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

## Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address: Owner City: Owner State: Owner Zip: Constructor Name: Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url:	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No: 113830378 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir: E Well Name: Calc Specific Cap: Well Depth Amt: Well Dep Amt Text: Static Depth: Location Method: QQ section centroid Casing Depth Amt: Decade Complete:
https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC769	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
204	S	0.78	4,135.02	715.53	PRIVATE WW

WI Unique Well No: CX396 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	174 FEET
Well Complete Date:	02/15/1991	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	65
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	575063
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	261
Rotary Mud Circ:		Well Dep Amt Text:	261 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	174
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	STAGG ROAD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	JORNS WELL DRILLING INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=CX396>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
204	S	0.78	4,135.02	715.53	PRIVATE WW

WI Unique Well No: KZ384

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 11/07/1996

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 14

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 60

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 666571

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 285

Well Dep Amt Text: 285 FEET

Static Depth: feet below ground surface

Location Method: QQ section centroid

Casing Depth Amt: 171

Decade Complete: 1990-1999

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: PARK RD HWY 42 57  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: CHARLIES PUMPS @ WELL DRILLING I  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=KZ384>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">204</a>	S	0.78	4,135.02	715.53	PRIVATE WW

WI Unique Well No:	KL703	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	12/02/1995	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	75
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason: Prev WI Well No: Replace Well No: Well Const Type: Other Const Type: Category: No Services: Facility Type: High Pt Property: In Floodplain: Rotary Mud Circ: Rotary Air: Rotary Foam: Reverse Rotary: Cable Tool Bit: Cable Bit Diameter: Owner: Owner Address:           6971 HWY 42 57 Owner City: Owner State: Owner Zip: Constructor Name:       JORNS HARVEY @ DAVID WELL DRLG I Constructor Addr: Constructor City: Constructor State: Constructor Zip: Seal Description: Drilling Difficulty: Other Driller Comments: Water Quality Comments: Water Quantity Comments: Exception Area Comments: Well URL: Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=KL703">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=KL703</a>	Geologic Log No: Common Well No: DNR Facility ID: Watr Seq No:             654822 LL Lat Dd Amt: LL Long Dd Amt: Survey Range Dir:       E Well Name: Calc Specific Cap: Well Depth Amt:         241 Well Dep Amt Text:       241 FEET Static Depth:            feet below ground surface Location Method:        QQ section centroid Casing Depth Amt:       171 Decade Complete:        1990-1999
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Map Key</b>	<b>Direction</b>	<b>Distance (mi)</b>	<b>Distance (ft)</b>	<b>Elevation (ft)</b>	<b>DB</b>
204	S	0.78	4,135.02	715.53	PRIVATE WW

WI Unique Well No:       EF022 High Cap Well No: Hi Cap Well: Hi Cap Property: County Well Loc: DNR Region: County:	Temp Outer Cas: Temp Casing Diam: Temp Casing Rem: Why Not Removed: Other Drill Method: Other Drillin Desc: Screen Diameter:
---------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	12/05/1979	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	114183991
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	PRIOR TO 1990
Cable Bit Diameter:			
Owner:			
Owner Address:	6931 STAGE RD		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	JORNS HARVEY		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=EF022>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
205	S	1.00	5,258.57	727.50	PRIVATE WW

WI Unique Well No:	8DC753	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	13	Disinfected:	
Q Section:	NW	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830362
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	QQ section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			



# Wells and Additional Sources Detail Report

Owner:  
 Owner Address:  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC753>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">206</a>	SSW	0.77	4,089.90	708.55	PRIVATE WW

WI Unique Well No:	8DC766	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	14	Disinfected:
Q Section:	NW	Capped:
QQ Section:	NE	Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830375
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: QQ section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC766">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC766</a>
Well Constr Url:	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
207	S	0.89	4,679.20	719.95	PRIVATE WW

WI Unique Well No:	SF387	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	10/14/2004	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	60
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1500142
Other Const Type:		LL Lat Dd Amt:	44.8181
Category:		LL Long Dd Amt:	-87.4231
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	280
Rotary Mud Circ:		Well Dep Amt Text:	280 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	170
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3030 ROSY LN		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	MARK E EUCLIDE		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=SF387>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
208	S	0.88	4,656.02	719.53	PRIVATE WW

WI Unique Well No: TT446

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 06/21/2005

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 14

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 90

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1554080

LL Lat Dd Amt: 44.8179

LL Long Dd Amt: -87.4246

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 261

Well Dep Amt Text: 261 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 171

Decade Complete: 2000-2009

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 3027 ENTERPRISE ROAD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: JORNS HARVEY & DAVID WELL DRLG INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=TT446>  
 Well Constr Url:

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">209</a>	S	0.87	4,590.48	712.37	PRIVATE WW

WI Unique Well No:	LG577	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	170 FEET
Well Complete Date:	03/13/1997	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	70
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	



# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 671128
Other Const Type:	LL Lat Dd Amt: 44.8179
Category:	LL Long Dd Amt: -87.4269
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 260
Rotary Mud Circ:	Well Dep Amt Text: 260 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 170
Cable Tool Bit:	Decade Complete: 1990-1999
Cable Bit Diameter:	
Owner:	
Owner Address: 7048 GITCHE GUMME RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=LG577">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=LG577</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
209	S	0.87	4,590.48	712.37	PRIVATE WW

WI Unique Well No: RW448	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	07/24/2001	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	86
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	1417881
Other Const Type:		LL Lat Dd Amt:	44.8179
Category:		LL Long Dd Amt:	-87.4269
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	261
Rotary Mud Circ:		Well Dep Amt Text:	261 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	2000-2009
Cable Bit Diameter:			
Owner:			
Owner Address:	3030 PARK DRIVE		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	JORNS HARVEY & DAVID WELL DRLG INC		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=RW448>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
210	SSW	0.82	4,355.66	721.05	PRIVATE WW

WI Unique Well No: FH147

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date:

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 14

Q Section: NW

QQ Section: NW

Well Status:

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt:

Screen To:

Sealant Method:

Static Depth Amt:

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 114195169

LL Lat Dd Amt:

LL Long Dd Amt:

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt:

Well Dep Amt Text:

Static Depth:

Location Method: QQ section centroid

Casing Depth Amt:

Decade Complete:

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 6953 STAGG RD  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name:  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=FH147>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">212</a>	S	0.93	4,926.77	719.93	PRIVATE WW

WI Unique Well No:	8DC767	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:
Muni Type:		Screen Description:
Tax Parcel No:		Casing Depth Amt:
Well Complete Date:		Screen To:
DNR Rec Date:		Sealant Method:
Fire No:		Static Depth Amt:
Subdivision:		Pumping Level:
Lot:		Pumping At:
Block:		Pumping Units:
Government Parcel:		For:
Survey Township:	27	Well Start Depth:
Survey Range:	25	Developed:
Survey Section:	14	Disinfected:
Q Section:	NE	Capped:
QQ Section:		Proper Seal:
Well Status:		Contractor Signed:
Original Year:		Rig Oper Signed:

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 113830376
Other Const Type:	LL Lat Dd Amt:
Category:	LL Long Dd Amt:
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt:
Rotary Mud Circ:	Well Dep Amt Text:
Rotary Air:	Static Depth:
Rotary Foam:	Location Method: Q section centroid
Reverse Rotary:	Casing Depth Amt:
Cable Tool Bit:	Decade Complete:
Cable Bit Diameter:	
Owner:	
Owner Address:	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name:	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity Comments:	
Exception Area Comments:	
Well URL:	
Well Constr Url:	<a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC767">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=8DC767</a>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
212	S	0.93	4,926.77	719.93	PRIVATE WW

WI Unique Well No:	8DC768	Temp Outer Cas:
High Cap Well No:		Temp Casing Diam:
Hi Cap Well:		Temp Casing Rem:
Hi Cap Property:		Why Not Removed:
County Well Loc:		Other Drill Method:
DNR Region:		Other Drillin Desc:
County:		Screen Diameter:



## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	
Well Complete Date:		Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:		Proper Seal:	
Well Status:		Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	113830377
Other Const Type:		LL Lat Dd Amt:	
Category:		LL Long Dd Amt:	
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	
Rotary Mud Circ:		Well Dep Amt Text:	
Rotary Air:		Static Depth:	
Rotary Foam:		Location Method:	Q section centroid
Reverse Rotary:		Casing Depth Amt:	
Cable Tool Bit:		Decade Complete:	
Cable Bit Diameter:			
Owner:			
Owner Address:			
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:			
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			

# Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=8DC768>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
213	S	0.91	4,824.50	716.68	PRIVATE WW

WI Unique Well No: VL713

High Cap Well No:

Hi Cap Well:

Hi Cap Property:

County Well Loc:

DNR Region:

County:

Muni Type:

Tax Parcel No:

Well Complete Date: 03/31/2006

DNR Rec Date:

Fire No:

Subdivision:

Lot:

Block:

Government Parcel:

Survey Township: 27

Survey Range: 25

Survey Section: 14

Q Section: NE

QQ Section: NW

Well Status: New Well

Original Year:

Replace Reason:

Prev WI Well No:

Replace Well No:

Well Const Type:

Other Const Type:

Category:

No Services:

Facility Type:

High Pt Property:

In Floodplain:

Rotary Mud Circ:

Rotary Air:

Rotary Foam:

Reverse Rotary:

Cable Tool Bit:

Cable Bit Diameter:

Temp Outer Cas:

Temp Casing Diam:

Temp Casing Rem:

Why Not Removed:

Other Drill Method:

Other Drillin Desc:

Screen Diameter:

Screen Description:

Casing Depth Amt: 171 FEET

Screen To:

Sealant Method:

Static Depth Amt: 70

Pumping Level:

Pumping At:

Pumping Units:

For:

Well Start Depth:

Developed:

Disinfected:

Capped:

Proper Seal:

Contractor Signed:

Rig Oper Signed:

Geologic Log No:

Common Well No:

DNR Facility ID:

Watr Seq No: 1611635

LL Lat Dd Amt: 44.8174

LL Long Dd Amt: -87.425

Survey Range Dir: E

Well Name:

Calc Specific Cap:

Well Depth Amt: 281

Well Dep Amt Text: 281 FEET

Static Depth: feet below ground surface

Location Method: Parcel centroid

Casing Depth Amt: 171

Decade Complete: 2000-2009

# Wells and Additional Sources Detail Report

Owner:  
 Owner Address: 1785 MID VALLEY DRIVE  
 Owner City:  
 Owner State:  
 Owner Zip:  
 Constructor Name: JORNS HARVEY & DAVID WELL DRLG INC  
 Constructor Addr:  
 Constructor City:  
 Constructor State:  
 Constructor Zip:  
 Seal Description:  
 Drilling Difficulty:  
 Other Driller Comments:  
 Water Quality Comments:  
 Water Quantity  
 Comments:  
 Exception Area  
 Comments:  
 Well URL:  
 Well Constr Url: <https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=VL713>

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
<a href="#">214</a>	S	0.94	4,971.26	718.87	PRIVATE WW

WI Unique Well No:	UM054	Temp Outer Cas:	
High Cap Well No:		Temp Casing Diam:	
Hi Cap Well:		Temp Casing Rem:	
Hi Cap Property:		Why Not Removed:	
County Well Loc:		Other Drill Method:	
DNR Region:		Other Drillin Desc:	
County:		Screen Diameter:	
Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	172 FEET
Well Complete Date:	05/11/2009	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	60
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	NW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	

# Wells and Additional Sources Detail Report

Replace Reason:	Geologic Log No:
Prev WI Well No:	Common Well No:
Replace Well No:	DNR Facility ID:
Well Const Type:	Watr Seq No: 1843633
Other Const Type:	LL Lat Dd Amt: 44.8172
Category:	LL Long Dd Amt: -87.4235
No Services:	Survey Range Dir: E
Facility Type:	Well Name:
High Pt Property:	Calc Specific Cap:
In Floodplain:	Well Depth Amt: 280
Rotary Mud Circ:	Well Dep Amt Text: 280 FEET
Rotary Air:	Static Depth: feet below ground surface
Rotary Foam:	Location Method: Parcel centroid
Reverse Rotary:	Casing Depth Amt: 172
Cable Tool Bit:	Decade Complete: 2000-2009
Cable Bit Diameter:	
Owner:	
Owner Address: 6292 TIELENS RD	
Owner City:	
Owner State:	
Owner Zip:	
Constructor Name: MARK E EUCLIDE	
Constructor Addr:	
Constructor City:	
Constructor State:	
Constructor Zip:	
Seal Description:	
Drilling Difficulty:	
Other Driller Comments:	
Water Quality Comments:	
Water Quantity	
Comments:	
Exception Area	
Comments:	
Well URL:	
Well Constr Url: <a href="https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=UM054">https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&amp;download=false&amp;WUWN=UM054</a>	

Map Key	Direction	Distance (mi)	Distance (ft)	Elevation (ft)	DB
215	S	0.97	5,110.87	714.74	PRIVATE WW

WI Unique Well No: MJ134	Temp Outer Cas:
High Cap Well No:	Temp Casing Diam:
Hi Cap Well:	Temp Casing Rem:
Hi Cap Property:	Why Not Removed:
County Well Loc:	Other Drill Method:
DNR Region:	Other Drillin Desc:
County:	Screen Diameter:

## Wells and Additional Sources Detail Report

Muni Type:		Screen Description:	
Tax Parcel No:		Casing Depth Amt:	171 FEET
Well Complete Date:	06/26/1998	Screen To:	
DNR Rec Date:		Sealant Method:	
Fire No:		Static Depth Amt:	20
Subdivision:		Pumping Level:	
Lot:		Pumping At:	
Block:		Pumping Units:	
Government Parcel:		For:	
Survey Township:	27	Well Start Depth:	
Survey Range:	25	Developed:	
Survey Section:	14	Disinfected:	
Q Section:	NE	Capped:	
QQ Section:	SW	Proper Seal:	
Well Status:	New Well	Contractor Signed:	
Original Year:		Rig Oper Signed:	
Replace Reason:		Geologic Log No:	
Prev WI Well No:		Common Well No:	
Replace Well No:		DNR Facility ID:	
Well Const Type:		Watr Seq No:	689841
Other Const Type:		LL Lat Dd Amt:	44.816500000000005
Category:		LL Long Dd Amt:	-87.426
No Services:		Survey Range Dir:	E
Facility Type:		Well Name:	
High Pt Property:		Calc Specific Cap:	
In Floodplain:		Well Depth Amt:	264
Rotary Mud Circ:		Well Dep Amt Text:	264 FEET
Rotary Air:		Static Depth:	feet below ground surface
Rotary Foam:		Location Method:	Parcel centroid
Reverse Rotary:		Casing Depth Amt:	171
Cable Tool Bit:		Decade Complete:	1990-1999
Cable Bit Diameter:			
Owner:			
Owner Address:	6757 HWY 42 57		
Owner City:			
Owner State:			
Owner Zip:			
Constructor Name:	CHARLIES PUMPS @ WELL DRILLING I		
Constructor Addr:			
Constructor City:			
Constructor State:			
Constructor Zip:			
Seal Description:			
Drilling Difficulty:			
Other Driller Comments:			
Water Quality Comments:			
Water Quantity Comments:			



## Wells and Additional Sources Detail Report

Exception Area

Comments:

Well URL:

[https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?  
id=WellConstructionReport&download=false&WUWN=MJ134](https://dnr.wi.gov/WellConstructionSearch/ReportViewer.aspx?id=WellConstructionReport&download=false&WUWN=MJ134)

Well Constr Url:

## Radon Information

This section lists any relevant radon information found for the target property.

Federal EPA Radon Zone for *DOOR* County: **1**

*Zone 1: Counties with predicted average indoor radon screening levels greater than 4 pCi/L*

*Zone 2: Counties with predicted average indoor radon screening levels from 2 to 4 pCi/L*

*Zone 3: Counties with predicted average indoor radon screening levels less than 2 pCi/L*

---

### Federal Area Radon Information for *DOOR* County

No Measures/Homes:	8
Geometric Mean:	2.7
Arithmetic Mean:	6.5
Median:	2.4
Standard Deviation:	8.8
Maximum:	25.1
% >4 pCi/L:	38
% >20 pCi/L:	13
Notes on Data Table:	TABLE 1. Screening indoor radon data from the State/EPA Residential Radon Survey of Wisconsin conducted during 1986-87. Data represent 2-7 day charcoal canister measurements from the lowest level of each home tested.

## **Federal Sources**

### **FEMA National Flood Hazard Layer**

**FEMA FLOOD**

The National Flood Hazard Layer (NFHL) data incorporates Flood Insurance Rate Map (FIRM) databases published by the Federal Emergency Management Agency (FEMA), and any Letters Of Map Revision (LOMRs) that have been issued against those databases since their publication date. The FIRM Database is the digital, geospatial version of the flood hazard information shown on the published paper FIRMs. The FIRM Database depicts flood risk information and supporting data used to develop the risk data. The FIRM Database is derived from Flood Insurance Studies (FISs), previously published FIRMs, flood hazard analyses performed in support of the FISs and FIRMs, and new mapping data, where available.

### **Indoor Radon Data**

**INDOOR RADON**

Indoor radon measurements tracked by the Environmental Protection Agency(EPA) and the State Residential Radon Survey.

### **Public Water Systems Violations and Enforcement Data**

**PWSV**

List of drinking water violations and enforcement actions from the Safe Drinking Water Information System (SDWIS) made available by the Drinking Water Protection Division of the US EPA's Office of Groundwater and Drinking Water. Enforcement sensitive actions are not included in the data released by the EPA. Address information provided in SWDIS may correspond either with the physical location of the water system, or with a contact address.

### **Radon Zone Level**

**RADON ZONE**

Areas showing the level of Radon Zones (level 1, 2 or 3) by county. This data is maintained by the Environmental Protection Agency (EPA).

### **Safe Drinking Water Information System (SDWIS)**

**SDWIS**

The Safe Drinking Water Information System (SDWIS) contains information about public water systems as reported to US Environmental Protection Agency (EPA) by the states. Addresses may correspond with the location of the water system, or with a contact address.

### **Soil Survey Geographic database**

**SSURGO**

The Soil Survey Geographic database (SSURGO) contains information about soil as collected by the National Cooperative Soil Survey at the Natural Resources Conservation Service (NRCS). Soil maps outline areas called map units. The map units are linked to soil properties in a database. Each map unit may contain one to three major components and some minor components.

### **U.S. Fish & Wildlife Service Wetland Data**

**US WETLAND**

The U.S. Fish & Wildlife Service Wetland layer represents the approximate location and type of wetlands and deepwater habitats in the United States.

### **USGS Current Topo**

**US TOPO**

US Topo topographic maps are produced by the National Geospatial Program of the U.S. Geological Survey (USGS). The project was launched in late 2009, and the term "US Topo" refers specifically to quadrangle topographic maps published in 2009 and later.

### **USGS Geology**

**US GEOLOGY**

Seamless maps depicting geological information provided by the United States Geological Survey (USGS).

### **USGS National Water Information System**

**FED USGS**

The U.S. Geological Survey's (USGS) National Water Information System (NWIS) is the nation's principal repository of water resources data. The data includes comprehensive information of well-construction details, time-series data for gage height, streamflow, groundwater level, and precipitation and water use data. This NWIS database information is obtained through the Water Quality Data Portal (WQP). The WQP is a cooperative service sponsored by the USGS, the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC).

## **State Sources**

## Historic Well Construction Reports (1930-1989)

**WATER WELLS**

A list of Historic Well Construction Reports, made available by the Wisconsin Geological and Natural History Survey (WGNHS). The data includes private wells drilled for drinking water use from 1936 to 1989 and was compiled from well construction reports (WCRs) that were submitted by well drillers to the Wisconsin Department of Natural Resources (DNR). Since 1936, well drillers are required by the Wisconsin Department of Natural Resources (DNR) to file a well construction report for the construction of any well used for drinking water.

## Oil and Gas Wells

**OGW**

As of WI state regulatory agencies, FracTracker Alliance - state of South Wisconsin confirmed not to have any active (drilled but not plugged) oil and gas wells.

## Public Water Supply Systems

**PWS**

The Department of Natural Resources, Bureau of Drinking Water and Groundwater maintains data about Wisconsin's drinking water and groundwater quality. The Bureau's Drinking Water System is to enforce the Safe Drinking Water Act (SDWA) regulations covering Public Water Systems (PWS).

## Well Construction Report

**PRIVATE WW**

This is the list of Private Water Well data, maintained by Wisconsin Department of Natural Resources (DNR). The Data contains the private wells drilled for drinking water use, during 1988 to present.

## Well Inventory

**WELL**

Groundwater Retrieval Network (GRN) database contains the list of well data, maintained by Wisconsin Department of Natural Resources. The Data covers the period from the early 1970s to present for the Public Water Supply data; 1988 to present for the Private Water Supply data; from the mid 1970s to present for the GEMS database; and from the mid 1970s to present for the SWAMP system.

## Liability Notice

**Reliance on information in Report:** The Physical Setting Report (PSR) DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a review of environmental databases and physical characteristics for the site or adjacent properties.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS Information Inc. disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report(s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.



The background of the page is a topographic map with red contour lines on a dark red background. A dashed red line runs vertically through the center of the map. There is a small red 'x' mark on the dashed line in the upper-middle section and a solid red dot on the dashed line in the lower-middle section.

# **Appendix 10**

# **ERIS Database Report**





---

# DATABASE REPORT

**Project Property:** *Cherryland Airport  
3538 Park Dr  
Sturgeon Bay WI 54235*

**Project No:** *R3001498.00*

**Report Type:** *Database Report*

**Order No:** *24012901321*

**Requested by:** *Westwood*

**Date Completed:** *January 31, 2024*

**Environmental Risk Information Services**

*A division of Glacier Media Inc.*

1.866.517.5204 | [info@erisinfo.com](mailto:info@erisinfo.com) | [erisinfo.com](http://erisinfo.com)

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	8
Executive Summary: Site Report Summary - Surrounding Properties.....	10
Executive Summary: Summary by Data Source.....	12
Map.....	17
Aerial.....	20
Topographic Map.....	21
Detail Report.....	22
Unplottable Summary.....	64
Unplottable Report.....	65
Appendix: Database Descriptions.....	66
Definitions.....	81

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## Property Information:

**Project Property:** *Cherryland Airport  
3538 Park Dr Sturgeon Bay WI 54235*

**Project No:** *R3001498.00*

### **Coordinates:**

**Latitude:** *44.84575514*  
**Longitude:** *-87.42153248*  
**UTM Northing:** *4,965,799.78*  
**UTM Easting:** *466,651.20*  
**UTM Zone:** *UTM Zone 16T*

**Elevation:** *720 FT*

## Order Information:

**Order No:** *24012901321*  
**Date Requested:** *January 29, 2024*  
**Requested by:** *Westwood*  
**Report Type:** *Database Report*

## Historicals/Products:

**Aerial Photographs** *Historical Aerials (with Project Boundaries)*  
**City Directory Search** *CD - 2 Street Search*  
**ERIS Xplorer** [\*ERIS Xplorer\*](#)  
**Excel Add-On** *Excel Add-On*  
**Fire Insurance Maps** *US Fire Insurance Maps*  
**Physical Setting Report (PSR)** *Physical Setting Report (PSR)*  
**Topographic Map** *Topographic Maps*

# Executive Summary: Report Summary

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
<b><u>Standard Environmental Records</u></b>								
<b>Federal</b>								
NPL	Y	1	0	0	0	0	0	0
PROPOSED NPL	Y	1	0	0	0	0	1	1
DELETED NPL	Y	0.5	0	0	0	0	-	0
SEMS	Y	0.5	0	0	0	0	-	0
ODI	Y	0.5	0	0	0	0	-	0
SEMS ARCHIVE	Y	0.5	0	0	0	0	-	0
CERCLIS	Y	0.5	0	0	0	0	-	0
IODI	Y	0.5	0	0	0	0	-	0
CERCLIS NFRAP	Y	0.5	0	0	0	0	-	0
CERCLIS LIENS	Y	PO	0	-	-	-	-	0
RCRA CORRACTS	Y	1	0	0	0	0	0	0
RCRA TSD	Y	0.5	0	0	0	0	-	0
RCRA LQG	Y	0.25	0	0	0	-	-	0
RCRA SQG	Y	0.25	0	0	0	-	-	0
RCRA VSQG	Y	0.25	0	1	0	-	-	1
RCRA NON GEN	Y	0.25	0	0	0	-	-	0
RCRA CONTROLS	Y	0.5	0	0	0	0	-	0
FED ENG	Y	0.5	0	0	0	0	-	0
FED INST	Y	0.5	0	0	0	0	-	0
LUCIS	Y	0.5	0	0	0	0	-	0
NPL IC	Y	0.5	0	0	0	0	-	0
ERNS 1982 TO 1986	Y	PO	0	-	-	-	-	0
ERNS 1987 TO 1989	Y	PO	0	-	-	-	-	0
ERNS	Y	PO	0	1	-	-	-	1
FED BROWNFIELDS	Y	0.5	0	0	0	0	-	0
FEMA UST	Y	0.25	0	0	0	-	-	0
FRP	Y	0.25	0	0	0	-	-	0



Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
DELISTED FRP	Y	0.25	0	0	0	-	-	0
HIST GAS STATIONS	Y	0.25	0	0	0	-	-	0
REFN	Y	0.25	0	0	0	-	-	0
BULK TERMINAL	Y	0.25	0	0	0	-	-	0
SEMS LIEN	Y	PO	0	-	-	-	-	0
SUPERFUND ROD	Y	1	0	0	0	0	0	0
DOE FUSRAP	Y	1	0	0	0	0	0	0

**State**

SHWS	Y	1	0	0	0	0	0	0
SWF/LF	Y	0.5	0	0	0	0	-	0
WDS	Y	0.5	0	0	0	0	-	0
HIST LF	Y	0.5	0	0	0	0	-	0
SHWIMS	Y	0.25	0	1	0	-	-	1
LUST	Y	0.5	2	1	0	0	-	3
LAST	Y	0.5	0	0	0	0	-	0
DELISTED LST	Y	0.5	0	0	0	0	-	0
UST	Y	0.25	1	2	1	-	-	4
AST	Y	0.25	1	1	0	-	-	2
DEL STORAGE TANK	Y	0.25	0	0	0	-	-	0
CRS	Y	0.5	3	1	0	0	-	4
AUL	Y	0.5	0	0	0	0	-	0
VCP	Y	0.5	0	0	0	0	-	0
BEAP	Y	0.5	0	0	0	0	-	0
BROWNFIELDS	Y	0.5	0	0	0	0	-	0
BSA PROJECTS	Y	0.5	0	0	0	0	-	0
BGP	Y	0.5	0	0	0	0	-	0
ERP	Y	0.5	0	0	0	0	-	0

**Tribal**

INDIAN LUST	Y	0.5	0	0	0	0	-	0
INDIAN UST	Y	0.25	0	0	0	-	-	0
DELISTED INDIAN LST	Y	0.5	0	0	0	0	-	0
DELISTED INDIAN UST	Y	0.25	0	0	0	-	-	0

**County**

**No County databases were selected to be included in the search.**

<i>Database</i>	<i>Searched</i>	<i>Search Radius</i>	<i>Project Property</i>	<i>Within 0.12mi</i>	<i>0.125mi to 0.25mi</i>	<i>0.25mi to 0.50mi</i>	<i>0.50mi to 1.00mi</i>	<i>Total</i>
<b>Additional Environmental Records</b>								
<b>Federal</b>								
PFAS GHG	Y	0.5	0	0	0	0	-	0
FINDS/FRS	Y	PO	1	3	-	-	-	4
TRIS	Y	PO	0	-	-	-	-	0
PFAS NPL	Y	0.5	0	0	0	0	-	0
PFAS FED SITES	Y	0.5	0	0	0	0	-	0
PFAS SSEHRI	Y	0.5	0	0	0	0	-	0
ERNS PFAS	Y	0.5	0	0	0	0	-	0
PFAS NPDES	Y	0.5	0	0	0	0	-	0
PFAS TRI	Y	0.5	0	0	0	0	-	0
PFAS WATER	Y	0.5	0	0	0	0	-	0
PFAS TSCA	Y	0.5	0	0	0	0	-	0
PFAS E-MANIFEST	Y	0.5	0	0	0	0	-	0
PFAS IND	Y	0.5	0	0	0	0	-	0
HMIRS	Y	0.125	0	0	-	-	-	0
NCDL	Y	0.125	0	0	-	-	-	0
TSCA	Y	0.125	0	0	-	-	-	0
HIST TSCA	Y	0.125	0	0	-	-	-	0
FTTS ADMIN	Y	PO	0	-	-	-	-	0
FTTS INSP	Y	PO	0	-	-	-	-	0
PRP	Y	PO	0	-	-	-	-	0
SCRD DRYCLEANER	Y	0.5	0	0	0	0	-	0
ICIS	Y	PO	0	-	-	-	-	0
FED DRYCLEANERS	Y	0.25	0	0	0	-	-	0
DELISTED FED DRY	Y	0.25	0	0	0	-	-	0
FUDS	Y	1	0	0	0	0	0	0
FUDS MRS	Y	1	0	0	0	0	0	0
FORMER NIKE	Y	1	0	0	0	0	0	0
PIPELINE INCIDENT	Y	PO	0	-	-	-	-	0
MLTS	Y	PO	0	-	-	-	-	0
HIST MLTS	Y	PO	0	-	-	-	-	0
MINES	Y	0.25	0	0	0	-	-	0
SMCRA	Y	1	0	0	0	0	0	0
MRDS	Y	1	0	0	0	0	1	1

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
LM SITES	Y	1	0	0	0	0	0	0
ALT FUELS	Y	0.25	0	0	0	-	-	0
CONSENT DECREES	Y	0.25	0	0	0	-	-	0
AFS	Y	PO	0	-	-	-	-	0
SSTS	Y	0.25	0	0	0	-	-	0
PCBT	Y	0.5	0	0	0	0	-	0
PCB	Y	0.5	0	0	0	0	-	0

**State**

SPILLS	Y	0.125	0	1	-	-	-	1
AGSPILLS	Y	0.125	0	0	-	-	-	0
AG SPILL REMED	Y	0.25	0	0	0	-	-	0
BRRTS	Y	PO	1	-	-	-	-	1
DELISTED BRRT	Y	0.5	2	0	0	0	-	2
PFAS CONTAM	Y	0.5	0	0	0	0	-	0
PFAS SAMPLING	Y	0.5	0	0	0	0	-	0
DRYC REM	Y	0.25	0	0	0	-	-	0
DRYCLEANERS	Y	0.25	0	0	0	-	-	0
DELISTED DRYC REM	Y	0.25	0	0	0	-	-	0
LIENS	Y	PO	0	-	-	-	-	0
TIER 2	Y	0.125	2	0	-	-	-	2

**Tribal**

*No Tribal additional environmental record sources available for this State.*

**County**

*No County additional environmental record sources available for this State.*

---

**Total:** 13 12 1 0 2 28

\* PO – Property Only

\* 'Property and adjoining properties' database search radii are set at 0.25 miles.

## Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
<a href="#">1</a>	FINDS/FRS	DOOR CO CHERRYLAND AIRPORT-NC665	3538 PARK DR STURGEON BAY WI 542359011 <b>Registry ID: 110016936468</b>	SSW	0.00 / 0.00	8	<a href="#">22</a>
<a href="#">1</a>	BRRTS	DOOR CNTY - CHERRYLAND AIRPORT	3538 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	8	<a href="#">22</a>
<a href="#">2</a>	LUST	DOOR CNTY - CHERRYLAND AIRPORT	3538 PARK DR STURGEON BAY WI <b>Site ID: 23736000</b> <b>Status: CLOSED, CLOSED</b>	SW	0.02 / 90.91	9	<a href="#">24</a>
<a href="#">2</a>	CRS	CHERRYLAND AIRPORT - NEW TERMINAL	3538 Park Dr Sturgeon Bay WI	SW	0.02 / 90.91	9	<a href="#">28</a>
<a href="#">2</a>	CRS	CHERRYLAND AIRPORT - PARKS BLDG	3538 Park Dr Sturgeon Bay WI	SW	0.02 / 90.91	9	<a href="#">28</a>
<a href="#">2</a>	TIER 2	ORION FLIGHT SERVICES, INC.	3538 PARK DRIVE STURGEON BAY WI 54235	SW	0.02 / 90.91	9	<a href="#">28</a>
<a href="#">2</a>	UST	Door County - Cherryland Airport	3538 Park Dr Sturgeon Bay WI 54235 <b>License No: 414469</b> <b>Tank ID   Tank Status   Install Date: 56728   Closed/Removed   , 103640   Closed/Removed   10/1/1989 12:00:00 AM, 60312   Closed/Removed   , 59405   Closed/Removed   , 59417   Closed/Removed   , 62241   Closed/Removed   1/1/1980 12:00:00 AM, 54917   Closed/Removed   , 59481   Closed/Removed   1/1/1984 12:00:00 AM, 111009   In Use   1/11/2011 12:00:00 AM, 41911   Closed/Removed   , 49371   Closed/Removed   , 111008   In Use   1/11/2011 12:00:00 AM, 104154   Closed/Removed   10/1/1989 12:00:00 AM</b>	SW	0.02 / 90.91	9	<a href="#">29</a>
<a href="#">2</a>	TIER 2	DOOR COUNTY CHERRYLAND AIRPORT	3538 PARK DRIVE STURGEON BAY WI 54235	SW	0.02 / 90.91	9	<a href="#">38</a>
<a href="#">2</a>	AST	Door County - Cherryland Airport	3538 Park Dr Sturgeon Bay WI 54235 <b>License No: 414469</b> <b>Tank ID   Tank Status   Install Date: 221359   In Use   5/30/2019 12:00:00 AM, 221360   In Use   5/30/2019 12:00:00 AM</b>	SW	0.02 / 90.91	9	<a href="#">40</a>
<a href="#">3</a>	DELISTED BRRT	CHERRYLAND AIRPORT	3418 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	2	<a href="#">41</a>
<a href="#">3</a>	DELISTED BRRT	CHERRYLAND AIRPORT	3418 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	2	<a href="#">42</a>
<a href="#">3</a>	LUST	CHERRYLAND AIRPORT	3418 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	2	<a href="#">42</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
<a href="#">3</a>	CRS	CHERRYLAND AIRPORT - OLD TERMINAL	Site ID: 4629900 Status: CLOSED 3418 Park Dr Sturgeon Bay WI	SSW	0.00 / 0.00	2	<a href="#">44</a>



## Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
<a href="#">4</a>	UST	MICHAEL TONEYS	6698 Cnty C Sturgeon Bay WI 54235  <i>License No:</i> 110882 <i>Tank ID   Tank Status   Install Date:</i> 283665   Closed/Removed	SSW	0.00 / 7.26	-1	<a href="#">45</a>
<a href="#">5</a>	FINDS/FRS	DOOR COUNTY CHERRYLAND	UNKNOWN STURGEON BAY WI 00000  <i>Registry ID:</i> 110037988256	SSE	0.01 / 38.72	4	<a href="#">46</a>
<a href="#">6</a>	ERNS		POTAWATOMI STATE PARK SAWYER HARBOR STURGEON BAY WI <i>NRC Report No:</i> 1329337	N	0.01 / 63.85	-30	<a href="#">46</a>
<a href="#">7</a>	RCRA VSQG	POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235  <i>EPA Handler ID:</i> WID981780489	N	0.01 / 65.84	-26	<a href="#">48</a>
<a href="#">7</a>	AST	Potawatomi State Park	3740 Park Dr Sturgeon Bay WI 54235  <i>License No:</i> 435789 <i>Tank ID   Tank Status   Install Date:</i> 2133   Closed/Removed   6/28/1974 12:00:00 AM, 11244   In Use   10/6/1998 12:00:00 AM, 1975   Closed/Removed   1/1/1974 12:00:00 AM, 10533   In Use   10/6/1998 12:00:00 AM	N	0.01 / 65.84	-26	<a href="#">49</a>
<a href="#">7</a>	LUST	WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235  <i>Site ID:</i> 1169000 <i>Status:</i> CLOSED	N	0.01 / 65.84	-26	<a href="#">52</a>
<a href="#">7</a>	FINDS/FRS	POTAWATOMI STATE PARK	GROUP CAMP SITES C & D- 3740 PARK DR STURGEON BAY WI 54235 <i>Registry ID:</i> 110038841885	N	0.01 / 65.84	-26	<a href="#">54</a>
<a href="#">7</a>	FINDS/FRS	WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235  <i>Registry ID:</i> 110005457709	N	0.01 / 65.84	-26	<a href="#">54</a>
<a href="#">7</a>	SPILLS	WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235  <i>Site ID:</i> 1169000 <i>Status:</i> CLOSED	N	0.01 / 65.84	-26	<a href="#">55</a>
<a href="#">7</a>	CRS	WI DNR - POTAWATOMI STATE PARK	3740 Park Dr Sturgeon Bay WI	N	0.01 / 65.84	-26	<a href="#">57</a>
<a href="#">7</a>	UST	Potawatomi State Park	3740 Park Dr Sturgeon Bay WI 54235  <i>License No:</i> 435789 <i>Tank ID   Tank Status   Install Date:</i> 44345   Closed/Removed   , 44344   Closed/Removed	N	0.01 / 65.84	-26	<a href="#">58</a>
<a href="#">7</a>	SHWIMS	WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235	N	0.01 / 65.84	-26	<a href="#">59</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev Diff (ft)</b>	<b>Page Number</b>
<a href="#"><u>8</u></a>	UST	ARTHUR CERMAK	3640 Park Dr Sturgeon Bay WI 54235 <i>License No:</i> 54353 <i>Tank ID   Tank Status   Install Date:</i> 283770   Closed/Removed	WNW	0.21 / 1,092.64	-15	<a href="#"><u>59</u></a>
<a href="#"><u>9</u></a>	MRDS	JUTTING POINT LIMESTONE QUARRY	DOOR COUNTY STURGEON BAY WI 54235 <i>Dep ID:</i> 10278353	E	0.76 / 4,008.11	-130	<a href="#"><u>60</u></a>
<a href="#"><u>10</u></a>	PROPOSED NPL	FOX RIVER NRDA/PCB RELEASES	FOX RIVER AND GREEN BAY GREEN BAY WI 54302 <i>EPA ID:</i> WI0001954841	NE	0.76 / 4,021.67	-140	<a href="#"><u>61</u></a>

## Executive Summary: Summary by Data Source

### Standard

#### Federal

##### **PROPOSED NPL - National Priority List - Proposed**

A search of the PROPOSED NPL database, dated Oct 26, 2023 has found that there are 1 PROPOSED NPL site(s) within approximately 1.00miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
FOX RIVER NRDA/PCB RELEASES	FOX RIVER AND GREEN BAY GREEN BAY WI 54302	NE	0.76 / 4,021.67	<a href="#">10</a>
<i>EPA ID: WI0001954841</i>				

##### **RCRA VSQG - RCRA Very Small Quantity Generators List**

A search of the RCRA VSQG database, dated Oct 2, 2023 has found that there are 1 RCRA VSQG site(s) within approximately 0.25 miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235	N	0.01 / 65.84	<a href="#">7</a>
<i>EPA Handler ID: WID981780489</i>				

##### **ERNS - Emergency Response Notification System**

A search of the ERNS database, dated Aug 12, 2023 has found that there are 1 ERNS site(s) within approximately 0.02miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	POTAWATOMI STATE PARK SAWYER HARBOR STURGEON BAY WI	N	0.01 / 63.85	<a href="#">6</a>
<i>NRC Report No: 1329337</i>				

#### State

##### **SHWIMS - Solid & Hazardous Waste Information Management System**

A search of the SHWIMS database, dated Oct 2, 2023 has found that there are 1 SHWIMS site(s) within approximately 0.25miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235	N	0.01 / 65.84	<a href="#">7</a>

##### **LUST - Leaking Underground Storage Tanks**

A search of the LUST database, dated Jul 5, 2023 has found that there are 3 LUST site(s) within approximately 0.50miles of the project

property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DOOR CNTY - CHERRYLAND AIRPORT	3538 PARK DR STURGEON BAY WI  <i>Site ID: 23736000</i> <i>Status: CLOSED, CLOSED</i>	SW	0.02 / 90.91	<a href="#">2</a>
CHERRYLAND AIRPORT	3418 PARK DR STURGEON BAY WI  <i>Site ID: 4629900</i> <i>Status: CLOSED</i>	SSW	0.00 / 0.00	<a href="#">3</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235  <i>Site ID: 1169000</i> <i>Status: CLOSED</i>	N	0.01 / 65.84	<a href="#">7</a>

### UST - Underground Storage Tanks

A search of the UST database, dated Sep 12, 2023 has found that there are 4 UST site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Door County - Cherryland Airport	3538 Park Dr Sturgeon Bay WI 54235  <i>License No: 414469</i> <i>Tank ID   Tank Status   Install Date: 56728   Closed/Removed   , 103640   Closed/Removed   10/1/1989 12:00:00 AM, 60312   Closed/Removed   , 59405   Closed/Removed   , 59417   Closed/Removed   , 62241   Closed/Removed   1/1/1980 12:00:00 AM, 54917   Closed/Removed   , 59481   Closed/Removed   1/1/1984 12:00:00 AM, 111009   In Use   1/11/2011 12:00:00 AM, 41911   Closed/Removed   , 49371   Closed/Removed   , 111008   In Use   1/11/2011 12:00:00 AM, 104154   Closed/Removed   10/1/1989 12:00:00 AM</i>	SW	0.02 / 90.91	<a href="#">2</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
MICHAEL TONEYS	6698 Cnty C Sturgeon Bay WI 54235  <i>License No: 110882</i> <i>Tank ID   Tank Status   Install Date: 283665   Closed/Removed  </i>	SSW	0.00 / 7.26	<a href="#">4</a>
Potawatomi State Park	3740 Park Dr Sturgeon Bay WI 54235  <i>License No: 435789</i> <i>Tank ID   Tank Status   Install Date: 44345   Closed/Removed   , 44344   Closed/Removed  </i>	N	0.01 / 65.84	<a href="#">7</a>
ARTHUR CERMAK	3640 Park Dr Sturgeon Bay WI 54235  <i>License No: 54353</i> <i>Tank ID   Tank Status   Install Date: 283770   Closed/Removed  </i>	WNW	0.21 / 1,092.64	<a href="#">8</a>

### AST - Aboveground Storage Tanks

A search of the AST database, dated Sep 12, 2023 has found that there are 2 AST site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Door County - Cherryland Airport	3538 Park Dr Sturgeon Bay WI 54235	SW	0.02 / 90.91	<a href="#">2</a>
<i>License No: 414469</i>				
<i>Tank ID   Tank Status   Install Date: 221359   In Use   5/30/2019 12:00:00 AM, 221360   In Use   5/30/2019 12:00:00 AM</i>				

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Potawatomi State Park	3740 Park Dr Sturgeon Bay WI 54235	N	0.01 / 65.84	<a href="#">7</a>
<i>License No: 435789</i>				
<i>Tank ID   Tank Status   Install Date: 2133   Closed/Removed   6/28/1974 12:00:00 AM, 11244   In Use   10/6/1998 12:00:00 AM, 1975   Closed/Removed   1/1/1974 12:00:00 AM, 10533   In Use   10/6/1998 12:00:00 AM</i>				

### **CRS - Closed Remediation Sites**

A search of the CRS database, dated Oct 27, 2023 has found that there are 4 CRS site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CHERRYLAND AIRPORT - PARKS BLDG	3538 Park Dr Sturgeon Bay WI	SW	0.02 / 90.91	<a href="#">2</a>
CHERRYLAND AIRPORT - NEW TERMINAL	3538 Park Dr Sturgeon Bay WI	SW	0.02 / 90.91	<a href="#">2</a>
CHERRYLAND AIRPORT - OLD TERMINAL	3418 Park Dr Sturgeon Bay WI	SSW	0.00 / 0.00	<a href="#">3</a>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
WI DNR - POTAWATOMI STATE PARK	3740 Park Dr Sturgeon Bay WI	N	0.01 / 65.84	<a href="#">7</a>

### **Non Standard**

#### **Federal**

#### **FINDS/FRS - Facility Registry Service/Facility Index**

A search of the FINDS/FRS database, dated Sep 8, 2023 has found that there are 4 FINDS/FRS site(s) within approximately 0.02miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DOOR CO CHERRYLAND AIRPORT-NC665	3538 PARK DR STURGEON BAY WI 542359011	SSW	0.00 / 0.00	<a href="#">1</a>
<i>Registry ID: 110016936468</i>				



<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DOOR COUNTY CHERRYLAND	UNKNOWN STURGEON BAY WI 00000	SSE	0.01 / 38.72	<a href="#">5</a>
	<i>Registry ID: 110037988256</i>			

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235	N	0.01 / 65.84	<a href="#">7</a>
	<i>Registry ID: 110005457709</i>			
POTAWATOMI STATE PARK	GROUP CAMP SITES C & D- 3740 PARK DR STURGEON BAY WI 54235	N	0.01 / 65.84	<a href="#">7</a>
	<i>Registry ID: 110038841885</i>			

### **MRDS - Mineral Resource Data System**

A search of the MRDS database, dated Mar 15, 2016 has found that there are 1 MRDS site(s) within approximately 1.00miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
JUTTING POINT LIMESTONE QUARRY	DOOR COUNTY STURGEON BAY WI 54235	E	0.76 / 4,008.11	<a href="#">9</a>
	<i>Dep ID: 10278353</i>			

### **State**

### **SPILLS - Spills**

A search of the SPILLS database, dated Jul 5, 2023 has found that there are 1 SPILLS site(s) within approximately 0.12miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
WI DNR POTAWATOMI STATE PARK	3740 PARK DR STURGEON BAY WI 54235	N	0.01 / 65.84	<a href="#">7</a>
	<i>Site ID: 1169000</i> <i>Status: CLOSED</i>			

### **BRRTS - Wisconsin Bureau for Remediation and Redevelopment Tracking System**

A search of the BRRTS database, dated Jul 5, 2023 has found that there are 1 BRRTS site(s) within approximately 0.02miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DOOR CNTY - CHERRYLAND AIRPORT	3538 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	<a href="#">1</a>

### **DELISTED BRRT - Delisted BRRT**


A search of the DELISTED BRRT database, dated Oct 27, 2015 has found that there are 2 DELISTED BRRT site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CHERRYLAND AIRPORT	3418 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	<a href="#">3</a>
CHERRYLAND AIRPORT	3418 PARK DR STURGEON BAY WI	SSW	0.00 / 0.00	<a href="#">3</a>

**TIER 2 - Tier 2 Report**

A search of the TIER 2 database, dated Jan 19, 2023 has found that there are 2 TIER 2 site(s) within approximately 0.12miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
DOOR COUNTY CHERRYLAND AIRPORT	3538 PARK DRIVE STURGEON BAY WI 54235	SW	0.02 / 90.91	<a href="#">2</a>
ORION FLIGHT SERVICES, INC.	3538 PARK DRIVE STURGEON BAY WI 54235	SW	0.02 / 90.91	<a href="#">2</a>




**Map: 1.0 Mile Radius**

Order Number: 24012901321  
 Address: 3538 Park Dr, Sturgeon Bay, WI



- Project Property
- Buffer Outline
- ▲ Sites with Higher Elevation
- Sites with Same Elevation
- ▼ Sites with Lower Elevation
- Sites with Unknown Elevation
- Areas with Higher Elevation
- Areas with Same Elevation
- Areas with Lower Elevation
- Areas with Unknown Elevation
- Freeways; Highways
- Traffic Circle; Ramp
- Major & Minor Arterial
- Traffic Circle; Ramp
- Local Road
- Rail
- State
- Country
- National Wetland
- Indian Reserve Land
- 100 Year Flood Zone
- 500 Year Flood Zone
- FWS Special Designation Areas
- National Priorities List (Active, Delisted, Proposed, Institutional Control)




**Map: 0.5 Mile Radius**

Order Number: 24012901321  
Address: 3538 Park Dr, Sturgeon Bay, WI



- Project Property
- Buffer Outline
- ▲ Sites with Higher Elevation
- ▲ Sites with Same Elevation
- ▼ Sites with Lower Elevation
- Sites with Unknown Elevation
- Areas with Higher Elevation
- Areas with Same Elevation
- Areas with Lower Elevation
- Areas with Unknown Elevation
- Freeways; Highways
- Traffic Circle; Ramp
- Major & Minor Arterial
- Traffic Circle; Ramp
- Local Road
- Rail
- State
- Country
- National Wetland
- Indian Reserve Land
- 100 Year Flood Zone
- 500 Year Flood Zone
- FWS Special Designation Areas
- National Priorities List (Active, Delisted, Proposed, Institutional Control)



**Map: 0.25 Mile Radius**

Order Number: 24012901321  
 Address: 3538 Park Dr, Sturgeon Bay, WI



- Project Property
- Buffer Outline
- ▲ Sites with Higher Elevation
- ▲ Sites with Same Elevation
- ▼ Sites with Lower Elevation
- Sites with Unknown Elevation
- Areas with Higher Elevation
- Areas with Same Elevation
- Areas with Lower Elevation
- Areas with Unknown Elevation
- Freeways; Highways
- Traffic Circle; Ramp
- Major & Minor Arterial
- Traffic Circle; Ramp
- Local Road
- Rail
- State
- Country
- National Wetland
- Indian Reserve Land
- 100 Year Flood Zone
- 500 Year Flood Zone
- FWS Special Designation Areas
- National Priorities List (Active, Delisted, Proposed, Institutional Control)



87°26'30"W

87°26'W

87°25'30"W

87°25'W

87°24'30"W

44°51'30"N

44°51'N

44°50'30"N

44°50'N

44°49'30"N

44°51'30"N

44°51'N

44°50'30"N

44°50'N

44°49'30"N



1:18402

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

**Aerial** Year: 2020

Address: 3538 Park Dr, Sturgeon Bay, WI


Source: ESRI World Imagery

Order Number: 24012901321



© ERIS Information Inc.





# Topographic Map

Year: 2018

Order Number: 24012901321

Address: 3538 Park Dr, WI



Quadrangle(s): Sturgeon Bay West WI, Idlewild WI

© ERIS Information Inc.

Source: USGS Topographic Map

# Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<u>1</u>	1 of 2	SSW	0.00 / 0.00	727.34 / 8	DOOR CO CHERRYLAND AIRPORT-NC665 3538 PARK DR STURGEON BAY WI 542359011	FINDS/FRS

**Registry ID:** 110016936468  
**FIPS Code:** 55029  
**HUC Code:** 04030102  
**Site Type Name:** STATIONARY  
**Location Description:**  
**Supplemental Location:**  
**Create Date:** 04-MAR-04  
**Update Date:** 28-JUN-16  
**Interest Types:** ICIS-NPDES NON-MAJOR, STATE MASTER, WATER TREATMENT PLANT  
**SIC Codes:** 4581  
**SIC Code Descriptions:** AIRPORTS, FLYING FIELDS, AND AIRPORT TERMINAL SERVICES  
**NAICS Codes:**  
**NAICS Code Descriptions:**  
**Conveyor:** FRS-GEOCODE  
**Federal Facility Code:**  
**Federal Agency Name:**  
**Tribal Land Code:**  
**Tribal Land Name:**  
**Congressional Dist No:** 08  
**Census Block Code:** 550291008002013  
**EPA Region Code:** 05  
**County Name:** DOOR  
**US/Mexico Border Ind:**  
**Latitude:** 44.84103  
**Longitude:** -87.42757  
**Reference Point:** CENTER OF A FACILITY OR STATION  
**Coord Collection Method:** ADDRESS MATCHING-HOUSE NUMBER  
**Accuracy Value:** 30  
**Datum:** NAD83  
**Source:**  
**Facility Detail Rprt URL:** [https://ofmpub.epa.gov/frs\\_public2/fii\\_query\\_detail.disp\\_program\\_facility?p\\_registry\\_id=110016936468](https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110016936468)  
**Data Source:** Facility Registry Service - Single File  
**Program Acronyms:**

NPDES:WIG004441, SFDW:WI4150887 2T, WI-ESR:399372

<u>1</u>	2 of 2	SSW	0.00 / 0.00	727.34 / 8	DOOR CNTY - CHERRYLAND AIRPORT 3538 PARK DR STURGEON BAY WI	BRRTS
----------	--------	-----	-------------	------------	-------------------------------------------------------------------	-------

**Site ID:** 23736000  
**Region:** NE  
**County Code:** 15  
**County:** Door

**Facility Activity Information**

**Detail Seq No:** 557099  
**Act Code:** 390  
**Activity Type:** NO ACTION REQUIRED  
**Activity No:** 0915557099  
**CO Contam Flag:** No  
**Geo Located Flag:** Yes  
**GIS Registry Flag:**  
**GIS Area Point Flg:** No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Activit Display No:</b>	09-15-557099			<b>PLSS:</b>	NWSE0227N25E	
<b>Status Code:</b>				<b>PECFA No:</b>		
<b>Status:</b>				<b>PECFA Occurenc ID:</b>		
<b>DCOM No:</b>				<b>DERF Flag:</b>	No	
<b>Comm Occurrence ID:</b>				<b>GLC Flag:</b>	No	
<b>EPA CERCLIS ID:</b>				<b>Offsite Impact Flg:</b>	No	
<b>FID:</b>	415088740			<b>Petrol Ust Flag:</b>	No	
<b>Start Date:</b>	2011-05-24			<b>PFAS Flag:</b>	No	
<b>End Date:</b>	2011-05-24			<b>RFR Flag:</b>	No	
<b>Last Action:</b>	2011-05-24			<b>Row Impact Flag:</b>	No	
<b>Risk Code:</b>				<b>Sediments Flag:</b>	No	
<b>Acres:</b>				<b>SUDZ Flag:</b>	No	
<b>Acres 100:</b>				<b>VPLE COC Flag:</b>	No	
<b>Juris:</b>	DNR RR			<b>WAM Flag:</b>	No	
<b>NPL Flag:</b>	No			<b>CO Flag:</b>	No	
<b>DCOM DB Track Flag:</b>				<b>SFR Flag:</b>	No	
<b>PECFA Eligible Flg:</b>	No			<b>Latitude:</b>	44.841083304	
<b>AST Flag:</b>	No			<b>Longitude:</b>	-87.423723214	
<b>Drycleaner Flag:</b>	No					
<b>WDOT Flag:</b>		No				
<b>WDOT Desc:</b>						
<b>Activity Name:</b>		DOOR CNTY - CHERRYLAND AIRPORT				
<b>Activity Detail Addr:</b>		ENTIRE DOCUMENTATION FOR ACTIVITY UNDER THE DOCUMENTS MODULE; UST CLOSURE - NO SI NEEDED. 1 - 12,000 GAL JET FUEL & 1 - 10,000 GAL AV-GAS.				
<b>Activity Comment:</b>						

**Action Information**

**Action Date:** 2011-05-24  
**Action Code:** 1  
**Action Name:** Notification of Hazardous Substance Discharge  
**Action Desc:** Date DNR received notice of a discharge of a hazardous substance under s. 292.11 Wis. Stats. Discharge was discovered during an environmental assessment or laboratory analysis of soil, sediment, groundwater or vapor samples. Includes historic contamination.

**Action Comment:**

**Action Date:** 2011-05-24  
**Action Code:** 801  
**Action Name:** No Action Required (NAR) determination  
**Action Desc:** Date of DNR determination that no action is required (NAR) or limited actions were necessary when laboratory results indicated no detect to low level contamination.

**Action Comment:**

**Action Date:** 2011-05-09  
**Action Code:** 33  
**Action Name:** Tank System Site Assessment (TSSA) Report Received  
**Action Desc:** Date DNR received a tank system site assessment (TSSA) regarding tank closure or change in services for an above-ground or underground tank system.

**Action Comment:**

**WHO Information**

**Org Flag:** Yes  
**Role Desc:** Owner  
**Full Name:** DOOR COUNTY - CHERRYLAND AIRPORT  
**Address 1:** 3538 PARK DR  
**Address 2:**  
**City:** STURGEON BAY  
**State Abbr:** WI  
**Postal Code:** 54235  
**Composite Address:** STURGEON BAY, WI 54235  
**Country Name:** UNITED STATES  
**Email:** NA

**Org Flag:** No  
**Role Desc:** DNR File Contact  
**Full Name:** DENISE DANELSKI

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Address 1:		2984 SHAWANO AVE				
Address 2:						
City:		GREEN BAY				
State Abbr:		WI				
Postal Code:		54313-6727				
Composite Address:		GREEN BAY, WI 54313				
Country Name:		UNITED STATES				
Email:		denise.danelski@wisconsin.gov				

<a href="#">2</a>	1 of 7	SW	0.02 / 90.91	728.98 / 9	DOOR CNTY - CHERRYLAND AIRPORT 3538 PARK DR STURGEON BAY WI	LUST
-------------------	--------	----	--------------	------------	-------------------------------------------------------------------	------

Site ID:	23736000	County Code:	15
BRRTS No:		County:	Door
Region:	NE		
Database Source:	BRRTS Bulk data download; DNR Bureau for Remediation and Redevelopment Tracking System (BOTW) (Web)		

**Facility Activity Information**

Detail Seq No:	105759	CO Contam Flag:	No
Act Code:	340	Geo Located Flag:	Yes
Activity Type:	LUST	GIS Registry Flag:	
Activity No:	0315105759	GIS Area Point Flg:	No
Activit Display No:	03-15-105759	PLSS:	NWSE0227N25E
Status Code:	C	PECFA No:	54235901118
Status:	CLOSED	PECFA Occurrenc ID:	
DCOM No:		DERF Flag:	No
Comm Occurrence ID:		GLC Flag:	No
EPA CERCLIS ID:		Offsite Impact Flg:	No
FID:	415088740	Petrol Ust Flag:	Yes
Start Date:	1996-07-02	PFAS Flag:	No
End Date:	1997-09-30	RFR Flag:	No
Last Action:	2013-07-02	Row Impact Flag:	No
Risk Code:		Sediments Flag:	No
Acres:		SUDZ Flag:	No
Acres 100:		VPLE COC Flag:	No
Juris:	DNR RR	WAM Flag:	No
NPL Flag:	No	CO Flag:	No
DCOM DB Track Flag:		SFR Flag:	No
PECFA Eligible Flg:	Yes	Latitude:	44.841740985
AST Flag:	No	Longitude:	-87.424718778
Drycleaner Flag:	No		
WDOT Flag:	No		
WDOT Desc:			
Activity Name:	CHERRYLAND AIRPORT - NEW TERMINAL		
Activity Detail Addr:	3418 PARK DR		
Activity Comments:	***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE – SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***		

**Action Information**

Action Date:	1997-09-30
Action Code:	11
Action Name:	Activity Closed
Action Desc:	Date DNR sends a letter approving the final closure of an activity based on data provided and compliance with NR 726 and 727. No further investigation or remediation is required at this time.
Action Comment:	*** NR726 Closure from Commerce Data Interchange ***
Action Date:	1997-02-05
Action Code:	30
Action Name:	Site Investigation Workplan (SIWP) Notice to Proceed (NTP)
Action Desc:	Date DNR provided a notice to proceed (NTP) with site investigation activities. This is not an official approval of the workplan and no fee was collected for review. An NTP may be via email or phone call.



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

**Action Comment:**

**Action Date:** 2013-07-02  
**Action Code:** 89  
**Action Name:** DSPTS (formerly Commerce) Transferred Back to DNR  
**Action Desc:** Date the WI Dept of Safety and Professional Services (DSPTS) transfers oversight of activity back to the DNR. DSPTS was part of the Dept of Commerce until 2011.  
**Action Comment:** PECFA PROGRAM TRANSFER 2013-2015 STATE BUDGET

**Action Date:** 1997-08-14  
**Action Code:** 76  
**Action Name:** Activity Transferred to DSPTS (formerly Commerce)  
**Action Desc:** Oversight of medium or low risk petroleum cleanup has been transferred to the WI Dept of Safety and Professional Services (DSPTS). DSPTS was part of the Dept of Commerce until 2011.  
**Action Comment:**

**Action Date:** 1997-08-01  
**Action Code:** 37  
**Action Name:** Site Investigation Report (SIR) Received (non-fee)  
**Action Desc:** Date DNR received a site investigation report (SIR) to determine degree & extent of contamination and form a basis for choosing the appropriate remedial action.  
**Action Comment:**

**Action Date:** 1996-07-16  
**Action Code:** 2  
**Action Name:** Responsible Party (RP) letter sent  
**Action Desc:** Date of DNR letter to responsible party (RP) notifying them of state law responsibilities associated with the investigation and cleanup of a hazardous substance discharge to the environment.  
**Action Comment:** SIWP DUE 9-20-96

**Action Date:** 1996-07-02  
**Action Code:** 1  
**Action Name:** Notification of Hazardous Substance Discharge  
**Action Desc:** Date DNR received notice of a discharge of a hazardous substance under s. 292.11 Wis. Stats. Discharge was discovered during an environmental assessment or laboratory analysis of soil, sediment, groundwater or vapor samples. Includes historic contamination.  
**Action Comment:**

**Action Date:** 1997-02-03  
**Action Code:** 35  
**Action Name:** Site Investigation Workplan (SIWP) Received (non-fee)  
**Action Desc:** Date DNR received a site investigation workplan (SIWP) which states the objectives of the site investigation to determine the degree and extent of contamination.  
**Action Comment:**

**Impacts Information**

**Impact Seq No:**  
**Impact Code:** 05  
**Impact Desc:** Soil Contamination  
**Impact Comment:**  
**Potential Flag:** No

**WHO Information**

**Org Flag:** Yes  
**Role Desc:** Responsible Party  
**Full Name:** DOOR COUNTY  
**Address 1:** 421 NEBRASKA ST  
**Address 2:**  
**City:** STURGEON BAY  
**State Abbr:** WI  
**Postal Code:** 54235-0670  
**Composite Address:** STURGEON BAY, WI 54235  
**Country Name:** UNITED STATES  
**Email:** NA

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Org Flag:</b>		No				
<b>Role Desc:</b>		DNR File Contact				
<b>Full Name:</b>		DENISE DANELSKI				
<b>Address 1:</b>		2984 SHAWANO AVE				
<b>Address 2:</b>						
<b>City:</b>		GREEN BAY				
<b>State Abbr:</b>		WI				
<b>Postal Code:</b>		54313-6727				
<b>Composite Address:</b>		GREEN BAY, WI 54313				
<b>Country Name:</b>		UNITED STATES				
<b>Email:</b>		denise.danelski@wisconsin.gov				

**BRRTS Web List**

<b>FID:</b>	415088740	<b>Start Date:</b>	1996-07-02
<b>Status:</b>	CLOSED	<b>End Date:</b>	1997-09-30
<b>Jurisdiction:</b>	DNR	<b>Address:</b>	3538 PARK DR
<b>Activity Type:</b>	LUST	<b>Municipality:</b>	STURGEON BAY
<b>Activity Name:</b>	CHERRYLAND AIRPORT - NEW TERMINAL		
<b>Comments:</b>	***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE – SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***		

**Facility Activity Information**

<b>Detail Seq No:</b>	105763	<b>CO Contam Flag:</b>	No
<b>Act Code:</b>	340	<b>Geo Located Flag:</b>	Yes
<b>Activity Type:</b>	LUST	<b>GIS Registry Flag:</b>	
<b>Activity No:</b>	0315105763	<b>GIS Area Point Flg:</b>	No
<b>Activit Display No:</b>	03-15-105763	<b>PLSS:</b>	NWSE0227N25E
<b>Status Code:</b>	C	<b>PECFA No:</b>	54235901118
<b>Status:</b>	CLOSED	<b>PECFA Occurenc ID:</b>	
<b>DCOM No:</b>		<b>DERF Flag:</b>	No
<b>Comm Occurrence ID:</b>		<b>GLC Flag:</b>	No
<b>EPA CERCLIS ID:</b>		<b>Offsite Impact Flg:</b>	No
<b>FID:</b>	415088740	<b>Petrol Ust Flag:</b>	Yes
<b>Start Date:</b>	1996-07-02	<b>PFAS Flag:</b>	No
<b>End Date:</b>	1997-03-19	<b>RFR Flag:</b>	No
<b>Last Action:</b>	2013-07-02	<b>Row Impact Flag:</b>	No
<b>Risk Code:</b>		<b>Sediments Flag:</b>	No
<b>Acres:</b>		<b>SUDZ Flag:</b>	No
<b>Acres 100:</b>		<b>VPLE COC Flag:</b>	No
<b>Juris:</b>	DNR RR	<b>WAM Flag:</b>	No
<b>NPL Flag:</b>	No	<b>CO Flag:</b>	No
<b>DCOM DB Track Flag:</b>		<b>SFR Flag:</b>	No
<b>PECFA Eligible Flg:</b>	No	<b>Latitude:</b>	44.842125007
<b>AST Flag:</b>	No	<b>Longitude:</b>	-87.42536832
<b>Drycleaner Flag:</b>	No		
<b>WDOT Flag:</b>	No		
<b>WDOT Desc:</b>			
<b>Activity Name:</b>	CHERRYLAND AIRPORT - PARKS BLDG		
<b>Activity Detail Addr:</b>	3418 PARK DR		
<b>Activity Comments:</b>	***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE – SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***		

**Action Information**

<b>Action Date:</b>	1996-07-16
<b>Action Code:</b>	2
<b>Action Name:</b>	Responsible Party (RP) letter sent
<b>Action Desc:</b>	Date of DNR letter to responsible party (RP) notifying them of state law responsibilities associated with the investigation and cleanup of a hazardous substance discharge to the environment.
<b>Action Comment:</b>	SIWP DUE 9-20-96

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Action Date:</b>			2013-07-02			
<b>Action Code:</b>			89			
<b>Action Name:</b>			DSPS (formerly Commerce) Transferred Back to DNR			
<b>Action Desc:</b>			Date the WI Dept of Safety and Professional Services (DSPS) transfers oversight of activity back to the DNR. DSPS was part of the Dept of Commerce until 2011.			
<b>Action Comment:</b>			PECFA PROGRAM TRANSFER 2013-2015 STATE BUDGET			
<b>Action Date:</b>			1996-07-02			
<b>Action Code:</b>			1			
<b>Action Name:</b>			Notification of Hazardous Substance Discharge			
<b>Action Desc:</b>			Date DNR received notice of a discharge of a hazardous substance under s. 292.11 Wis. Stats. Discharge was discovered during an environmental assessment or laboratory analysis of soil, sediment, groundwater or vapor samples. Includes historic contamination.			
<b>Action Comment:</b>						
<b>Action Date:</b>			1997-03-19			
<b>Action Code:</b>			83			
<b>Action Name:</b>			No Further Action Required per NR 708.09			
<b>Action Desc:</b>			Date DNR determined that no further action is required and the Activity is closed per NR 708.09. The Responsible Party (RP) has taken limited actions but was not required to conduct an NR 716 investigation. The site is not closed out under NR 726. No letter was issued unless a fee was paid.			
<b>Action Comment:</b>			*** NR708 from Commerce Data Interchange ***			
<b>Action Date:</b>			1997-02-19			
<b>Action Code:</b>			76			
<b>Action Name:</b>			Activity Transferred to DSPS (formerly Commerce)			
<b>Action Desc:</b>			Oversight of medium or low risk petroleum cleanup has been transferred to the WI Dept of Safety and Professional Services (DSPS). DSPS was part of the Dept of Commerce until 2011.			
<b>Action Comment:</b>						
<b>Action Date:</b>			1997-02-17			
<b>Action Code:</b>			37			
<b>Action Name:</b>			Site Investigation Report (SIR) Received (non-fee)			
<b>Action Desc:</b>			Date DNR received a site investigation report (SIR) to determine degree & extent of contamination and form a basis for choosing the appropriate remedial action.			
<b>Action Comment:</b>			REQUEST CLOSEOUT			
<b>Action Date:</b>			1997-03-19			
<b>Action Code:</b>			11			
<b>Action Name:</b>			Activity Closed			
<b>Action Desc:</b>			Date DNR sends a letter approving the final closure of an activity based on data provided and compliance with NR 726 and 727. No further investigation or remediation is required at this time.			
<b>Action Comment:</b>			*** NR708 Closure from Commerce Data Interchange ***			
<b><u>Impacts Information</u></b>						
<b>Impact Seq No:</b>						
<b>Impact Code:</b>			05			
<b>Impact Desc:</b>			Soil Contamination			
<b>Impact Comment:</b>						
<b>Potential Flag:</b>			No			
<b><u>WHO Information</u></b>						
<b>Org Flag:</b>			Yes			
<b>Role Desc:</b>			Responsible Party			
<b>Full Name:</b>			DOOR COUNTY			
<b>Address 1:</b>			421 NEBRASKA ST			
<b>Address 2:</b>						
<b>City:</b>			STURGEON BAY			
<b>State Abbr:</b>			WI			
<b>Postal Code:</b>			54235-0670			
<b>Composite Address:</b>			STURGEON BAY, WI 54235			
<b>Country Name:</b>			UNITED STATES			
<b>Email:</b>			NA			
<b>Org Flag:</b>			No			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Role Desc:</b>		DNR File Contact				
<b>Full Name:</b>		DENISE DANELSKI				
<b>Address 1:</b>		2984 SHAWANO AVE				
<b>Address 2:</b>						
<b>City:</b>		GREEN BAY				
<b>State Abbr:</b>		WI				
<b>Postal Code:</b>		54313-6727				
<b>Composite Address:</b>		GREEN BAY, WI 54313				
<b>Country Name:</b>		UNITED STATES				
<b>Email:</b>		denise.danelski@wisconsin.gov				

**BRRTS Web List**

<b>FID:</b>	415088740	<b>Start Date:</b>	1996-07-02
<b>Status:</b>	CLOSED	<b>End Date:</b>	1997-03-19
<b>Jurisdiction:</b>	DNR	<b>Address:</b>	3538 PARK DR
<b>Activity Type:</b>	LUST	<b>Municipality:</b>	STURGEON BAY
<b>Activity Name:</b>	CHERRYLAND AIRPORT - PARKS BLDG		
<b>Comments:</b>	***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE – SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***		

<a href="#">2</a>	2 of 7	SW	0.02 / 90.91	728.98 / 9	CHERRYLAND AIRPORT - NEW TERMINAL 3538 Park Dr Sturgeon Bay WI	CRS
<b>Facility ID No:</b>	415088740	<b>Loc Meth:</b>	Interpreted based on site records			
<b>Detail Seq No:</b>	105759	<b>Sediments:</b>	No			
<b>Activity Detail No:</b>	0315105759	<b>Has Contin Oblig:</b>	No			
<b>Act Code:</b>	340	<b>Has Offsite:</b>	No			
<b>Start Date:</b>	1996-07-02 24:00:00 UTC	<b>WTM91 X AMT:</b>	723530			
<b>End Date:</b>	1997-09-30 24:00:00 UTC	<b>WTM91 Y AMT:</b>	488596.56			
<b>Point Rep:</b>	Contaminant source					

<a href="#">2</a>	3 of 7	SW	0.02 / 90.91	728.98 / 9	CHERRYLAND AIRPORT - PARKS BLDG 3538 Park Dr Sturgeon Bay WI	CRS
<b>Facility ID No:</b>	415088740	<b>Loc Meth:</b>	Interpreted based on site records			
<b>Detail Seq No:</b>	105763	<b>Sediments:</b>	No			
<b>Activity Detail No:</b>	0315105763	<b>Has Contin Oblig:</b>	No			
<b>Act Code:</b>	340	<b>Has Offsite:</b>	No			
<b>Start Date:</b>	1996-07-02 24:00:00 UTC	<b>WTM91 X AMT:</b>	723477.31			
<b>End Date:</b>	1997-03-19 24:00:00 UTC	<b>WTM91 Y AMT:</b>	488637.59			
<b>Point Rep:</b>	Contaminant source					

<a href="#">2</a>	4 of 7	SW	0.02 / 90.91	728.98 / 9	ORION FLIGHT SERVICES, INC. 3538 PARK DRIVE STURGEON BAY WI 54235	TIER 2
<b>Facility ID:</b>	136419	<b>Country:</b>	US			
<b>Facility Status:</b>	INACTIVE	<b>No of Chemicals:</b>	2			
<b>Facility Type:</b>	Facility	<b>No of EHS Chemicals:</b>	0			
<b>NAICS:</b>		<b>Avg Daily Amt Unit:</b>	lbs			
<b>Company Name:</b>	IDSi					
<b>No of EHS More Than TPQ:</b>	0					

**Tier 2 Facilities Details**

<b>CAS No:</b>	N/A	<b>Is Explosive:</b>	No
----------------	-----	----------------------	----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
No of Days Onsite:	365				Is Flammable:	No
Max Daily Amount:	0				Is Physical HNOC:	No
Is Pure:	No				Organic Peroxide:	No
Is EHS:	No				Is Oxidizer:	No
Is Mix:	Yes				Is Pyrophoric Gas:	No
Is Solid State:	No				Is Self Heating:	No
Is Liquid State:	Yes				Is Self Reactive:	No
Is Reactive Haz:	No				Is Acute Toxicity:	No
Is Immediate Haz:	Yes				Is Aspiration Haz:	No
Is Delayed Hazard:	No				Is Carcinogenic:	No
Combustible Dust:	No				Is Health HNOC:	No

EHS Name:  
**Chemical Name:** AVIATION JET A  
**Sudden Release Pressure Haz:** No  
**Corrosive to Metal:** No  
**Gas Under Pressure:** No  
**Emission of Gas with Water:** No  
**Is Pyrophoric Liquid or Solid:** No  
**Is Germ Cell Mutagenicity:** No  
**Is Reproductive Toxicity:** No  
**Respiratory Skin Sensitize:** No  
**Serious Eye Damage Irritation:** No  
**Is Simple Asphyxiant:** No  
**Skin Corrosion or Irritation:** No  
**Specific Target Organ Toxic:** No

**Tier 2 Facilities Details**

CAS No:	N/A				Is Explosive:	No
No of Days Onsite:	365				Is Flammable:	No
Max Daily Amount:	0				Is Physical HNOC:	No
Is Pure:	No				Organic Peroxide:	No
Is EHS:	No				Is Oxidizer:	No
Is Mix:	Yes				Is Pyrophoric Gas:	No
Is Solid State:	No				Is Self Heating:	No
Is Liquid State:	Yes				Is Self Reactive:	No
Is Reactive Haz:	No				Is Acute Toxicity:	No
Is Immediate Haz:	Yes				Is Aspiration Haz:	No
Is Delayed Hazard:	No				Is Carcinogenic:	No
Combustible Dust:	No				Is Health HNOC:	No

EHS Name:  
**Chemical Name:** AVIATION 100LL  
**Sudden Release Pressure Haz:** No  
**Corrosive to Metal:** No  
**Gas Under Pressure:** No  
**Emission of Gas with Water:** No  
**Is Pyrophoric Liquid or Solid:** No  
**Is Germ Cell Mutagenicity:** No  
**Is Reproductive Toxicity:** No  
**Respiratory Skin Sensitize:** No  
**Serious Eye Damage Irritation:** No  
**Is Simple Asphyxiant:** No  
**Skin Corrosion or Irritation:** No  
**Specific Target Organ Toxic:** No

<b>2</b>	5 of 7	SW	0.02 / 90.91	728.98 / 9	Door County - Cherryland Airport 3538 Park Dr Sturgeon Bay WI 54235	UST
----------	--------	----	--------------	------------	---------------------------------------------------------------------------	-----

**License No:** 414469  
**Facility Ref No:** 647670|678791  
**Fire Department ID:** 1509  
**License Type:** Permit  
**License:** Underground Storage Tank Permit(s) to Operate  
**Licensee:** DOOR COUNTY - CHERRYLAND AIRPORT

**Expiration Date:** 2/28/2024 12:00:00 AM  
**Fire Department Nm:** Southern Door  
**Municipality Name:** Town of Nasewaupée  
**Property County:** Door County



Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Tank Details**

<b>Tank ID:</b>	56728	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283672 150900128	<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900128	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>		<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	6000.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Coated Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	145692	<b>UST Manifolded:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Unknown
<b>Wall Type:</b>	Single	<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

**Tank Details**

<b>Tank ID:</b>	103640	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283796 150900261	<b>Leak Detection:</b>	Automatic Tank Gauge
<b>Equipment Wang ID:</b>	150900261	<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Diesel	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	10/1/1989 12:00:00 AM	<b>Overfill Protect Type:</b>	90alrm95auto
<b>Capacity:</b>	4000.00	<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Construction Material:</b>	Fiberglass or Poly	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	203079	<b>UST Manifolded:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>	Safe Suction	<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>	Single	<b>Corrosion Protection:</b>	Not Applicable
<b>Construction Material:</b>	Fiberglass or Poly	<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

**Tank Details**

<b>Tank ID:</b>	60312	<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	283670 150900126	<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900126	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Fuel Oil	<b>Spill Protection:</b>	Not Installed

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Tank Occupancy:</b>	Mercantile/Commercial				<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>					<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	10000.00				<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Coated Steel				<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single				<b>Lining Inspect Date:</b>	
<b><u>Pipe Details</u></b>						
<b>Related Tank ID:</b>	149225				<b>UST Manifolder:</b>	No
<b>Status:</b>	Closed/Removed				<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)				<b>Leak Test Method:</b>	
<b>System Type:</b>					<b>Leak Detection:</b>	Unknown
<b>Wall Type:</b>	Single				<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Unknown				<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>					<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No				<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes					
<b><u>Tank Details</u></b>						
<b>Tank ID:</b>	59405				<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283799 150900264				<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900264				<b>Leak Test Method:</b>	
<b>CAS No:</b>					<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed				<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank				<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Other				<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>					<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	10000.00				<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel				<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single				<b>Lining Inspect Date:</b>	
<b><u>Pipe Details</u></b>						
<b>Related Tank ID:</b>	148332				<b>UST Manifolder:</b>	No
<b>Status:</b>	Closed/Removed				<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)				<b>Leak Test Method:</b>	
<b>System Type:</b>					<b>Leak Detection:</b>	Unknown
<b>Wall Type:</b>	Single				<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel				<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>					<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No				<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes					
<b><u>Tank Details</u></b>						
<b>Tank ID:</b>	59417				<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283674 150900130				<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900130				<b>Leak Test Method:</b>	
<b>CAS No:</b>					<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed				<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank				<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government				<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>					<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	10000.00				<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Coated Steel				<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single				<b>Lining Inspect Date:</b>	
<b><u>Pipe Details</u></b>						
<b>Related Tank ID:</b>	148344				<b>UST Manifolder:</b>	No

<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Unknown
<b>Wall Type:</b>	Single	<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Unknown	<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

**Tank Details**

<b>Tank ID:</b>	62241	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283669 150900125	<b>Leak Detection:</b>	Automatic Tank Gauge
<b>Equipment Wang ID:</b>	150900125	<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	1/1/1980 12:00:00 AM	<b>Overfill Protect Type:</b>	Alarm
<b>Capacity:</b>	12000.00	<b>Corrosion Protect Ty:</b>	Impressed Current
<b>Construction Material:</b>	Lined Steel	<b>Date of Lining:</b>	11/13/1997 12:00:00 AM
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	163508	<b>UST ManifolDED:</b>	No
<b>Status:</b>	In Use	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>	Safe Suction	<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>	Double	<b>Corrosion Protection:</b>	Not Applicable
<b>Construction Material:</b>	Flexible	<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

**Tank Details**

<b>Tank ID:</b>	54917	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283673 150900129	<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900129	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Diesel	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>		<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	4000.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Coated Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	143911	<b>UST ManifolDED:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Unknown
<b>Wall Type:</b>	Single	<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Tank Details**

<b>Tank ID:</b>	59481	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283668 150900124	<b>Leak Detection:</b>	Automatic Tank Gauge
<b>Equipment Wang ID:</b>	150900124	<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	1/1/1984 12:00:00 AM	<b>Overfill Protect Type:</b>	Alarm
<b>Capacity:</b>	10000.00	<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Construction Material:</b>	Fiberglass or Poly	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	148408	<b>UST Manifolded:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>	Safe Suction	<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>	Double	<b>Corrosion Protection:</b>	Not Applicable
<b>Construction Material:</b>	Flexible	<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

**Tank Details**

<b>Tank ID:</b>	111009	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	1296639	<b>Leak Detection:</b>	Interstitial Monitor - Electronic
<b>Equipment Wang ID:</b>		<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	In Use	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	1/11/2011 12:00:00 AM	<b>Overfill Protect Type:</b>	90alrm95auto
<b>Capacity:</b>	12000.00	<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Construction Material:</b>	Fiberglass or Poly	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	210386	<b>UST Manifolded:</b>	No
<b>Status:</b>	In Use	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>	Safe Suction	<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>	Single	<b>Corrosion Protection:</b>	Not Applicable
<b>Construction Material:</b>	Bare Steel	<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	Yes	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**Tank Details**

<b>Tank ID:</b>	41911	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283671 150900127	<b>Leak Detection:</b>	Manual Tank Gauging
<b>Equipment Wang ID:</b>	150900127	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Other	<b>Overfill Protection:</b>	Not Installed

<b>Install Date:</b>				<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	300.00			<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel			<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single			<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	131098			<b>UST Manifolder:</b>	No
<b>Status:</b>	Closed/Removed			<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)			<b>Leak Test Method:</b>	
<b>System Type:</b>	Safe Suction			<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>	Single			<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel			<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>				<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No			<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes				

**Tank Details**

<b>Tank ID:</b>	49371			<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	283798 150900263			<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900263			<b>Leak Test Method:</b>	
<b>CAS No:</b>				<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed			<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank			<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Fuel Oil			<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Other			<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>				<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	1000.00			<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel			<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single			<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	138442			<b>UST Manifolder:</b>	No
<b>Status:</b>	Closed/Removed			<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)			<b>Leak Test Method:</b>	
<b>System Type:</b>	Non-Safe Suction			<b>Leak Detection:</b>	Inventory Control/Tightness Testing
<b>Wall Type:</b>	Single			<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel			<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>				<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No			<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes				

**Tank Details**

<b>Tank ID:</b>	111008			<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	1296632			<b>Leak Detection:</b>	Interstitial Monitor - Electronic
<b>Equipment Wang ID:</b>				<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>				<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	In Use			<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank			<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Aviation Fuel			<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales			<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	1/11/2011 12:00:00 AM			<b>Overfill Protect Type:</b>	90alrm95auto
<b>Capacity:</b>	12000.00			<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Construction Material:</b>	Fiberglass or Poly			<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double			<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	210385			<b>UST Manifolder:</b>	No
<b>Status:</b>	In Use			<b>Flex Connector:</b>	No



Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:	Piping (Storage Tank)				<b>Leak Test Method:</b>	
System Type:	Safe Suction				<b>Leak Detection:</b>	Not Required
Wall Type:	Single				<b>Corrosion Protection:</b>	Not Applicable
Construction Material:	Bare Steel				<b>Latest Test Name:</b>	
Catastroph Leak Detn:					<b>Latest Test Date:</b>	
Aboveground Piping:	Yes				<b>Latest Test Expire Dt:</b>	
Underground Piping:	No					

#### Tank Details

Tank ID:	104154	<b>Federally Regulated:</b>	Yes
Tank Reference No:	283797 150900262	<b>Leak Detection:</b>	Automatic Tank Gauge
Equipment Wang ID:	150900262	<b>Leak Test Method:</b>	Monthly Monitoring
CAS No:		<b>Contain Sump Install:</b>	No
Tank Status:	Closed/Removed	<b>Dispen Sump Install:</b>	No
Tank Type:	Underground Storage Tank	<b>Marketer:</b>	Yes
Tank Contents:	Unleaded Gasoline	<b>Spill Protection:</b>	Installed
Tank Occupancy:	Government	<b>Overfill Protection:</b>	Installed
Install Date:	10/1/1989 12:00:00 AM	<b>Overfill Protect Type:</b>	90alrm95auto
Capacity:	4000.00	<b>Corrosion Protect Ty:</b>	Not Applicable
Construction Material:	Fiberglass or Poly	<b>Date of Lining:</b>	
Wall Size:	Single	<b>Lining Inspect Date:</b>	

#### Pipe Details

Related Tank ID:	203592	<b>UST Manifolded:</b>	No
Status:	Closed/Removed	<b>Flex Connector:</b>	No
Type:	Piping (Storage Tank)	<b>Leak Test Method:</b>	
System Type:	Safe Suction	<b>Leak Detection:</b>	Not Required
Wall Type:	Single	<b>Corrosion Protection:</b>	Not Applicable
Construction Material:	Fiberglass or Poly	<b>Latest Test Name:</b>	
Catastroph Leak Detn:		<b>Latest Test Date:</b>	
Aboveground Piping:	No	<b>Latest Test Expire Dt:</b>	
Underground Piping:	Yes		

#### MyDATCP Storage Tank Search - Tank Details

Tank ID:	111008	<b>Corrosion Protect Ty:</b>	Not Applicable
Wang ID:		<b>Overfill Protect Type:</b>	90alrm95auto
CAS No:		<b>Construction Material:</b>	Fiberglass or Poly
Tank Status:	In Use, PTO Expiration: 2024-02-28	<b>Capacity in Gallons:</b>	12,000
Install Date:	01/11/2011	<b>Marketer:</b>	Yes
Tank Type:	Underground Storage Tank	<b>Spill Protection:</b>	Installed
Tank Occupancy:	Retail Fuel Sales	<b>Date of Lining:</b>	
Wall Type:	Double	<b>Contents:</b>	Aviation Fuel
Federally Regulated:	Yes	<b>Overfill Protection:</b>	Installed
Leak Detection:	Interstitial Monitor - Electronic	<b>Lining Inspect Date:</b>	
Leak Test Method:	Monthly Monitoring	<b>Underground Piping:</b>	No
Contain Sump Install:	No		

Tank ID:	41911	<b>Corrosion Protect Ty:</b>	Not Installed
Wang ID:	150900127	<b>Overfill Protect Type:</b>	Bare Steel
CAS No:		<b>Construction Material:</b>	300
Tank Status:	Closed/Removed as of 1997-11-10	<b>Capacity in Gallons:</b>	Yes
Install Date:		<b>Marketer:</b>	Not Installed
Tank Type:	Underground Storage Tank	<b>Spill Protection:</b>	Not Installed
Tank Occupancy:	Other	<b>Date of Lining:</b>	
Wall Type:	Single	<b>Contents:</b>	Aviation Fuel
Federally Regulated:	Yes	<b>Overfill Protection:</b>	Not Installed
Leak Detection:	Manual Tank Gauging	<b>Lining Inspect Date:</b>	
Leak Test Method:		<b>Underground Piping:</b>	No
Contain Sump Install:	No		

Tank ID:	49371	<b>Corrosion Protect Ty:</b>	
Wang ID:	150900263	<b>Overfill Protect Type:</b>	Not Installed

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>CAS No:</b>					<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	Closed/Removed as of 1997-11-10				<b>Capacity in Gallons:</b>	1,000
<b>Install Date:</b>					<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Other				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Fuel Oil
<b>Federally Regulated:</b>	No				<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	59481				<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Wang ID:</b>	150900124				<b>Overfill Protect Type:</b>	Alarm
<b>CAS No:</b>					<b>Construction Material:</b>	Fiberglass or Poly
<b>Tank Status:</b>	Closed/Removed as of 2011-03-30				<b>Capacity in Gallons:</b>	10,000
<b>Install Date:</b>	01/01/1984				<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Aviation Fuel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Automatic Tank Gauge				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>	Monthly Monitoring				<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	104154				<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Wang ID:</b>	150900262				<b>Overfill Protect Type:</b>	90alrm95auto
<b>CAS No:</b>					<b>Construction Material:</b>	Fiberglass or Poly
<b>Tank Status:</b>	Closed/Removed as of 2019-04-16				<b>Capacity in Gallons:</b>	4,000
<b>Install Date:</b>	10/01/1989				<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Unleaded Gasoline
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Automatic Tank Gauge				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>	Monthly Monitoring				<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	111009				<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Wang ID:</b>					<b>Overfill Protect Type:</b>	90alrm95auto
<b>CAS No:</b>					<b>Construction Material:</b>	Fiberglass or Poly
<b>Tank Status:</b>	In Use, PTO Expiration: 2024-02-28				<b>Capacity in Gallons:</b>	12,000
<b>Install Date:</b>	01/11/2011				<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double				<b>Contents:</b>	Aviation Fuel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Interstitial Monitor - Electronic				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>	Monthly Monitoring				<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	59417				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900130				<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>					<b>Construction Material:</b>	Coated Steel
<b>Tank Status:</b>	Closed/Removed as of 1989-10-05				<b>Capacity in Gallons:</b>	10,000
<b>Install Date:</b>					<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Aviation Fuel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	60312				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900126				<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>					<b>Construction Material:</b>	Coated Steel
<b>Tank Status:</b>	Closed/Removed				<b>Capacity in Gallons:</b>	10,000
<b>Install Date:</b>					<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Not Installed

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Tank Occupancy:</b>	Mercantile/Commercial				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Fuel Oil
<b>Federally Regulated:</b>	No				<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	54917				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900129				<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>					<b>Construction Material:</b>	Coated Steel
<b>Tank Status:</b>	Closed/Removed as of 1989-10-05				<b>Capacity in Gallons:</b>	4,000
<b>Install Date:</b>					<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Diesel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	103640				<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Wang ID:</b>	150900261				<b>Overfill Protect Type:</b>	90alrm95auto
<b>CAS No:</b>					<b>Construction Material:</b>	Fiberglass or Poly
<b>Tank Status:</b>	Closed/Removed as of 2019-04-16				<b>Capacity in Gallons:</b>	4,000
<b>Install Date:</b>	10/01/1989				<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Diesel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Automatic Tank Gauge				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>	Monthly Monitoring				<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	56728				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900128				<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>					<b>Construction Material:</b>	Coated Steel
<b>Tank Status:</b>	Closed/Removed as of 1989-10-05				<b>Capacity in Gallons:</b>	6,000
<b>Install Date:</b>					<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Aviation Fuel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	59405				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900264				<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>					<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	Closed/Removed as of 1979-01-01				<b>Capacity in Gallons:</b>	10,000
<b>Install Date:</b>					<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Other				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Single				<b>Contents:</b>	Aviation Fuel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	62241				<b>Corrosion Protect Ty:</b>	Impressed Current
<b>Wang ID:</b>	150900125				<b>Overfill Protect Type:</b>	Alarm
<b>CAS No:</b>					<b>Construction Material:</b>	Lined Steel
<b>Tank Status:</b>	Closed/Removed as of 2011-03-30				<b>Capacity in Gallons:</b>	12,000
<b>Install Date:</b>	01/01/1980				<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Underground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Retail Fuel Sales				<b>Date of Lining:</b>	11/13/1997
<b>Wall Type:</b>	Single				<b>Contents:</b>	Aviation Fuel
<b>Federally Regulated:</b>	Yes				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Automatic Tank Gauge				<b>Lining Inspect Date:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

<b>Leak Test Method:</b>	Monthly Monitoring	<b>Underground Piping:</b>	Yes
<b>Contain Sump Install:</b>	No		

**MyDATCP Storage Tank Search - Owner Details**

**Site Anniversary Date:** February 28  
**Owner Name:** Door County - Cherryland Airport  
**Owner Address1:** 3538 Park Dr  
**Owner Address2:**  
**Owner City:** Sturgeon Bay  
**Owner State:** WI  
**Owner Zip:** 54235-9011

<b>2</b>	6 of 7	SW	0.02 / 90.91	728.98 / 9	DOOR COUNTY CHERRYLAND AIRPORT 3538 PARK DRIVE STURGEON BAY WI 54235	TIER 2
----------	--------	----	--------------	------------	----------------------------------------------------------------------------	--------

<b>Facility ID:</b>	136146	<b>Country:</b>	US
<b>Facility Status:</b>	ACTIVE	<b>No of Chemicals:</b>	4
<b>Facility Type:</b>	Facility	<b>No of EHS Chemicals:</b>	0
<b>NAICS:</b>	488190	<b>Avg Daily Amt Unit:</b>	lbs
<b>Company Name:</b>			
<b>No of EHS More Than TPQ:</b>	0		

**Tier 2 Facilities Details**

<b>CAS No:</b>	8006619	<b>Is Explosive:</b>	No
<b>No of Days Onsite:</b>	365	<b>Is Flammable:</b>	Yes
<b>Max Daily Amount:</b>	2332.39	<b>Is Physical HNOC:</b>	No
<b>Is Pure:</b>	No	<b>Organic Peroxide:</b>	No
<b>Is EHS:</b>	No	<b>Is Oxidizer:</b>	No
<b>Is Mix:</b>	Yes	<b>Is Pyrophoric Gas:</b>	No
<b>Is Solid State:</b>	No	<b>Is Self Heating:</b>	No
<b>Is Liquid State:</b>	Yes	<b>Is Self Reactive:</b>	No
<b>Is Reactive Haz:</b>	No	<b>Is Acute Toxicity:</b>	No
<b>Is Immediate Haz:</b>	No	<b>Is Aspiration Haz:</b>	Yes
<b>Is Delayed Hazard:</b>	No	<b>Is Carcinogenic:</b>	No
<b>Combustible Dust:</b>	No	<b>Is Health HNOC:</b>	No
<b>EHS Name:</b>			
<b>Chemical Name:</b>	UNLEADED GASOLINE		
<b>Sudden Release Pressure Haz:</b>	No		
<b>Corrosive to Metal:</b>	No		
<b>Gas Under Pressure:</b>	No		
<b>Emission of Gas with Water:</b>	No		
<b>Is Pyrophoric Liquid or Solid:</b>	No		
<b>Is Germ Cell Mutagenicity:</b>	No		
<b>Is Reproductive Toxicity:</b>	No		
<b>Respiratory Skin Sensitize:</b>	No		
<b>Serious Eye Damage Irritation:</b>	Yes		
<b>Is Simple Asphyxiant:</b>	No		
<b>Skin Corrosion or Irritation:</b>	Yes		
<b>Specific Target Organ Toxic:</b>	No		

**Tier 2 Facilities Details**

<b>CAS No:</b>	N/A	<b>Is Explosive:</b>	No
<b>No of Days Onsite:</b>	365	<b>Is Flammable:</b>	Yes
<b>Max Daily Amount:</b>	56644	<b>Is Physical HNOC:</b>	No
<b>Is Pure:</b>	Yes	<b>Organic Peroxide:</b>	No
<b>Is EHS:</b>	No	<b>Is Oxidizer:</b>	No
<b>Is Mix:</b>	No	<b>Is Pyrophoric Gas:</b>	No
<b>Is Solid State:</b>	No	<b>Is Self Heating:</b>	No
<b>Is Liquid State:</b>	Yes	<b>Is Self Reactive:</b>	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

<i>Is Reactive Haz:</i>	No				<i>Is Acute Toxicity:</i>	No
<i>Is Immediate Haz:</i>	No				<i>Is Aspiration Haz:</i>	Yes
<i>Is Delayed Hazard:</i>	No				<i>Is Carcinogenic:</i>	No
<i>Combustible Dust:</i>	No				<i>Is Health HNOC:</i>	No

**EHS Name:**  
**Chemical Name:** 100 LL AVIATION GASOLINE  
**Sudden Release Pressure Haz:** No  
**Corrosive to Metal:** No  
**Gas Under Pressure:** No  
**Emission of Gas with Water:** No  
**Is Pyrophoric Liquid or Solid:** No  
**Is Germ Cell Mutagenicity:** No  
**Is Reproductive Toxicity:** No  
**Respiratory Skin Sensitize:** No  
**Serious Eye Damage Irritation:** No  
**Is Simple Asphyxiant:** No  
**Skin Corrosion or Irritation:** Yes  
**Specific Target Organ Toxic:** No

**Tier 2 Facilities Details**

<b>CAS No:</b>	68334305	<b>Is Explosive:</b>	No
<b>No of Days Onsite:</b>	365	<b>Is Flammable:</b>	Yes
<b>Max Daily Amount:</b>	4198.32	<b>Is Physical HNOC:</b>	No
<b>Is Pure:</b>	Yes	<b>Organic Peroxide:</b>	No
<b>Is EHS:</b>	No	<b>Is Oxidizer:</b>	No
<b>Is Mix:</b>	No	<b>Is Pyrophoric Gas:</b>	No
<b>Is Solid State:</b>	No	<b>Is Self Heating:</b>	No
<b>Is Liquid State:</b>	Yes	<b>Is Self Reactive:</b>	No
<b>Is Reactive Haz:</b>	No	<b>Is Acute Toxicity:</b>	No
<b>Is Immediate Haz:</b>	No	<b>Is Aspiration Haz:</b>	Yes
<b>Is Delayed Hazard:</b>	No	<b>Is Carcinogenic:</b>	No
<b>Combustible Dust:</b>	No	<b>Is Health HNOC:</b>	No

**EHS Name:**  
**Chemical Name:** LOW SULFUR DIESEL FUEL  
**Sudden Release Pressure Haz:** No  
**Corrosive to Metal:** No  
**Gas Under Pressure:** No  
**Emission of Gas with Water:** No  
**Is Pyrophoric Liquid or Solid:** No  
**Is Germ Cell Mutagenicity:** No  
**Is Reproductive Toxicity:** No  
**Respiratory Skin Sensitize:** No  
**Serious Eye Damage Irritation:** Yes  
**Is Simple Asphyxiant:** No  
**Skin Corrosion or Irritation:** Yes  
**Specific Target Organ Toxic:** No

**Tier 2 Facilities Details**

<b>CAS No:</b>	N/A	<b>Is Explosive:</b>	No
<b>No of Days Onsite:</b>	365	<b>Is Flammable:</b>	Yes
<b>Max Daily Amount:</b>	66640	<b>Is Physical HNOC:</b>	No
<b>Is Pure:</b>	Yes	<b>Organic Peroxide:</b>	No
<b>Is EHS:</b>	No	<b>Is Oxidizer:</b>	No
<b>Is Mix:</b>	No	<b>Is Pyrophoric Gas:</b>	No
<b>Is Solid State:</b>	No	<b>Is Self Heating:</b>	No
<b>Is Liquid State:</b>	Yes	<b>Is Self Reactive:</b>	No
<b>Is Reactive Haz:</b>	No	<b>Is Acute Toxicity:</b>	No
<b>Is Immediate Haz:</b>	No	<b>Is Aspiration Haz:</b>	Yes
<b>Is Delayed Hazard:</b>	No	<b>Is Carcinogenic:</b>	No
<b>Combustible Dust:</b>	No	<b>Is Health HNOC:</b>	No

**EHS Name:**  
**Chemical Name:** AVIATION TURBINE FUEL JET A  
**Sudden Release Pressure Haz:** No  
**Corrosive to Metal:** No  
**Gas Under Pressure:** No



Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Emission of Gas with Water:</b>		No				
<b>Is Pyrophoric Liquid or Solid:</b>		No				
<b>Is Germ Cell Mutagenicity:</b>		No				
<b>Is Reproductive Toxicity:</b>		No				
<b>Respiratory Skin Sensitize:</b>		No				
<b>Serious Eye Damage Irritation:</b>		Yes				
<b>Is Simple Asphyxiant:</b>		No				
<b>Skin Corrosion or Irritation:</b>		Yes				
<b>Specific Target Organ Toxic:</b>		No				

<u>2</u>	7 of 7	SW	0.02 / 90.91	728.98 / 9	Door County - Cherryland Airport 3538 Park Dr Sturgeon Bay WI 54235	AST
----------	--------	----	--------------	------------	---------------------------------------------------------------------------	-----

<b>License No:</b>	414469	<b>Expiration Date:</b>	2/28/2024 12:00:00 AM
<b>Facility Ref No:</b>	647670 678791	<b>Fire Department Nm:</b>	Southern Door
<b>Fire Department ID:</b>	1509	<b>Municipality Name:</b>	Town of Nasewaupée
<b>License Type:</b>	Permit	<b>Property County:</b>	Door County
<b>License:</b>	Underground Storage Tank Permit(s) to Operate		
<b>Licensee:</b>	Door County - Cherryland Airport		

**Tank Details**

<b>Tank ID:</b>	221359	<b>Federally Regulated:</b>	
<b>Tank Reference No:</b>		<b>Leak Detection:</b>	Interstitial Monitor
<b>Equipment Wang ID:</b>		<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	In Use	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Diesel	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	5/30/2019 12:00:00 AM	<b>Overfill Protect Type:</b>	Vent Whistle
<b>Capacity:</b>	600.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double	<b>Lining Inspect Date:</b>	

**Piping Details**

<b>Related Tank ID:</b>		<b>UST Manifolder:</b>	
<b>Status:</b>		<b>Flex Connector:</b>	
<b>Type:</b>		<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>		<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**Tank Details**

<b>Tank ID:</b>	221360	<b>Federally Regulated:</b>	
<b>Tank Reference No:</b>		<b>Leak Detection:</b>	Interstitial Monitor
<b>Equipment Wang ID:</b>		<b>Leak Test Method:</b>	Monthly Monitoring
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	In Use	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank	<b>Marketer:</b>	Yes
<b>Tank Contents:</b>	Unleaded Gasoline	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	5/30/2019 12:00:00 AM	<b>Overfill Protect Type:</b>	Vent Whistle
<b>Capacity:</b>	400.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double	<b>Lining Inspect Date:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Piping Details**

<b>Related Tank ID:</b>		<b>UST Manifolded:</b>	
<b>Status:</b>		<b>Flex Connector:</b>	
<b>Type:</b>		<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>		<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**MyDATCP Storage Tank Search - Tank Details**

<b>Tank ID:</b>	221360	<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>		<b>Overfill Protect Type:</b>	Vent Whistle
<b>CAS No:</b>		<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	In Use	<b>Capacity in Gallons:</b>	400
<b>Install Date:</b>	05/30/2019	<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Aboveground Storage Tank	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double	<b>Contents:</b>	Unleaded Gasoline
<b>Federally Regulated:</b>		<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Interstitial Monitor	<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>	Monthly Monitoring	<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No		

<b>Tank ID:</b>	221359	<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>		<b>Overfill Protect Type:</b>	Vent Whistle
<b>CAS No:</b>		<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	In Use	<b>Capacity in Gallons:</b>	600
<b>Install Date:</b>	05/30/2019	<b>Marketer:</b>	Yes
<b>Tank Type:</b>	Aboveground Storage Tank	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double	<b>Contents:</b>	Diesel
<b>Federally Regulated:</b>		<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Interstitial Monitor	<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>	Monthly Monitoring	<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No		

**MyDATCP Storage Tank Search - Owner Details**

<b>Site Anniversary Date:</b>	February 28
<b>Owner Name:</b>	Door County - Cherryland Airport
<b>Owner Address1:</b>	3538 Park Dr
<b>Owner Address2:</b>	
<b>Owner City:</b>	Sturgeon Bay
<b>Owner State:</b>	WI
<b>Owner Zip:</b>	54235-9011

<u>3</u>	1 of 4	SSW	0.00 / 0.00	721.71 / 2	CHERRYLAND AIRPORT 3418 PARK DR STURGEON BAY WI	DELISTED BRRT
----------	--------	-----	-------------	------------	-------------------------------------------------------	------------------

<b>Site ID:</b>	4629900	<b>Detail Seq No:</b>	105759
<b>Original Source:</b>	LUST	<b>Record Date:</b>	05-AUG-2014
<b>Activity Code:</b>	340	<b>Activity Type:</b>	LUST
<b>Activity No:</b>	0315105759	<b>Acres 100:</b>	N
<b>Activity Display:</b>	03-15-105759	<b>Juris:</b>	DNR RR
<b>Start Date:</b>	1996-07-02	<b>NPL Flag:</b>	No
<b>End Date:</b>	1997-09-30	<b>PECFA Eligible:</b>	Yes
<b>Last Action Dt:</b>	2013-07-02	<b>AST Flag:</b>	No
<b>Status Code:</b>	C	<b>Drycleaner Flag:</b>	No
<b>Status:</b>	CLOSED	<b>Co-Contam:</b>	No
<b>DCOM No:</b>	54235901118	<b>PLSS:</b>	NW 1/4 of the SE 1/4 of Sec 02, T27N, R25E

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
County:	DOOR				Occurrence ID:	9500
Geo Loc Flag:	Y				Region:	NORTHEAST
EPA Cerclis ID:					GIS Reg Flag:	N
FID:	NONE				GIS Area Point:	P
Risk Code:	LOW				Latitude:	44.841741
Longitude:	-87.42471880					
DCOM DB Tracked:	Yes					
Most Rec Act Type:	LUST					
Activity Detail Add:	NONE					
Activity Name:	CHERRYLAND AIRPORT - NEW TERMINAL					
Activity Comments:	***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE - SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***					

<a href="#">3</a>	2 of 4	SSW	0.00 / 0.00	721.71 / 2	CHERRYLAND AIRPORT 3418 PARK DR STURGEON BAY WI	DELISTED BRRT
-------------------	--------	-----	-------------	------------	-------------------------------------------------------	------------------

Site ID:	4629900	Detail Seq No:	105763
Original Source:	LUST	Record Date:	05-AUG-2014
Activity Code:	340	Activity Type:	LUST
Activity No:	0315105763	Acres 100:	N
Activity Display:	03-15-105763	Juris:	DNR RR
Start Date:	1996-07-02	NPL Flag:	No
End Date:	1997-03-19	PECFA Eligible:	No
Last Action Dt:	2013-07-02	AST Flag:	No
Status Code:	C	Drycleaner Flag:	No
Status:	CLOSED	Co-Contam:	No
DCOM No:	54235901118	PLSS:	NW 1/4 of the SE 1/4 of Sec 02, T27N, R25E
County:	DOOR	Occurrence ID:	9494
Geo Loc Flag:	Y	Region:	NORTHEAST
EPA Cerclis ID:		GIS Reg Flag:	N
FID:	NONE	GIS Area Point:	P
Risk Code:	LOW	Latitude:	44.842125
Longitude:	-87.42536830		
DCOM DB Tracked:	Yes		
Most Rec Act Type:	LUST		
Activity Detail Add:	NONE		
Activity Name:	CHERRYLAND AIRPORT - PARKS BLDG		
Activity Comments:	***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE - SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***		

<a href="#">3</a>	3 of 4	SSW	0.00 / 0.00	721.71 / 2	CHERRYLAND AIRPORT 3418 PARK DR STURGEON BAY WI	LUST
-------------------	--------	-----	-------------	------------	-------------------------------------------------------	------

Site ID:	4629900	County Code:	15
BRRTS No:		County:	Door
Region:	NE		
Database Source:	BRRTS Bulk data download; DNR Bureau for Remediation and Redevelopment Tracking System (BOTW) (Web)		

**Facility Activity Information**

Detail Seq No:	105767	CO Contam Flag:	No
Act Code:	340	Geo Located Flag:	Yes
Activity Type:	LUST	GIS Registry Flag:	
Activity No:	0315105767	GIS Area Point Flg:	No
Activit Display No:	03-15-105767	PLSS:	SWSE0227N25E
Status Code:	C	PECFA No:	54235901118
Status:	CLOSED	PECFA Occurrenc ID:	
DCOM No:		DERF Flag:	No
Comm Occurrence ID:		GLC Flag:	No
EPA CERCLIS ID:		Offsite Impact Flg:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>FID:</b>					<b>Petrol Ust Flag:</b>	Yes
<b>Start Date:</b>	1996-07-02				<b>PFAS Flag:</b>	No
<b>End Date:</b>	1997-09-19				<b>RFR Flag:</b>	No
<b>Last Action:</b>	2013-07-02				<b>Row Impact Flag:</b>	No
<b>Risk Code:</b>					<b>Sediments Flag:</b>	No
<b>Acres:</b>					<b>SUDZ Flag:</b>	No
<b>Acres 100:</b>					<b>VPLE COC Flag:</b>	No
<b>Juris:</b>	DNR RR				<b>WAM Flag:</b>	No
<b>NPL Flag:</b>	No				<b>CO Flag:</b>	No
<b>DCOM DB Track Flag:</b>					<b>SFR Flag:</b>	No
<b>PECFA Eligible Flg:</b>	Yes				<b>Latitude:</b>	44.836869474
<b>AST Flag:</b>	No				<b>Longitude:</b>	-87.427078053
<b>Drycleaner Flag:</b>	No					
<b>WDOT Flag:</b>		No				
<b>WDOT Desc:</b>						
<b>Activity Name:</b>		CHERRYLAND AIRPORT - OLD TERMINAL				
<b>Activity Detail Addr:</b>						
<b>Activity Comments:</b>		***SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE – SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013***				

### Action Information

<b>Action Date:</b>	1996-07-16					
<b>Action Code:</b>	2					
<b>Action Name:</b>	Responsible Party (RP) letter sent					
<b>Action Desc:</b>	Date of DNR letter to responsible party (RP) notifying them of state law responsibilities associated with the investigation and cleanup of a hazardous substance discharge to the environment.					
<b>Action Comment:</b>	SIWP DUE 9-20-96					
<b>Action Date:</b>	1997-08-14					
<b>Action Code:</b>	76					
<b>Action Name:</b>	Activity Transferred to DSPS (formerly Commerce)					
<b>Action Desc:</b>	Oversight of medium or low risk petroleum cleanup has been transferred to the WI Dept of Safety and Professional Services (DSPS). DSPS was part of the Dept of Commerce until 2011.					
<b>Action Comment:</b>						
<b>Action Date:</b>	2013-07-02					
<b>Action Code:</b>	89					
<b>Action Name:</b>	DSPS (formerly Commerce) Transferred Back to DNR					
<b>Action Desc:</b>	Date the WI Dept of Safety and Professional Services (DSPS) transfers oversight of activity back to the DNR. DSPS was part of the Dept of Commerce until 2011.					
<b>Action Comment:</b>	PECFA PROGRAM TRANSFER 2013-2015 STATE BUDGET					
<b>Action Date:</b>	1996-07-02					
<b>Action Code:</b>	1					
<b>Action Name:</b>	Notification of Hazardous Substance Discharge					
<b>Action Desc:</b>	Date DNR received notice of a discharge of a hazardous substance under s. 292.11 Wis. Stats. Discharge was discovered during an environmental assessment or laboratory analysis of soil, sediment, groundwater or vapor samples. Includes historic contamination.					
<b>Action Comment:</b>						
<b>Action Date:</b>	1997-09-19					
<b>Action Code:</b>	11					
<b>Action Name:</b>	Activity Closed					
<b>Action Desc:</b>	Date DNR sends a letter approving the final closure of an activity based on data provided and compliance with NR 726 and 727. No further investigation or remediation is required at this time.					
<b>Action Comment:</b>	*** NR726 Closure from Commerce Data Interchange ***					
<b>Action Date:</b>	1997-02-03					
<b>Action Code:</b>	35					
<b>Action Name:</b>	Site Investigation Workplan (SIWP) Received (non-fee)					
<b>Action Desc:</b>	Date DNR received a site investigation workplan (SIWP) which states the objectives of the site investigation to determine the degree and extent of contamination.					
<b>Action Comment:</b>						
<b>Action Date:</b>	1997-02-05					
<b>Action Code:</b>	30					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Action Name:** Site Investigation Workplan (SIWP) Notice to Proceed (NTP)  
**Action Desc:** Date DNR provided a notice to proceed (NTP) with site investigation activities. This is not an official approval of the workplan and no fee was collected for review. An NTP may be via email or phone call.

**Action Comment:**

**Action Date:** 1997-08-01

**Action Code:** 37

**Action Name:** Site Investigation Report (SIR) Received (non-fee)

**Action Desc:** Date DNR received a site investigation report (SIR) to determine degree & extent of contamination and form a basis for choosing the appropriate remedial action.

**Action Comment:**

**Impacts Information**

**Impact Seq No:**

**Impact Code:** 05

**Impact Desc:** Soil Contamination

**Impact Comment:**

**Potential Flag:** No

**WHO Information**

**Org Flag:** No

**Role Desc:** DNR File Contact

**Full Name:** DENISE DANELSKI

**Address 1:** 2984 SHAWANO AVE

**Address 2:**

**City:** GREEN BAY

**State Abbr:** WI

**Postal Code:** 54313-6727

**Composite Address:** GREEN BAY, WI 54313

**Country Name:** UNITED STATES

**Email:** denise.danelski@wisconsin.gov

**Org Flag:** Yes

**Role Desc:** Responsible Party

**Full Name:** DOOR COUNTY

**Address 1:** 421 NEBRASKA ST

**Address 2:**

**City:** STURGEON BAY

**State Abbr:** WI

**Postal Code:** 54235-0670

**Composite Address:** STURGEON BAY, WI 54235

**Country Name:** UNITED STATES

**Email:** NA

**BRRTS Web List**

**FID:** NONE

**Status:** CLOSED

**Jurisdiction:** DNR

**Activity Type:** LUST

**Activity Name:** CHERRYLAND AIRPORT - OLD TERMINAL

**Comments:** \*\*\*SITE WAS CLOSED UNDER THE JURISDICTION OF THE DEPT OF SAFETY AND PROFESSIONAL SERVICES (DSPS) OR DEPT OF COMMERCE – SITE TRANSFERRED BACK TO DNR JURISDICTION IN 2013\*\*\*

**Start Date:** 1996-07-02

**End Date:** 1997-09-19

**Address:** 3418 PARK DR

**Municipality:** STURGEON BAY

<a href="#">3</a>	4 of 4	SSW	0.00 / 0.00	721.71 / 2	CHERRYLAND AIRPORT - OLD TERMINAL 3418 Park Dr Sturgeon Bay WI	CRS
-------------------	--------	-----	-------------	------------	----------------------------------------------------------------------	-----

**Facility ID No:**

**Detail Seq No:** 105767

**Activity Detail No:** 0315105767

**Loc Meth:** Interpreted based on site records

**Sediments:** No

**Has Contin Oblig:** No



Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Act Code:</b>	340				<b>Has Offsite:</b>	No
<b>Start Date:</b>	1996-07-02 24:00:00 UTC				<b>WTM91 X AMT:</b>	723360.6900000001
<b>End Date:</b>	1997-09-19 24:00:00 UTC				<b>WTM91 Y AMT:</b>	488049.5
<b>Point Rep:</b>	Contaminant source					

<u>4</u>	1 of 1	SSW	0.00 / 7.26	718.79 / -1	MICHAEL TONEYS 6698 Cnty C Sturgeon Bay WI 54235	UST
----------	--------	-----	-------------	-------------	--------------------------------------------------------	-----

<b>License No:</b>	110882	<b>Expiration Date:</b>	
<b>Facility Ref No:</b>	110882 110882	<b>Fire Department Nm:</b>	Southern Door
<b>Fire Department ID:</b>	1509	<b>Municipality Name:</b>	
<b>License Type:</b>	Registration	<b>Property County:</b>	Door County
<b>License:</b>	Storage Tank Registration		
<b>Licensee:</b>	MICHAEL TONEYS		

**Tank Details**

<b>Tank ID:</b>	283665	<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	283665 150900121	<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900121	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b>	Unleaded Gasoline	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Residential	<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>		<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	200.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>		<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>		<b>UST Manifolded:</b>	
<b>Status:</b>		<b>Flex Connector:</b>	
<b>Type:</b>		<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>		<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**MyDATCP Storage Tank Search - Tank Details**

<b>Tank ID:</b>	283665	<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900121	<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>		<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	Closed/Removed as of 1998-10-06	<b>Capacity in Gallons:</b>	200
<b>Install Date:</b>		<b>Marketer:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Residential	<b>Date of Lining:</b>	
<b>Wall Type:</b>		<b>Contents:</b>	Unleaded Gasoline
<b>Federally Regulated:</b>	No	<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>	Unknown	<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>		<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>			

**MyDATCP Storage Tank Search - Owner Details**

<b>Site Anniversary Date:</b>	
<b>Owner Name:</b>	Michael Toney's
<b>Owner Address1:</b>	6698 Cnty C

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner Address2:  
 Owner City: Sturgeon Bay  
 Owner State: WI  
 Owner Zip: 54235

<a href="#">5</a>	1 of 1	SSE	0.01 / 38.72	723.27 / 4	DOOR COUNTY CHERRYLAND UNKNOWN STURGEON BAY WI 00000	FINDS/FRS
-------------------	--------	-----	--------------	------------	------------------------------------------------------	-----------

Registry ID: 110037988256  
 FIPS Code: 55029  
 HUC Code: 04030102  
 Site Type Name: STATIONARY  
 Location Description:  
 Supplemental Location:  
 Create Date: 13-FEB-09  
 Update Date: 01-JUN-17  
 Interest Types: AIR EMISSIONS CLASSIFICATION UNKNOWN  
 SIC Codes:  
 SIC Code Descriptions:  
 NAICS Codes:  
 NAICS Code Descriptions:  
 Conveyor: EIS  
 Federal Facility Code:  
 Federal Agency Name:  
 Tribal Land Code:  
 Tribal Land Name:  
 Congressional Dist No: 08  
 Census Block Code: 550291008002013  
 EPA Region Code: 05  
 County Name: DOOR  
 US/Mexico Border Ind:  
 Latitude: 44.84366  
 Longitude: -87.42154  
 Reference Point:  
 Coord Collection Method:  
 Accuracy Value:  
 Datum: NAD83  
 Source:  
 Facility Detail Rprt URL: [https://ofmpub.epa.gov/frs\\_public2/fii\\_query\\_detail.disp\\_program\\_facility?p\\_registry\\_id=110037988256](https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110037988256)  
 Data Source: Facility Registry Service - Single File  
 Program Acronyms:

EIS:9012911

<a href="#">6</a>	1 of 1	N	0.01 / 63.85	689.75 / -30	POTAWATOMI STATE PARK SAWYER HARBOR STURGEON BAY WI	ERNS
-------------------	--------	---	--------------	--------------	-----------------------------------------------------	------

NRC Report No: 1329337  
 Type of Incident: MOBILE  
 Incident Cause: NATURAL PHENOMENON  
 Incident Date: 2/20/2022 18:30  
 Incident Location:  
 Incident Dtg: OCCURRED  
 Distance from City:  
 Distance Units:  
 Direction from City:  
 Location County: DOOR  
 Potential Flag: Yes  
 Year: Year 2022 Reports  
 Description of Incident: CALLER STATED A SIDE BY SIDE UTILITY VEHICLE WENT THROUGH THE FROZEN ICE OF SAWYER HARBOR AND WAS SUBMERGED IN THE HARBOR. CALLER STATED THERE IS A POTENTIAL FOR A SPILL OF MATERIALS FROM THE VEHICLE. CALLER STATED TWO PERSONS WERE TRANSPORTED TO THE HOSPITAL AND TREATED FOR HYPOTHERMIA.

Latitude Degrees:  
 Latitude Minutes:  
 Latitude Seconds:  
 Longitude Degrees:  
 Longitude Minutes:  
 Longitude Seconds:  
 Lat Quad:  
 Long Quad:  
 Location Section:  
 Location Township:  
 Location Range:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Calls Information**

<b>Date Time Received:</b>	20-Feb-2022 22:08:00	<b>Responsible City:</b>	
<b>Date Time Complete:</b>	20-Feb-2022 22:20:00	<b>Responsible State:</b>	XX
<b>Call Type:</b>	INC	<b>Responsible Zip:</b>	
<b>Resp Company:</b>		<b>Source:</b>	TELEPHONE
<b>Resp Org Type:</b>	PRIVATE CITIZEN		

**Incident Information**

<b>Tank ID:</b>		<b>Building ID:</b>	
<b>Tank Regulated:</b>	U	<b>Location Area ID:</b>	
<b>Tank Regulated By:</b>		<b>Location Block ID:</b>	
<b>Capacity of Tank:</b>		<b>OCSG No:</b>	
<b>Capacity Tank Units:</b>		<b>OCSP No:</b>	
<b>Description of Tank:</b>		<b>State Lease No:</b>	
<b>Actual Amount:</b>		<b>Pier Dock No:</b>	
<b>Actual Amount Units:</b>		<b>Berth Slip No:</b>	
<b>Tank Above Ground:</b>	ABOVE	<b>Brake Failure:</b>	U
<b>NPDES:</b>		<b>Airbag Deployed:</b>	U
<b>NPDES Compliance:</b>	U	<b>Transport Contain:</b>	U
<b>Init Contin Rel No:</b>		<b>Location Subdiv:</b>	
<b>Contin Rel Permit:</b>		<b>Platform Rig Name:</b>	
<b>Contin Release Type:</b>		<b>Platform Letter:</b>	
<b>Aircraft ID:</b>		<b>Allision:</b>	U
<b>Aircraft Runway No:</b>		<b>Type of Structure:</b>	
<b>Aircraft Spot No:</b>		<b>Structure Name:</b>	
<b>Aircraft Type:</b>		<b>Structure Oper:</b>	U
<b>Aircraft Model:</b>		<b>Transit Bus Flag:</b>	
<b>Aircraft Fuel Cap:</b>		<b>Date Time Norm Serv:</b>	
<b>Aircraft Fuel Cap U:</b>		<b>Serv Disrupt Time:</b>	
<b>Aircraft Fuel on Brd:</b>		<b>Serv Disrupt Units:</b>	
<b>Aircraft Fuel OB U:</b>		<b>CR Begin Date:</b>	
<b>Aircraft Hanger:</b>		<b>CR End Date:</b>	
<b>Road Mile Marker:</b>		<b>CR Change Date:</b>	
<b>Power Gen Facility:</b>	U	<b>FBI Contact:</b>	
<b>Generating Capacity:</b>		<b>FBI Contact Dt Tm:</b>	
<b>Type of Fixed Obj:</b>		<b>Passenger Handling:</b>	
<b>Type of Fuel:</b>		<b>Passenger Route:</b>	XXX
<b>DOT Crossing No:</b>		<b>Passenger Delay:</b>	XXX
<b>DOT Regulated:</b>	U	<b>Sub Part C Test Req:</b>	XXX
<b>Pipeline Type:</b>		<b>Conductor Test:</b>	
<b>Pipeline Abv Ground:</b>	ABOVE	<b>Engineer Test:</b>	
<b>Pipeline Covered:</b>	U	<b>Trainman Test:</b>	
<b>Exposed Underwater:</b>	N	<b>Yard Foreman Test:</b>	
<b>Railroad Hotline:</b>		<b>RCL Operator Test:</b>	
<b>Railroad Milepost:</b>		<b>Brakeman Test:</b>	
<b>Grade Crossing:</b>	U	<b>Train Dispat Test:</b>	
<b>Crossing Device Ty:</b>		<b>Signalman Test:</b>	
<b>Ty Vehicle Involved:</b>		<b>Oth Employee Test:</b>	
<b>Device Operational:</b>	U	<b>Unknown Test:</b>	

**Incident Details Information**

<b>Release Secured:</b>	U	<b>State Agen Report No:</b>	
<b>Release Rate:</b>		<b>State Agen on Scene:</b>	
<b>Release Rate Unit:</b>		<b>State Agen Notified:</b>	
<b>Release Rate Rate:</b>		<b>Fed Agency Notified:</b>	
<b>Est Duration of Rel:</b>		<b>Oth Agency Notified:</b>	
<b>Desc Remedial Act:</b>	CALLER STATED THE VEHICLE HAS NOT REMOVED FROM THE HARBOR AT THIS TIME.	<b>Body of Water:</b>	
<b>Fire Involved:</b>	N	<b>Tributary of:</b>	
<b>Fire Extinguished:</b>	U	<b>Near River Mile Make:</b>	
<b>Any Evacuations:</b>	N	<b>Near River Mile Mark:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
No Evacuated:					Offshore:	N
Who Evacuated:					Weather Conditions:	
Radius of Evac:					Air Temperature:	
Any Injuries:	Y				Wind Direction:	
No. Injured:	2				Wind Speed:	
No. Hospitalized:	2				Wind Speed Unit:	
No. Fatalities:					Water Supp Contam:	U
Any Fatalities:	N				Water Temperature:	
Any Damages:	N				Wave Condition:	
Damage Amount:					Current Speed:	
Air Corridor Closed:	N				Current Direction:	
Air Corridor Desc:					Current Speed Unit:	
Air Closure Time:					EMPL Fatality:	
Waterway Closed:	N				Pass Fatality:	
Waterway Desc:					Community Impact:	
Waterway Close Time:					Passengers Transfer:	NO
Road Closed:	N				Passenger Injuries:	
Road Desc:					Employee Injuries:	
Road Closure Time:					Occupant Fatality:	
Road Closure Units:					Sheen Size:	
Closure Direction:					Sheen Size Units:	
Major Artery:	No				Sheen Size Length:	
Track Closed:	N				Sheen Size Length U:	
Track Desc:					Sheen Size Width:	
Track Closure Time:					Sheen Size Width U:	
Track Closure Units:					Sheen Color:	
Track Close Dir:					Dir of Sheen Travel:	
Media Interest:	NONE				Sheen Odor Desc:	
Medium Desc:	WATER				Duration Unit:	
Addl Medium Info:	SAWYER HARBOR				Additional Info:	

<u>7</u>	1 of 9	N	0.01 / 65.84	693.99 / -26	POTAWATOMI STATE PARK 3740 PARK DR STURGEON BAY WI 54235	RCRA VSQG
----------	--------	---	--------------	--------------	----------------------------------------------------------------	-----------

**EPA Handler ID:** WID981780489  
**Gen Status Universe:** VSG  
**Contact Name:** K HARRISON  
**Contact Address:** 3740 PARK DR , , STURGEON BAY , WI, 54235 , US  
**Contact Phone No and Ext:** 414-743-8869  
**Contact Email:**  
**Contact Country:** US  
**County Name:** DOOR  
**EPA Region:** 05  
**Land Type:**  
**Receive Date:** 19860916  
**Location Latitude:** 44.851896  
**Location Longitude:** -87.425037

#### Violation/Evaluation Summary

**Note:** NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

#### Handler Summary

**Importer Activity:** No  
**Mixed Waste Generator:** No  
**Transporter Activity:** No  
**Transfer Facility:** No  
**Onsite Burner Exemption:** No  
**Furnace Exemption:** No  
**Underground Injection Activity:** No  
**Commercial TSD:** No  
**Used Oil Transporter:** No  
**Used Oil Transfer Facility:** No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Used Oil Processor:** No  
**Used Oil Refiner:** No  
**Used Oil Burner:** No  
**Used Oil Market Burner:** No  
**Used Oil Spec Marketer:** No

**Hazardous Waste Handler Details**

**Sequence No:** 1  
**Receive Date:** 19860916  
**Handler Name:** POTAWATOMI STATE PARK  
**Federal Waste Generator Code:** 3  
**Generator Code Description:** Very Small Quantity Generator  
**Source Type:** Notification

**Waste Code Details**

**Hazardous Waste Code:** D001  
**Waste Code Description:** IGNITABLE WASTE

**Owner/Operator Details**

<b>Owner/Operator Ind:</b> Current Owner	<b>Street No:</b>	
<b>Type:</b> State	<b>Street 1:</b>	ADDRESS NOT REPORTED
<b>Name:</b> WISCONSIN STATE OF	<b>Street 2:</b>	
<b>Date Became Current:</b>	<b>City:</b>	CITY NOT REPORTED
<b>Date Ended Current:</b>	<b>State:</b>	AK
<b>Phone:</b> 312-555-1212	<b>Country:</b>	
<b>Source Type:</b> Notification	<b>Zip Code:</b>	99998

<b>Owner/Operator Ind:</b> Current Operator	<b>Street No:</b>	
<b>Type:</b> State	<b>Street 1:</b>	ADDRESS NOT REPORTED
<b>Name:</b> NAME NOT REPORTED	<b>Street 2:</b>	
<b>Date Became Current:</b>	<b>City:</b>	CITY NOT REPORTED
<b>Date Ended Current:</b>	<b>State:</b>	AK
<b>Phone:</b> 312-555-1212	<b>Country:</b>	
<b>Source Type:</b> Notification	<b>Zip Code:</b>	99998

<a href="#">7</a>	2 of 9	N	0.01 / 65.84	693.99 / -26	Potawatomi State Park 3740 Park Dr Sturgeon Bay WI 54235	AST
-------------------	--------	---	--------------	--------------	----------------------------------------------------------------	-----

<b>License No:</b> 435789	<b>Expiration Date:</b>	
<b>Facility Ref No:</b> 154815 154815	<b>Fire Department Nm:</b>	Sturgeon Bay
<b>Fire Department ID:</b> 1507	<b>Municipality Name:</b>	Town of Nasewauppee
<b>License Type:</b> Registration	<b>Property County:</b>	Door County
<b>License:</b> Storage Tank Registration		
<b>Licensee:</b> Wisconsin DNR		

**Tank Details**

<b>Tank ID:</b> 2133	<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b> 203412 150900008	<b>Leak Detection:</b>	Visual Monitoring
<b>Equipment Wang ID:</b> 150900008	<b>Leak Test Method:</b>	
<b>CAS No:</b>	<b>Contain Sump Install:</b>	No
<b>Tank Status:</b> Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b> Aboveground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b> Unleaded Gasoline	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b> Government	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b> 6/28/1974 12:00:00 AM	<b>Overfill Protect Type:</b>	Vent Whistle
<b>Capacity:</b> 300.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b> Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b> Double	<b>Lining Inspect Date:</b>	



**Piping Details**

<b>Related Tank ID:</b>	127865	<b>UST Manifolded:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	Yes	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**Tank Details**

<b>Tank ID:</b>	11244	<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	1033706]	<b>Leak Detection:</b>	Interstitial Monitor
<b>Equipment Wang ID:</b>		<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	In Use	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b>	Unleaded Gasoline	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	10/6/1998 12:00:00 AM	<b>Overfill Protect Type:</b>	Vent Whistle
<b>Capacity:</b>	300.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double	<b>Lining Inspect Date:</b>	

**Piping Details**

<b>Related Tank ID:</b>	154753	<b>UST Manifolded:</b>	No
<b>Status:</b>	In Use	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	Yes	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**Tank Details**

<b>Tank ID:</b>	1975	<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	772772]	<b>Leak Detection:</b>	Visual Monitoring
<b>Equipment Wang ID:</b>		<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b>	Diesel	<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	1/1/1974 12:00:00 AM	<b>Overfill Protect Type:</b>	Vent Whistle
<b>Capacity:</b>	300.00	<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double	<b>Lining Inspect Date:</b>	

**Piping Details**

<b>Related Tank ID:</b>	127798	<b>UST Manifolded:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Coated Steel	<b>Latest Test Name:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Catastroph Leak Detn:</b>					<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	Yes				<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No					
<b><u>Tank Details</u></b>						
<b>Tank ID:</b>	10533				<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	1033712				<b>Leak Detection:</b>	Interstitial Monitor
<b>Equipment Wang ID:</b>					<b>Leak Test Method:</b>	
<b>CAS No:</b>					<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	In Use				<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank				<b>Marketer:</b>	No
<b>Tank Contents:</b>	Diesel				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government				<b>Overfill Protection:</b>	Installed
<b>Install Date:</b>	10/6/1998 12:00:00 AM				<b>Overfill Protect Type:</b>	Vent Whistle
<b>Capacity:</b>	300.00				<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel				<b>Date of Lining:</b>	
<b>Wall Size:</b>	Double				<b>Lining Inspect Date:</b>	
<b><u>Piping Details</u></b>						
<b>Related Tank ID:</b>	154429				<b>UST Manifolder:</b>	No
<b>Status:</b>	In Use				<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)				<b>Leak Test Method:</b>	
<b>System Type:</b>					<b>Leak Detection:</b>	Not Required
<b>Wall Type:</b>					<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Bare Steel				<b>Latest Test Name:</b>	
<b>Catastroph Leak Detn:</b>					<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	Yes				<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No					
<b><u>MyDATCP Storage Tank Search - Tank Details</u></b>						
<b>Tank ID:</b>	10533				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>					<b>Overfill Protect Type:</b>	Vent Whistle
<b>CAS No:</b>					<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	In Use				<b>Capacity in Gallons:</b>	300
<b>Install Date:</b>	10/06/1998				<b>Marketer:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double				<b>Contents:</b>	Diesel
<b>Federally Regulated:</b>	No				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Interstitial Monitor				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	11244				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>					<b>Overfill Protect Type:</b>	Vent Whistle
<b>CAS No:</b>					<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	In Use				<b>Capacity in Gallons:</b>	300
<b>Install Date:</b>	10/06/1998				<b>Marketer:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double				<b>Contents:</b>	Unleaded Gasoline
<b>Federally Regulated:</b>	No				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Interstitial Monitor				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	2133				<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900008				<b>Overfill Protect Type:</b>	Vent Whistle
<b>CAS No:</b>					<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	Closed/Removed as of 2008-07-10				<b>Capacity in Gallons:</b>	300
<b>Install Date:</b>	06/28/1974				<b>Marketer:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank				<b>Spill Protection:</b>	Installed

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double				<b>Contents:</b>	Unleaded Gasoline
<b>Federally Regulated:</b>	No				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Visual Monitoring				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					
<b>Tank ID:</b>	1975				<b>Corrosion Protect Ty:</b>	Not Applicable
<b>Wang ID:</b>					<b>Overfill Protect Type:</b>	Vent Whistle
<b>CAS No:</b>					<b>Construction Material:</b>	Bare Steel
<b>Tank Status:</b>	Closed/Removed as of 2008-07-10				<b>Capacity in Gallons:</b>	300
<b>Install Date:</b>	01/01/1974				<b>Marketer:</b>	No
<b>Tank Type:</b>	Aboveground Storage Tank				<b>Spill Protection:</b>	Installed
<b>Tank Occupancy:</b>	Government				<b>Date of Lining:</b>	
<b>Wall Type:</b>	Double				<b>Contents:</b>	Diesel
<b>Federally Regulated:</b>	No				<b>Overfill Protection:</b>	Installed
<b>Leak Detection:</b>	Visual Monitoring				<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>					<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>	No					

**MyDATCP Storage Tank Search - Owner Details**

**Site Anniversary Date:**  
**Owner Name:** Wisconsin DNR  
**Owner Address1:** W7303 County Highway CS  
**Owner Address2:**  
**Owner City:** Poynette  
**Owner State:** WI  
**Owner Zip:** 53955

<u>7</u>	3 of 9	N	0.01 / 65.84	693.99 / -26	WI DNR POTAWATOMI STATE PARK 3740 PARK DR STURGEON BAY WI 54235	LUST
<b>Site ID:</b>	1169000			<b>County Code:</b>	15	
<b>BRRTS No:</b>				<b>County:</b>	Door	
<b>Region:</b>	NE					
<b>Database Source:</b>	BRRTS Bulk data download; DNR Bureau for Remediation and Redevelopment Tracking System (BOTW) (Web)					

**Facility Activity Information**

<b>Detail Seq No:</b>	25299			<b>CO Contam Flag:</b>	No
<b>Act Code:</b>	340			<b>Geo Located Flag:</b>	Yes
<b>Activity Type:</b>	LUST			<b>GIS Registry Flag:</b>	
<b>Activity No:</b>	0315001047			<b>GIS Area Point Flg:</b>	No
<b>Activit Display No:</b>	03-15-001047			<b>PLSS:</b>	NWNW3628N25E
<b>Status Code:</b>	C			<b>PECFA No:</b>	
<b>Status:</b>	CLOSED			<b>PECFA Occurrenc ID:</b>	
<b>DCOM No:</b>				<b>DERF Flag:</b>	No
<b>Comm Occurrence ID:</b>				<b>GLC Flag:</b>	No
<b>EPA CERCLIS ID:</b>				<b>Offsite Impact Flg:</b>	No
<b>FID:</b>	415165080			<b>Petrol Ust Flag:</b>	Yes
<b>Start Date:</b>	1991-04-19			<b>PFAS Flag:</b>	No
<b>End Date:</b>	1993-06-07			<b>RFR Flag:</b>	No
<b>Last Action:</b>	2020-08-10			<b>Row Impact Flag:</b>	No
<b>Risk Code:</b>				<b>Sediments Flag:</b>	No
<b>Acres:</b>				<b>SUDZ Flag:</b>	No
<b>Acres 100:</b>				<b>VPLE COC Flag:</b>	No
<b>Juris:</b>	DNR RR			<b>WAM Flag:</b>	No
<b>NPL Flag:</b>	No			<b>CO Flag:</b>	No
<b>DCOM DB Track Flag:</b>				<b>SFR Flag:</b>	No
<b>PECFA Eligible Flg:</b>	No			<b>Latitude:</b>	44.86398471
<b>AST Flag:</b>	No			<b>Longitude:</b>	-87.414793288
<b>Drycleaner Flag:</b>	No				
<b>WDOT Flag:</b>	No				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

**WDOT Desc:**  
**Activity Name:** WI DNR - POTAWATOMI STATE PARK  
**Activity Detail Addr:**  
**Activity Comments:** ENTIRE DOCUMENTATION FOR ACTIVITY IN THE DOCUMENTS MODULE;

**Action Information**

**Action Date:** 1993-06-07  
**Action Code:** 11  
**Action Name:** Activity Closed  
**Action Desc:** Date DNR sends a letter approving the final closure of an activity based on data provided and compliance with NR 726 and 727. No further investigation or remediation is required at this time.

**Action Comment:**

**Action Date:** 1991-04-19  
**Action Code:** 33  
**Action Name:** Tank System Site Assessment (TSSA) Report Received  
**Action Desc:** Date DNR received a tank system site assessment (TSSA) regarding tank closure or change in services for an above-ground or underground tank system.

**Action Comment:**

**Action Date:** 1991-04-19  
**Action Code:** 1  
**Action Name:** Notification of Hazardous Substance Discharge  
**Action Desc:** Date DNR received notice of a discharge of a hazardous substance under s. 292.11 Wis. Stats. Discharge was discovered during an environmental assessment or laboratory analysis of soil, sediment, groundwater or vapor samples. Includes historic contamination.

**Action Comment:**

**Impacts Information**

**Impact Seq No:**  
**Impact Code:** 05  
**Impact Desc:** Soil Contamination  
**Impact Comment:**  
**Potential Flag:** No

**WHO Information**

**Org Flag:** No  
**Role Desc:** DNR File Contact  
**Full Name:** DENISE DANIELSKI  
**Address 1:** 2984 SHAWANO AVE  
**Address 2:**  
**City:** GREEN BAY  
**State Abbr:** WI  
**Postal Code:** 54313-6727  
**Composite Address:** GREEN BAY, WI 54313  
**Country Name:** UNITED STATES  
**Email:** denise.danelski@wisconsin.gov

**Org Flag:** Yes  
**Role Desc:** Responsible Party  
**Full Name:** WI DNR PARKS & RECREATION  
**Address 1:** 101 S WEBSTER ST  
**Address 2:**  
**City:** MADISON  
**State Abbr:** WI  
**Postal Code:** 53707-7921  
**Composite Address:** MADISON, WI 53707  
**Country Name:** UNITED STATES  
**Email:** NA

**BRRTS Web List**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**FID:** 415165080 **Start Date:** 1991-04-19  
**Status:** CLOSED **End Date:** 1993-06-07  
**Jurisdiction:** DNR **Address:** 3740 PARK DR  
**Activity Type:** LUST **Municipality:** STURGEON BAY  
**Activity Name:** WI DNR - POTAWATOMI STATE PARK  
**Comments:** ENTIRE DOCUMENTATION FOR ACTIVITY IN THE DOCUMENTS MODULE;

**Facility Owner Information**

**Name:** STATE OF WIS  
**Street:** 3740 PARK DRIVE  
**City:** STURGEON BAY  
**State:** WI  
**Zip:** 54235  
**Start Date:**  
**End Date:**

<a href="#">7</a>	4 of 9	N	0.01 / 65.84	693.99 / -26	POTAWATOMI STATE PARK GROUP CAMP SITES C & D- 3740 PARK DR STURGEON BAY WI 54235	FINDS/FRS
-------------------	--------	---	--------------	--------------	-------------------------------------------------------------------------------------------	-----------

**Registry ID:** 110038841885  
**FIPS Code:** 55029  
**HUC Code:**  
**Site Type Name:** FACILITY  
**Location Description:**  
**Supplemental Location:**  
**Create Date:** 30-JUN-09  
**Update Date:** 11-JAN-11  
**Interest Types:** STATE MASTER  
**SIC Codes:**  
**SIC Code Descriptions:**  
**NAICS Codes:**  
**NAICS Code Descriptions:**  
**Conveyor:**  
**Federal Facility Code:**  
**Federal Agency Name:**  
**Tribal Land Code:**  
**Tribal Land Name:**  
**Congressional Dist No:**  
**Census Block Code:**  
**EPA Region Code:** 05  
**County Name:** DOOR  
**US/Mexico Border Ind:**  
**Latitude:**  
**Longitude:**  
**Reference Point:**  
**Coord Collection Method:**  
**Accuracy Value:**  
**Datum:** NAD83  
**Source:**  
**Facility Detail Rprt URL:** [https://ofmpub.epa.gov/frs\\_public2/fii\\_query\\_detail.disp\\_program\\_facility?p\\_registry\\_id=110038841885](https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110038841885)  
**Data Source:** Facility Registry Service - Single File  
**Program Acronyms:**

WI-ESR:159898483, WI-ESR:159898486

<a href="#">7</a>	5 of 9	N	0.01 / 65.84	693.99 / -26	WI DNR POTAWATOMI STATE PARK 3740 PARK DR STURGEON BAY WI 54235	FINDS/FRS
-------------------	--------	---	--------------	--------------	--------------------------------------------------------------------------	-----------



Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Registry ID:</b>		110005457709				
<b>FIPS Code:</b>		55029				
<b>HUC Code:</b>		04030102				
<b>Site Type Name:</b>		STATIONARY				
<b>Location Description:</b>						
<b>Supplemental Location:</b>						
<b>Create Date:</b>		01-MAR-00				
<b>Update Date:</b>		27-JAN-12				
<b>Interest Types:</b>		STATE MASTER, VSQG				
<b>SIC Codes:</b>		7033				
<b>SIC Code Descriptions:</b>		RECREATIONAL VEHICLE PARKS AND CAMPSITES				
<b>NAICS Codes:</b>						
<b>NAICS Code Descriptions:</b>						
<b>Conveyor:</b>		FRS-GEOCODE				
<b>Federal Facility Code:</b>						
<b>Federal Agency Name:</b>						
<b>Tribal Land Code:</b>						
<b>Tribal Land Name:</b>						
<b>Congressional Dist No:</b>		08				
<b>Census Block Code:</b>		550291009001045				
<b>EPA Region Code:</b>		05				
<b>County Name:</b>		DOOR				
<b>US/Mexico Border Ind:</b>						
<b>Latitude:</b>		44.85189				
<b>Longitude:</b>		-87.42753				
<b>Reference Point:</b>		CENTER OF A FACILITY OR STATION				
<b>Coord Collection Method:</b>		ADDRESS MATCHING-HOUSE NUMBER				
<b>Accuracy Value:</b>		30				
<b>Datum:</b>		NAD83				
<b>Source:</b>						
<b>Facility Detail Rprt URL:</b>		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110005457709				
<b>Data Source:</b>		Facility Registry Service - Single File				
<b>Program Acronyms:</b>						

RCRAINFO:WID981780489, WI-ESR:121259

<u>7</u>	6 of 9	N	0.01 / 65.84	693.99 / -26	WI DNR POTAWATOMI STATE PARK 3740 PARK DR STURGEON BAY WI 54235	SPILLS
----------	--------	---	-----------------	-----------------	--------------------------------------------------------------------------	--------

<b>Site ID:</b>	1169000	<b>BRRTS No:</b>	
<b>Address:</b>	3740 PARK DR	<b>Address (Web):</b>	3740 PARK DR
<b>Municipality:</b>	STURGEON BAY	<b>Municipality (Web):</b>	STURGEON BAY
<b>Zip:</b>	54235	<b>Zip (Web):</b>	54235
<b>County Code:</b>	15	<b>County (Web):</b>	DOOR
<b>County:</b>	Door	<b>Region (Web):</b>	NE
<b>Region:</b>	NE		
<b>Location Name:</b>	WI DNR POTAWATOMI STATE PARK		
<b>Database Source:</b>	DNR Environmental Cleanup & Brownfields Revelopment BRRTS Bulk Data Download; DNR Bureau for Remediation and Redevelopment Tracking System (BOTW) (Web)		

**Facility Activity Information**

<b>Detail Seq No:</b>	384781	<b>Drycleaner Flag:</b>	No
<b>Act Code:</b>	350	<b>CO Contam Flag:</b>	No
<b>Activity Type:</b>	SPILLS	<b>Geo Located Flag:</b>	No
<b>Activity No:</b>	0415384781	<b>GIS Registry Flag:</b>	
<b>Activit Display No:</b>	04-15-384781	<b>GIS Area Point Flg:</b>	No
<b>Status Code:</b>	C	<b>PECFA No:</b>	
<b>Status:</b>	CLOSED	<b>PECFA Occurenc ID:</b>	
<b>DCOM No:</b>		<b>DERF Flag:</b>	No
<b>Comm Occurrence ID:</b>		<b>GLC Flag:</b>	No
<b>EPA CERCLIS ID:</b>		<b>Offsite Impact Flg:</b>	No
<b>FID:</b>	415165080	<b>Petrol Ust Flag:</b>	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Start Date:</b>	2002-06-02				<b>PFAS Flag:</b>	No
<b>End Date:</b>	2002-06-03				<b>RFR Flag:</b>	No
<b>Last Action:</b>	2002-06-03				<b>Row Impact Flag:</b>	No
<b>Risk Code:</b>					<b>Sediments Flag:</b>	No
<b>Acres:</b>					<b>SUDZ Flag:</b>	No
<b>Acres 100:</b>					<b>VPLE COC Flag:</b>	No
<b>Juris:</b>	DNR RR				<b>WAM Flag:</b>	No
<b>NPL Flag:</b>	No				<b>CO Flag:</b>	No
<b>DCOM DB Track Flag:</b>					<b>SFR Flag:</b>	No
<b>PECFA Eligible Flg:</b>	No				<b>Latitude:</b>	
<b>AST Flag:</b>	No				<b>Longitude:</b>	
<b>PLSS:</b>						
<b>WDOT Flag:</b>		No				
<b>WDOT Desc:</b>						
<b>Activity Name:</b>		WI DNR POTAWATOMI STATE PARK				
<b>Activity Detail Addr:</b>		SHORE OF GREEN BAY ADJACENT TO PARKING LOT 2 IN PARK				
<b>Activity Comments:</b>		SAME SPILL REPORT AS REMOVED ACTIVITY (04-15-385529)				

#### Action Information

<b>Action Date:</b>	2002-06-03
<b>Action Code:</b>	11
<b>Action Name:</b>	Spill Activity Closed
<b>Action Desc:</b>	Date DNR determined that no further action is required at a spill activity.
<b>Action Comment:</b>	
<b>Action Date:</b>	2002-06-02
<b>Action Code:</b>	1
<b>Action Name:</b>	Spill Incident Occurred
<b>Action Desc:</b>	Date a hazardous substance spill occurred or date reported to DNR (or DATCP) if actual date of spill is unknown.
<b>Action Comment:</b>	
<b>Action Date:</b>	2002-06-02
<b>Action Code:</b>	5
<b>Action Name:</b>	Notification of Hazardous Substance Spill
<b>Action Desc:</b>	Date a hazardous substance spill is reported to DNR (or DATCP)
<b>Action Comment:</b>	

#### Impacts Information

<b>Impact Seq No:</b>	
<b>Impact Code:</b>	07
<b>Impact Desc:</b>	Surface Water Contamination
<b>Impact Comment:</b>	GREEN BAY/SAWYER HARBOR
<b>Potential Flag:</b>	No

#### Spill Details Information

<b>Spill Seq No:</b>	384787
<b>Incident Time:</b>	6/2/2002 00:00:00
<b>Reported Time:</b>	6/2/2002 14:05:00
<b>Spill File No:</b>	
<b>Physical Char Code:</b>	
<b>Physical Char Desc:</b>	
<b>Physical Color:</b>	
<b>Physical Odor:</b>	
<b>Spill Cause:</b>	UNKNOWN
<b>Spill Source Code:</b>	15
<b>Spill Source Desc:</b>	Other
<b>Spill Source Comment:</b>	PUBLIC WATERS
<b>Resource Damage Flag:</b>	
<b>Resource Damage Comment:</b>	POTENTIAL-GREEN BAY
<b>DNR NOTIF Immediate Flag:</b>	
<b>DNR Investigator:</b>	
<b>Spill Comment:</b>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

WARDEN LOCKMAN RECD CALL FROM PARK RANGER BERGMAN RE CITIZEN COMPLAINT OF STRONG ODOR OF KEROSENE AND SHEEN ON WATER. RANGER CONFIRMED PRESENCE OF FUEL ON WATER. CKD W/ FIRE TOUR BOAT AND BAY SHIP - NEITHER HAD LOST FUEL. WATCH PLACED - DISSIPATED FUEL LATER IN DAY, NO LONGER VISIBLE.

**Spiller Actions Information**

Spiller Action Code: 01  
 Spiller Action Desc: No Action Taken  
 Spiller Action Comment:

**Substances Information**

Substance Desc: Jet Fuel  
 Spill Released Amt:  
 Spill Released Unit Code:

Substance Desc: Diesel Fuel  
 Spill Released Amt:  
 Spill Released Unit Code:

**WHO Information**

Org Flag: No  
 Role Desc: DNR File Contact  
 Full Name: DENISE DANIELSKI  
 Address 1: 2984 SHAWANO AVE  
 Address 2:  
 City: GREEN BAY  
 State Abbr: WI  
 Postal Code: 54313-6727  
 Composite Address: GREEN BAY, WI 54313  
 Country Name: UNITED STATES  
 Email: denise.danelski@wisconsin.gov

**BRRT WEB List**

FID:	415165080	Start Date:	2002-06-02
Status:	CLOSED	End Date:	2002-06-03
Activity Type:	SPILL	Jurisdiction:	DNR
Activity Name:	WI DNR POTAWATOMI STATE PARK		
Comments:	SAME SPILL REPORT AS REMOVED ACTIVITY (04-15-385529)		

**Facility Owner Information**

Name: STATE OF WIS  
 Street: 3740 PARK DRIVE  
 City: STURGEON BAY  
 State: WI  
 Zip: 54235  
 Start Date:  
 End Date:

<a href="#">7</a>	7 of 9	N	0.01 / 65.84	693.99 / -26	WI DNR - POTAWATOMI STATE PARK 3740 Park Dr Sturgeon Bay WI	CRS
-------------------	--------	---	--------------	--------------	-------------------------------------------------------------------	-----

Facility ID No:	415165080	Loc Meth:	Interpreted based on site records
Detail Seq No:	25299	Sediments:	No
Activity Detail No:	0315001047	Has Contin Oblig:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<b>Act Code:</b>	340				<b>Has Offsite:</b>	No
<b>Start Date:</b>	1991-04-19 24:00:00 UTC				<b>WTM91 X AMT:</b>	724235.75
<b>End Date:</b>	1993-06-07 24:00:00 UTC				<b>WTM91 Y AMT:</b>	491092.44
<b>Point Rep:</b>	Contaminant source					

<u>7</u>	8 of 9	N	0.01 / 65.84	693.99 / -26	Potawatomi State Park 3740 Park Dr Sturgeon Bay WI 54235	UST
----------	--------	---	--------------	--------------	----------------------------------------------------------------	-----

<b>License No:</b>	435789	<b>Expiration Date:</b>	
<b>Facility Ref No:</b>	154815 154815	<b>Fire Department Nm:</b>	Sturgeon Bay
<b>Fire Department ID:</b>	1507	<b>Municipality Name:</b>	Town of Nasewauppee
<b>License Type:</b>	Registration	<b>Property County:</b>	Door County
<b>License:</b>	Storage Tank Registration		
<b>Licensee:</b>	WISCONSIN DNR		

**Tank Details**

<b>Tank ID:</b>	44345	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283757 150900214	<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900214	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b>	Leaded Gasoline	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>		<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	500.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	133498	<b>UST Manifolder:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No
<b>Type:</b>	Piping (Storage Tank)	<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	Unknown
<b>Wall Type:</b>	Single	<b>Corrosion Protection:</b>	
<b>Construction Material:</b>	Unknown	<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	Yes		

**Tank Details**

<b>Tank ID:</b>	44344	<b>Federally Regulated:</b>	Yes
<b>Tank Reference No:</b>	283756 150900213	<b>Leak Detection:</b>	Unknown
<b>Equipment Wang ID:</b>	150900213	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	No
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b>	Leaded Gasoline	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Government	<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>		<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	500.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Bare Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>	Single	<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>	133497	<b>UST Manifolder:</b>	No
<b>Status:</b>	Closed/Removed	<b>Flex Connector:</b>	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:	Piping (Storage Tank)				Leak Test Method:	
System Type:					Leak Detection:	Unknown
Wall Type:	Single				Corrosion Protection:	
Construction Material:	Unknown				Latest Test Name:	
Catastroph Leak Detn:					Latest Test Date:	
Aboveground Piping:	No				Latest Test Expire Dt:	
Underground Piping:	Yes					

**MyDATCP Storage Tank Search - Tank Details**

Tank ID:	44345	Corrosion Protect Ty:	
Wang ID:	150900214	Overfill Protect Type:	Not Installed
CAS No:		Construction Material:	Bare Steel
Tank Status:	Closed/Removed as of 1990-11-01	Capacity in Gallons:	500
Install Date:		Marketer:	No
Tank Type:	Underground Storage Tank	Spill Protection:	Not Installed
Tank Occupancy:	Government	Date of Lining:	
Wall Type:	Single	Contents:	Leaded Gasoline
Federally Regulated:	Yes	Overfill Protection:	Not Installed
Leak Detection:	Unknown	Lining Inspect Date:	
Leak Test Method:		Underground Piping:	No
Contain Sump Install:	No		

Tank ID:	44344	Corrosion Protect Ty:	
Wang ID:	150900213	Overfill Protect Type:	Not Installed
CAS No:		Construction Material:	Bare Steel
Tank Status:	Closed/Removed as of 1990-11-01	Capacity in Gallons:	500
Install Date:		Marketer:	No
Tank Type:	Underground Storage Tank	Spill Protection:	Not Installed
Tank Occupancy:	Government	Date of Lining:	
Wall Type:	Single	Contents:	Leaded Gasoline
Federally Regulated:	Yes	Overfill Protection:	Not Installed
Leak Detection:	Unknown	Lining Inspect Date:	
Leak Test Method:		Underground Piping:	No
Contain Sump Install:	No		

**MyDATCP Storage Tank Search - Owner Details**

Site Anniversary Date:	
Owner Name:	Wisconsin DNR
Owner Address1:	W7303 County Highway CS
Owner Address2:	
Owner City:	Poynette
Owner State:	WI
Owner Zip:	53955

<u>7</u>	9 of 9	N	0.01 / 65.84	693.99 / -26	WI DNR POTAWATOMI STATE PARK 3740 PARK DR STURGEON BAY WI 54235	SHWIMS
FID:	415165080	County:		DOOR		
Status:	OPERATING	Region:		NORTHEAST		
Activity Type:	HW Generator Activities					

<u>8</u>	1 of 1	WNW	0.21 / 1,092.64	705.03 / -15	ARTHUR CERMAK 3640 Park Dr Sturgeon Bay WI 54235	UST
License No:	54353	Expiration Date:				
Facility Ref No:	54353 54353	Fire Department Nm:		Southern Door		
Fire Department ID:	1509	Municipality Name:				
License Type:	Registration	Property County:		Door County		
License:	Storage Tank Registration					



Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Licensee: ARTHUR CERMAK

**Tank Details**

<b>Tank ID:</b>	283770	<b>Federally Regulated:</b>	No
<b>Tank Reference No:</b>	283770 150900230	<b>Leak Detection:</b>	
<b>Equipment Wang ID:</b>	150900230	<b>Leak Test Method:</b>	
<b>CAS No:</b>		<b>Contain Sump Install:</b>	
<b>Tank Status:</b>	Closed/Removed	<b>Dispen Sump Install:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Marketer:</b>	No
<b>Tank Contents:</b>	Leaded Gasoline	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Agricultural	<b>Overfill Protection:</b>	Not Installed
<b>Install Date:</b>		<b>Overfill Protect Type:</b>	Not Installed
<b>Capacity:</b>	200.00	<b>Corrosion Protect Ty:</b>	
<b>Construction Material:</b>	Coated Steel	<b>Date of Lining:</b>	
<b>Wall Size:</b>		<b>Lining Inspect Date:</b>	

**Pipe Details**

<b>Related Tank ID:</b>		<b>UST Manifolder:</b>	
<b>Status:</b>		<b>Flex Connector:</b>	
<b>Type:</b>		<b>Leak Test Method:</b>	
<b>System Type:</b>		<b>Leak Detection:</b>	
<b>Wall Type:</b>		<b>Corrosion Protection:</b>	
<b>Construction Material:</b>		<b>Latest Test Name:</b>	
<b>Catastrop Leak Detn:</b>		<b>Latest Test Date:</b>	
<b>Aboveground Piping:</b>	No	<b>Latest Test Expire Dt:</b>	
<b>Underground Piping:</b>	No		

**MyDATCP Storage Tank Search - Tank Details**

<b>Tank ID:</b>	283770	<b>Corrosion Protect Ty:</b>	
<b>Wang ID:</b>	150900230	<b>Overfill Protect Type:</b>	Not Installed
<b>CAS No:</b>		<b>Construction Material:</b>	Coated Steel
<b>Tank Status:</b>	Closed/Removed	<b>Capacity in Gallons:</b>	200
<b>Install Date:</b>		<b>Marketer:</b>	No
<b>Tank Type:</b>	Underground Storage Tank	<b>Spill Protection:</b>	Not Installed
<b>Tank Occupancy:</b>	Agricultural	<b>Date of Lining:</b>	
<b>Wall Type:</b>		<b>Contents:</b>	Leaded Gasoline
<b>Federally Regulated:</b>	No	<b>Overfill Protection:</b>	Not Installed
<b>Leak Detection:</b>		<b>Lining Inspect Date:</b>	
<b>Leak Test Method:</b>		<b>Underground Piping:</b>	No
<b>Contain Sump Install:</b>			

**MyDATCP Storage Tank Search - Owner Details**

**Site Anniversary Date:**

**Owner Name:** Arthur Cermak  
**Owner Address1:** 3640 Park Dr  
**Owner Address2:**  
**Owner City:** Nasewaupée  
**Owner State:** WI  
**Owner Zip:** 54235

<u>9</u>	1 of 1	E	0.76 / 4,008.11	589.44 / -130	JUTTING POINT LIMESTONE QUARRY DOOR COUNTY STURGEON BAY WI 54235	MRDS
----------	--------	---	--------------------	------------------	---------------------------------------------------------------------------	------

<b>Dep ID:</b>	10278353	<b>I1:</b>	19
<b>Dev Status:</b>	PAST PRODUCER	<b>Latitude:</b>	44.848694
<b>Code List:</b>	STN_C	<b>Longitude:</b>	-87.401428
<b>Url:</b>	<a href="http://mrddata.usgs.gov/mrds/show-mrds.php?dep_id=10278353">http://mrddata.usgs.gov/mrds/show-mrds.php?dep_id=10278353</a>		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**Commodity**

<b>I1:</b>	47	<b>Line:</b>	1
<b>Code:</b>	STN_C	<b>Inserted By:</b>	MAS migration
<b>Commodity:</b>	Stone, Crushed/Broken	<b>Insert Date:</b>	29-OCT-02
<b>Commodity Type:</b>	Non-metallic	<b>Updated By:</b>	USGS
<b>Commodity Group:</b>	Stone, Crushed	<b>Update Date:</b>	29-OCT-02
<b>Importance:</b>	Primary		

**Names**

<b>I1:</b>	39	<b>Inserted By:</b>	MAS migration
<b>Status:</b>	Current	<b>Insert Date:</b>	29-OCT-02
<b>Site Name:</b>	Jutting Point Limestone Quarry	<b>Updated By:</b>	USGS
<b>Line:</b>	1	<b>Update Date:</b>	29-OCT-02

<a href="#">10</a>	1 of 1	<b>NE</b>	<b>0.76 / 4,021.67</b>	<b>579.98 / -140</b>	<b>FOX RIVER NRDA/PCB RELEASES FOX RIVER AND GREEN BAY GREEN BAY WI 54302</b>	<b>PROPOSED NPL</b>
--------------------	--------	-----------	----------------------------	--------------------------	-------------------------------------------------------------------------------------------	-------------------------

**EPA ID:** WI0001954841  
**Site ID:**  
**Street Addr Txt (SEMS):** FOX RIVER AND GREEN BAY  
**City Name (SEMS):** GREEN BAY  
**State Code (SEMS):** WI  
**Zip Code (SEMS):** 54302  
**County (SEMS):** BROWN  
**County (Export):** Brown, Outagamie, Winnebago  
**Data Source:** U.S. EPA Site Boundaries Shapefile Download; U.S. EPA SUPERFUND PROGRAM. Source: SEMS Superfund Public User Database. FOIA3 All Proposed NPL Sites. Retrieved on 26-OCT-2023.

**NPL (SEMS FOIA 003)**

<b>Federal Facility:</b>	No	<b>County:</b>	BROWN
<b>NPL Status Dt:</b>	07/28/98	<b>Latitude:</b>	+44.533100
<b>NAI:</b>	Yes	<b>Longitude:</b>	-88.001500
<b>NA Entity (NAI Status):</b>	Little Traverse Bay Bands of Odawa Indians, Michigan (Current); Menominee Indian Tribe of Wisconsin (Current); Oneida Nation (Current)		
<b>SAA (Superfund Alt):</b>	No		

**NPL (Superfund Sites List)**

<b>SEMS ID:</b>	507723	<b>Proposed Date:</b>	07/28/1998
<b>Status:</b>	Proposed NPL Site	<b>Listing Date:</b>	
<b>Site Score:</b>	50	<b>NOID Date:</b>	
<b>SITS ID:</b>	1515	<b>Deletion Date:</b>	
<b>Constr Complete No:</b>	0	<b>Latitude:</b>	44.5331
<b>Constr Complete Dt:</b>		<b>Longitude:</b>	-88.0015
<b>Partial Deletion:</b>	No		
<b>Proposed Fr Notice:</b>	<a href="http://www.gpo.gov/fdsys/pkg/FR-1998-07-28/pdf/98-20155.pdf" target="_blank">07/28/1998 (PDF)</a>		
<b>Final Fr Notice:</b>			
<b>NOID Fr Notice:</b>			
<b>Deletion Fr Notice:</b>			
<b>Restoration Fr Notice:</b>			
<b>Notice of Data Availability:</b>			
<b>Site Listing Narrative:</b>	<a href="https://semspub.epa.gov/src/document/05/633437" target="_blank">WI0001954841 (PDF)</a>		
<b>Site Progress Profile:</b>	<a href="https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0507723" target="_blank">Fox River NRDA/PCB Releases</a>		

**NPL (EPA Boundaries)**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

**EPA Program:** Superfund Remedial  
**NPL Status:** P  
**Fed Facility:** No  
**GIS Area:** 2271333.86957  
**GIS Area Unit:** Acres  
**Last Changed:** 28-JUL-20 12.00.00.000000 AM  
**Site Contact:** Saric, James  
**Site Contact 1:** saric.james@epa.gov  
**Feature In:** https://semspub.epa.gov/src/document/05/200128  
**Feature 1:** 2003 OU3/4/5 ROD  
**Site Feature:** 5  
**Site Feature 1:** Site Boundary - Comprehensive Site  
**Site Feature 2:** OU5 Green Bay Area  
**Site Feature 3:** The Lower Fox River, located in northeastern Wisconsin, begins at the Menasha and Neenah channels leading from Lake Winnebago and flows northeast for 39 miles where it discharges into Green Bay and Lake Michigan. Approximately 270,000 people live in the 2003 OU3/4/5 ROD Fig 5 PDF pg. 345  
**Site Feature 4:**  
**Site Feature 5:**  
**Site Feature 6:**  
**Projection:**  
**SF Geospat:** The Agency is providing this geospatial information as a public service and does not vouch for the accuracy, completeness, or currency of data. Data provided by external parties is not independently verified by EPA. This data is made available to the pub  
**Url Alias:** https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723

**NPL (EPA Boundaries)**

**EPA Program:** Superfund Remedial  
**NPL Status:** P  
**Fed Facility:** No  
**GIS Area:** 2523.75882427  
**GIS Area Unit:** Acres  
**Last Changed:** 28-JUL-20 12.00.00.000000 AM  
**Site Contact:** Saric, James  
**Site Contact 1:** saric.james@epa.gov  
**Feature In:** https://semspub.epa.gov/src/document/05/371186  
**Feature 1:** 2008 OU1 ROD  
**Site Feature:** 5  
**Site Feature 1:** Site Boundary - Comprehensive Site  
**Site Feature 2:** OU4 De Pere to Green Bay Area  
**Site Feature 3:** The Lower Fox River, located in northeastern Wisconsin, begins at the Menasha and Neenah channels leading from Lake Winnebago and flows northeast for 39 miles where it discharges into Green Bay and Lake Michigan. Approximately 270,000 people live in the 2008 OU1 ROD Fig 1 PDF pg. 11  
**Site Feature 4:**  
**Site Feature 5:**  
**Site Feature 6:**  
**Projection:**  
**SF Geospat:** The Agency is providing this geospatial information as a public service and does not vouch for the accuracy, completeness, or currency of data. Data provided by external parties is not independently verified by EPA. This data is made available to the pub  
**Url Alias:** https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723

**NPL (EPA Boundaries)**

**EPA Program:** Superfund Remedial  
**NPL Status:** P  
**Fed Facility:** No  
**GIS Area:** 3129.98161527  
**GIS Area Unit:** Acres  
**Last Changed:** 28-JUL-20 12.00.00.000000 AM  
**Site Contact:** Saric, James  
**Site Contact 1:** saric.james@epa.gov  
**Feature In:** https://semspub.epa.gov/src/document/05/371186  
**Feature 1:** 2008 OU1 ROD  
**Site Feature:** 5  
**Site Feature 1:** Site Boundary - Comprehensive Site

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction</b>	<b>Distance (mi/ft)</b>	<b>Elev/Diff (ft)</b>	<b>Site</b>	<b>DB</b>
<b>Site Feature 2:</b>					OU1 Little Lake Butte des Morts Area	
<b>Site Feature 3:</b>					The Lower Fox River, located in northeastern Wisconsin, begins at the Menasha and Neenah channels leading from Lake Winnebago and flows northeast for 39 miles where it discharges into Green Bay and Lake Michigan. Approximately 270,000 people live in the 2008 OU1 ROD Fig 3 PDF pg. 32	
<b>Site Feature 4:</b>						
<b>Site Feature 5:</b>						
<b>Site Feature 6:</b>						
<b>Projection:</b>						
<b>SF Geospat:</b>					The Agency is providing this geospatial information as a public service and does not vouch for the accuracy, completeness, or currency of data. Data provided by external parties is not independently verified by EPA. This data is made available to the pub	
<b>Url Alias:</b>					<a href="https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723">https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723</a>	

**NPL (EPA Boundaries)**

<b>EPA Program:</b>	Superfund Remedial	<b>Primary Telephone:</b>	(312) 886-0992
<b>NPL Status:</b>	P	<b>Public Release:</b>	
<b>Fed Facility:</b>	No	<b>Original C:</b>	20-MAR-20 12.00.00.000000 AM
<b>GIS Area:</b>	2852.27098445	<b>Region Code:</b>	5
<b>GIS Area Unit:</b>	Acres	<b>Tier Accur:</b>	
<b>Last Changed:</b>	28-JUL-20 12.00.00.000000 AM		
<b>Site Contact:</b>	Saric, James		
<b>Site Contact 1:</b>	saric.james@epa.gov		
<b>Feature In:</b>	<a href="https://semspub.epa.gov/src/document/05/371186">https://semspub.epa.gov/src/document/05/371186</a>		
<b>Feature 1:</b>	2008 OU1 ROD		
<b>Site Feature:</b>	5		
<b>Site Feature 1:</b>	Site Boundary - Comprehensive Site		
<b>Site Feature 2:</b>	OU2 Appleton to Little Rapids Area		
<b>Site Feature 3:</b>	The Lower Fox River, located in northeastern Wisconsin, begins at the Menasha and Neenah channels leading from Lake Winnebago and flows northeast for 39 miles where it discharges into Green Bay and Lake Michigan. Approximately 270,000 people live in the 2008 OU1 ROD Fig 1 PDF pg. 11		
<b>Site Feature 4:</b>			
<b>Site Feature 5:</b>			
<b>Site Feature 6:</b>			
<b>Projection:</b>			
<b>SF Geospat:</b>			The Agency is providing this geospatial information as a public service and does not vouch for the accuracy, completeness, or currency of data. Data provided by external parties is not independently verified by EPA. This data is made available to the pub
<b>Url Alias:</b>			<a href="https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723">https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723</a>

**NPL (EPA Boundaries)**

<b>EPA Program:</b>	Superfund Remedial	<b>Primary Telephone:</b>	(312) 886-0992
<b>NPL Status:</b>	P	<b>Public Release:</b>	
<b>Fed Facility:</b>	No	<b>Original C:</b>	20-MAR-20 12.00.00.000000 AM
<b>GIS Area:</b>	1696.6058095	<b>Region Code:</b>	5
<b>GIS Area Unit:</b>	Acres	<b>Tier Accur:</b>	
<b>Last Changed:</b>	28-JUL-20 12.00.00.000000 AM		
<b>Site Contact:</b>	Saric, James		
<b>Site Contact 1:</b>	saric.james@epa.gov		
<b>Feature In:</b>	<a href="https://semspub.epa.gov/src/document/05/371186">https://semspub.epa.gov/src/document/05/371186</a>		
<b>Feature 1:</b>	2008 OU1 ROD		
<b>Site Feature:</b>	5		
<b>Site Feature 1:</b>	Site Boundary - Comprehensive Site		
<b>Site Feature 2:</b>	OU3 Little Rapids to De Pere Area		
<b>Site Feature 3:</b>	The Lower Fox River, located in northeastern Wisconsin, begins at the Menasha and Neenah channels leading from Lake Winnebago and flows northeast for 39 miles where it discharges into Green Bay and Lake Michigan. Approximately 270,000 people live in the 2008 OU1 ROD Fig 1 PDF pg. 11		
<b>Site Feature 4:</b>			
<b>Site Feature 5:</b>			
<b>Site Feature 6:</b>			
<b>Projection:</b>			
<b>SF Geospat:</b>			The Agency is providing this geospatial information as a public service and does not vouch for the accuracy, completeness, or currency of data. Data provided by external parties is not independently verified by EPA. This data is made available to the pub
<b>Url Alias:</b>			<a href="https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723">https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0507723</a>

# Unplottable Summary

Total: 1 Unplottable sites

DB	Company Name/Site Name	Address	City	Zip	ERIS ID
FINDS/FRS	DOOR CO CHERRYLAND AIRPORT		WI		825584088

*Registry ID:* 110050879741



# Unplottable Report

**Site:** DOOR CO CHERRYLAND AIRPORT  
WI

[FINDS/FRS](#)

**Registry ID:** 110050879741  
**FIPS Code:**  
**HUC Code:**  
**Site Type Name:** WATER SYSTEM  
**Location Description:**  
**Supplemental Location:**  
**Create Date:** 26-OCT-12  
**Update Date:** 09-MAY-20  
**Interest Types:** TRANSIENT NON-COMMUNITY WATER SYSTEM  
**SIC Codes:**  
**SIC Code Descriptions:**  
**NAICS Codes:**  
**NAICS Code Descriptions:**  
**Conveyor:**  
**Federal Facility Code:**  
**Federal Agency Name:**  
**Tribal Land Code:**  
**Tribal Land Name:**  
**Congressional Dist No:**  
**Census Block Code:**  
**EPA Region Code:** 05  
**County Name:** DOOR  
**US/Mexico Border Ind:**  
**Latitude:**  
**Longitude:**  
**Reference Point:**  
**Coord Collection Method:**  
**Accuracy Value:**  
**Datum:** NAD83  
**Source:**  
**Facility Detail Rprt URL:** [https://ofmpub.epa.gov/frs\\_public2/fii\\_query\\_detail.disp\\_program\\_facility?p\\_registry\\_id=110050879741](https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110050879741)  
**Data Source:** Facility Registry Service - Single File  
**Program Acronyms:**

SFDW:WI4150887

# Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ERIS updates databases as set out in ASTM Standard E1527-13 and E1527-21, Section 8.1.8 Sources of Standard Source Information:*

*"Government information from nongovernmental sources may be considered current if the source updates the information at least every 90 days, or, for information that is updated less frequently than quarterly by the government agency, within 90 days of the date the government agency makes the information available to the public."*

## **Standard Environmental Record Sources**

### **Federal**

#### **National Priority List:**

[NPL](#)

Sites on the United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. The NPL, which EPA is required to update at least once a year, is based primarily on the score a site receives from EPA's Hazard Ranking System. A site must be on the NPL to receive money from the Superfund Trust Fund for remedial action. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

**Government Publication Date: Oct 26, 2023**

#### **National Priority List - Proposed:**

[PROPOSED NPL](#)

Sites proposed by the United States Environmental Protection Agency (EPA), the state agency, or concerned citizens for addition to the National Priorities List (NPL) due to contamination by hazardous waste and identified by the EPA as a candidate for cleanup because it poses a risk to human health and/or the environment. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

**Government Publication Date: Oct 26, 2023**

#### **Deleted NPL:**

[DELETED NPL](#)

Sites deleted from the United States Environmental Protection Agency (EPA)'s National Priorities List. The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

**Government Publication Date: Oct 26, 2023**

#### **SEMS List 8R Active Site Inventory:**

[SEMS](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Program has deployed the Superfund Enterprise Management System (SEMS), which integrates multiple legacy systems into a comprehensive tracking and reporting tool. This inventory contains active sites evaluated by the Superfund program that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. This data includes SEMS sites from the List 8R Active file as well as applicable sites from the SEMS GIS/REST file layer obtained from EPA's Facility Registry Service.

**Government Publication Date: Sep 19, 2023**

**Inventory of Open Dumps, June 1985:**

[ODI](#)

The Resource Conservation and Recovery Act (RCRA) provides for publication of an inventory of open dumps. The Act defines "open dumps" as facilities which do not comply with EPA's "Criteria for Classification of Solid Waste Disposal Facilities and Practices" (40 CFR 257).

**Government Publication Date: Jun 1985**

**SEMS List 8R Archive Sites:**

[SEMS ARCHIVE](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. This data includes sites from the List 8R Archived site file.

**Government Publication Date: Sep 19, 2023**

**Comprehensive Environmental Response, Compensation and Liability Information System -**

[CERCLIS](#)

**CERCLIS:**

Superfund is a program administered by the United States Environmental Protection Agency (EPA) to locate, investigate, and clean up the worst hazardous waste sites throughout the United States. CERCLIS is a database of potential and confirmed hazardous waste sites at which the EPA Superfund program has some involvement. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The EPA administers the Superfund program in cooperation with individual states and tribal governments; this database is made available by the EPA.

**Government Publication Date: Oct 25, 2013**

**EPA Report on the Status of Open Dumps on Indian Lands:**

[IODI](#)

Public Law 103-399, The Indian Lands Open Dump Cleanup Act of 1994, enacted October 22, 1994, identified congressional concerns that solid waste open dump sites located on American Indian or Alaska Native (AI/AN) lands threaten the health and safety of residents of those lands and contiguous areas. The purpose of the Act is to identify the location of open dumps on Indian lands, assess the relative health and environment hazards posed by those sites, and provide financial and technical assistance to Indian tribal governments to close such dumps in compliance with Federal standards and regulations or standards promulgated by Indian Tribal governments or Alaska Native entities.

**Government Publication Date: Dec 31, 1998**

**CERCLIS - No Further Remedial Action Planned:**

[CERCLIS NFRAP](#)

An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. The Archive designation means that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL). This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

**Government Publication Date: Oct 25, 2013**

**CERCLIS Liens:**

[CERCLIS LIENS](#)

A Federal Superfund lien exists at any property where EPA has incurred Superfund costs to address contamination ("Superfund site") and has provided notice of liability to the property owner. A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. This database is made available by the United States Environmental Protection Agency (EPA). This database was provided by the United States Environmental Protection Agency (EPA). Refer to SEMS LIEN as the current data source for Superfund Liens.

**Government Publication Date: Jan 30, 2014**

**RCRA CORRACTS-Corrective Action:**

[RCRA CORRACTS](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. At these sites, the Corrective Action Program ensures that cleanups occur. EPA and state regulators work with facilities and communities to design remedies based on the contamination, geology, and anticipated use unique to each site.

**Government Publication Date: Oct 2, 2023**

**RCRA non-CORRACTS TSD Facilities:**

[RCRA TSD](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. This database includes Non-Corrective Action sites that have indicated engagement in the treatment, storage, or disposal of hazardous waste which requires a RCRA hazardous waste permit.

**Government Publication Date: Oct 2, 2023**

**RCRA Generator List:**

[RCRA LQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Large Quantity Generators (LQGs) generate 1,000 kilograms per month or more of hazardous waste or more than one kilogram per month of acutely hazardous waste.

**Government Publication Date: Oct 2, 2023**

**RCRA Small Quantity Generators List:**

[RCRA SQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Small Quantity Generators (SQGs) generate more than 100 kilograms, but less than 1,000 kilograms, of hazardous waste per month.

**Government Publication Date: Oct 2, 2023**

**RCRA Very Small Quantity Generators List:**

[RCRA VSQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Very Small Quantity Generators (VSQG) generate 100 kilograms or less per month of hazardous waste, or one kilogram or less per month of acutely hazardous waste. Additionally, VSQG may not accumulate more than 1,000 kilograms of hazardous waste at any time.

**Government Publication Date: Oct 2, 2023**

**RCRA Non-Generators:**

[RCRA NON GEN](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Non-Generators do not presently generate hazardous waste.

**Government Publication Date: Oct 2, 2023**

**RCRA Sites with Controls:**

[RCRA CONTROLS](#)

List of Resource Conservation and Recovery Act (RCRA) facilities with institutional controls in place. RCRA gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances.

**Government Publication Date: Oct 2, 2023**

**Federal Engineering Controls-ECs:**

[FED ENG](#)

This list of Engineering controls (ECs) is provided by the United States Environmental Protection Agency (EPA). ECs encompass a variety of engineered and constructed physical barriers (e.g., soil capping, sub-surface venting systems, mitigation barriers, fences) to contain and/or prevent exposure to contamination on a property. The EC listing includes remedy component data from Superfund decision documents issued in fiscal years 1982-2021 for applicable sites on the final or deleted on the National Priorities List (NPL); and sites with a Superfund Alternative Approach (SAA) Agreement in place. The only sites included that are not on the NPL; proposed for NPL; or removed from proposed NPL, are those with an SAA Agreement in place.

**Government Publication Date: Oct 26, 2023**

**Federal Institutional Controls- ICs:**

[FED INST](#)

This list of Institutional controls (ICs) is provided by the United States Environmental Protection Agency (EPA). ICs are non-engineered instruments, such as administrative and legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy. Although it is EPA's expectation that treatment or engineering controls will be used to address principal threat wastes and that groundwater will be returned to its beneficial use whenever practicable, ICs play an important role in site remedies because they reduce exposure to contamination by limiting land or resource use and guide human behavior at a site. The IC listing includes remedy component data from Superfund decision documents issued in fiscal years 1982-2021 for applicable sites on the final or deleted on the National Priorities List (NPL); and sites with a Superfund Alternative Approach (SAA) Agreement in place. The only sites included that are not on the NPL; proposed for NPL; or removed from proposed NPL, are those with an SAA Agreement in place.

**Government Publication Date: Oct 26, 2023**

**Land Use Control Information System:**

LUCIS

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

**Government Publication Date: Sep 1, 2006**

**Institutional Control Boundaries at NPL sites:**

NPL IC

Boundaries of Institutional Control areas at sites on the United States Environmental Protection Agency (EPA)'s National Priorities List, or Proposed or Deleted, made available by the EPA's Shared Enterprise Geodata and Services (SEGS). United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. Institutional controls are non-engineered instruments such as administrative and legal controls that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy.

**Government Publication Date: Oct 26, 2023**

**Emergency Response Notification System:**

ERNS 1982 TO 1986

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

**Government Publication Date: 1982-1986**

**Emergency Response Notification System:**

ERNS 1987 TO 1989

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

**Government Publication Date: 1987-1989**

**Emergency Response Notification System:**

ERNS

Database of oil and hazardous substances spill reports made available by the United States Coast Guard National Response Center (NRC). The NRC fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. These data contain initial incident data that has not been validated or investigated by a federal/state response agency.

**Government Publication Date: Aug 12, 2023**

**The Assessment, Cleanup and Redevelopment Exchange System (ACRES) Brownfield Database:**

FED BROWNFIELDS

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties protects the environment, reduces blight, and takes development pressures off greenspaces and working lands. This data is provided by the United States Environmental Protection Agency (EPA) and includes Brownfield sites from the Cleanups in My Community (CIMC) web application.

**Government Publication Date: Mar 13, 2023**

**FEMA Underground Storage Tank Listing:**

FEMA UST

The Federal Emergency Management Agency (FEMA) of the Department of Homeland Security maintains a list of FEMA owned underground storage tanks.

**Government Publication Date: Dec 31, 2017**

**Facility Response Plan:**

FRP

This listing contains facilities that have submitted Facility Response Plans (FRPs) to the U.S. Environmental Protection Agency (EPA). Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit FRPs. Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments. This listing includes FRP facilities from an applicable EPA FOIA file and Homeland Infrastructure Foundation-Level Data (HIFLD) data file.

**Government Publication Date: May 2, 2023**

**Delisted Facility Response Plans:**

DELISTED FRP

Facilities that once appeared in - and have since been removed from - the list of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

**Government Publication Date: May 2, 2023**



**Historical Gas Stations:**

[HIST GAS STATIONS](#)

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

**Government Publication Date:** Jul 1, 1930

**Petroleum Refineries:**

[REFN](#)

List of petroleum refineries from the U.S. Energy Information Administration (EIA) Refinery Capacity Report. Includes operating and idle petroleum refineries (including new refineries under construction) and refineries shut down during the previous year located in the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and other U.S. possessions. Survey locations adjusted using public data.

**Government Publication Date:** Sep 20, 2023

**Petroleum Product and Crude Oil Rail Terminals:**

[BULK TERMINAL](#)

A list of petroleum product and crude oil rail terminals from the U.S. Energy Information Administration (EIA), as well as petroleum terminals sourced from the Federal Communications Commission Data hosted by the Homeland Infrastructure Foundation-Level Database. Data includes operable bulk petroleum product terminals with a total bulk shell storage capacity of 50,000 barrels or more, and/or the ability to receive volumes from tanker, barge, or pipeline; also rail terminals handling the loading and unloading of crude oil with activity between 2017 and 2018. EIA petroleum product terminal data comes from the EIA-815 Bulk Terminal and Blender Report, which includes working, shell in operation, and shell idle for several major product groupings.

**Government Publication Date:** Sep 22, 2023

**LIEN on Property:**

[SEMS LIEN](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) provides Lien details on applicable properties, such as the Superfund lien on property activity, the lien property information, and the parties associated with the lien.

**Government Publication Date:** Sep 19, 2023

**Superfund Decision Documents:**

[SUPERFUND ROD](#)

This database contains a list of decision documents for Superfund sites. Decision documents serve to provide the reasoning for the choice of (or) changes to a Superfund Site cleanup plan. The decision documents include completed Records of Decision (ROD), ROD Amendments, Explanations of Significant Differences (ESD) for active and archived sites stored in the Superfund Enterprise Management System (SEMS), along with other associated memos and files. This information is maintained and made available by the U.S. Environmental Protection Agency.

**Government Publication Date:** Dec 26, 2023

**Formerly Utilized Sites Remedial Action Program:**

[DOE FUSRAP](#)

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

**Government Publication Date:** Mar 4, 2017

**State**

**Hazard Ranking List:**

[SHWS](#)

Last published in 1994, this is a list of sites which were investigated by the Department of Natural Resources (DNR) under the Wisconsin Environmental Repair Law. Hazard ranking of a site or facility was performed to determine if the site or facility presents a substantial danger to the public health, or welfare, or the environment. The DNR Bureau for Remediation and Redevelopment now maintains other programs for the investigation and cleanup of potential and confirmed contamination to soil and groundwater in Wisconsin. This database is state equivalent CERCLIS.

**Government Publication Date:** July 1994

**Licensed Solid Waste Landfills:**

[SWF/LF](#)

List of licensed solid waste landfills in the state of Wisconsin as recorded by the Department of Natural Resources (DNR). The DNR regulates landfills to prevent negative impacts to people and the environment. DNR staff inspect landfills regularly.

**Government Publication Date:** Dec 5, 2023

**The Historic Registry of Waste Disposal Sites:**

[WDS](#)

Prior to development of on-line databases, the Wisconsin Department of Natural Resources (DNR) provided public information about old waste disposal facilities in a printed publication called the Historic Registry of Waste Disposal Sites (the "Registry").

**Solid Waste - Landfills and Historic Waste Sites:**

HIST LF

A list of active and inactive solid waste landfills and known historic waste sites available through the Wisconsin Department of Natural Resources' Open Data Portal. This list is based on the known or inferred limits of waste found in the 'Solid Waste - Landfills and Historic Waste Site Extents' dataset.

Government Publication Date: Sep 13, 2023

**Solid & Hazardous Waste Information Management System:**

SHWIMS

List of sites and facilities in the Solid and Hazardous Waste Information System (SHWIMS) regulated by the Wisconsin Department of Natural Resources (DNR) Waste and Materials Management (WMM) program. Activities that occur at site facilities include landfill operation, waste transportation, hazardous waste generation, wood burning, waste processing, sharps collection and many more.

Government Publication Date: Oct 2, 2023

**Leaking Underground Storage Tanks:**

LUST

A list of Leaking Underground Storage Tank (LUST) sites as recorded by the Wisconsin Department of Natural Resources (DNR). When petroleum products are released from underground tanks into the soil or groundwater, the DNR will work with the responsible party and environmental professionals to clean up the spill to state standards. This LUST site listing is sourced from the Bureau for Remediation and Redevelopment Tracking System (BRRTS) database and Open Data Portal applicable file/s provided by the DNR.

Government Publication Date: Jul 5, 2023

**Leaking Aboveground Storage Tanks:**

LAST

List of Leaking Aboveground Storage Tank (LAST) sites as recorded by the Department of Natural Resources (DNR). When petroleum products are released from tanks into the soil or groundwater, the DNR will work with the responsible party and environmental professionals to clean up the spill to state standards.

Government Publication Date: Jul 5, 2023

**Delisted Leaking Tanks:**

DELISTED LST

This database contains a list of closed leaking tank sites that were removed from the leaking tank database regulated by the Storage Tank Regulation Section of the Wisconsin Department of Natural Resources.

Government Publication Date: Jul 5, 2023

**Underground Storage Tanks:**

UST

List of Underground Storage Tank (UST) locations. The Bureau of Weights and Measures, operating under the Department of Agriculture, Trade and Consumer Protection is responsible for the administration and regulation of the Wisconsin Administrative Code ATCP 93 - Flammable and Combustible Liquids.

Government Publication Date: Sep 12, 2023

**Aboveground Storage Tanks:**

AST

List of Aboveground Storage Tank (AST) locations. The Bureau of Weights and Measures, operating under the Department of Agriculture, Trade and Consumer Protection is responsible for the administration and regulation of the Wisconsin Administrative Code ATCP 93 - Flammable and Combustible Liquids.

Government Publication Date: Sep 12, 2023

**Delisted Storage Tanks:**

DEL STORAGE TANK

This database contains a list of closed storage tank sites that were removed from the storage tank database regulated by the Storage Tank Regulation Section of the Wisconsin Department of Agriculture, Trade, and Consumer Protection.

Government Publication Date: Sep 12, 2023

**Closed Remediation Sites:**

CRS

This list of closed environmental remediation sites is provided by the Wisconsin Department of Natural Resources (WI DNR). The listing includes Environmental Repair Program (ERP) and Leaking Underground Storage Tank (LUST) sites where contamination affected soil, groundwater or other media, but the DNR has determined, based on information available at the time, that no further remedial action is required. A "site" is a contamination incident, not a property. A site may be smaller than a property or may include more than one property.

Government Publication Date: Oct 27, 2023

**Deed Restriction at Closeout Sites:**

AUL

List of sites for which a deed restriction is recorded at the Register of Deeds office. Deed restrictions limit property use or outline requirements for actions prior to future use. Deed restrictions are applied in cases where there is known soil contamination that is impracticable to remove, or an engineering requirement or NR270 industrial standards are in place.

**Government Publication Date: Jul 5, 2023**

**Voluntary Party Liability Exemption Sites:**

VCP

List of sites which have participated in the Voluntary Party Liability Exemption (VPLE) program, an elective environmental cleanup program administered by the Wisconsin Department of Natural Resources (DNR), and received an exemption from future environmental liability. Any individual, business or unit of government that conducts an environmental investigation and cleanup of a contaminated property - following state requirements with the oversight of DNR staff - can receive an exemption from future environmental liability. With some restrictions, most properties that have had a discharge of a hazardous substance are eligible for VPLE.

**Government Publication Date: Jul 5, 2023**

**Brownfields Environmental Assessment Program:**

BEAP

List of sites which participated in the Brownfields Environmental Assessment Program (BEAP) - a federal program that assisted municipalities with Environmental Site Assessments (ESAs) for tax delinquent or bankrupt properties, or properties a local government acquired for redevelopment. Site assessments to determine property contamination were conducted by the Department of Natural Resources staff.

**Government Publication Date: Jul 5, 2023**

**Brownfields Listing:**

BROWNFIELDS

The Department of Natural Resource (DNR)'s Remediation and Redevelopment program has a wide range of financial and liability tools available to assist local governments, businesses, lenders and others to clean up and redevelop brownfields in Wisconsin. DNR describes brownfields as abandoned, idle or underused commercial or industrial properties, where the expansion or redevelopment is hindered by real or perceived contamination. Brownfield properties present public health, economic, environmental and social challenges to the rural and urban communities in which they are located.

**Government Publication Date: Jul 5, 2023**

**Brownfield Site Assessment Grant Projects:**

BSA PROJECTS

In 2012, the Brownfield Site Assessment Grant (SAG) program was transferred to the Wisconsin Economic Development Corporation (WEDC), this was previously a financial tool of the Wisconsin Department of Natural Resources (DNR). This grant program helps local governments conduct initial activities and investigations at properties with known or suspected environmental contamination. The awarded grant funds cannot be used for environmental cleanup activities. Applicants must meet the eligibility definition outlined in s.292.75(1)(a), Wisconsin Statutes: "Eligible site or facility' means one or more contiguous industrial or commercial facilities or sites with common or multiple ownership that are abandoned, idle, or underused, the expansion or redevelopment of which is adversely affected by actual or perceived environmental contamination." This listing includes the current WDEC SAG projects, the final DNR Round 11 and 12 SAG DNR projects. The Round 12 SAG projects were tracked by the DNR, but not funded by the DNR since the SAG program was vetoed out of the budget.

**Government Publication Date: Sep 30, 2015**

**Brownfields Grant Program Sites:**

BGP

This list of Brownfield Grant Program sites is provided by the Wisconsin Economic Development Corporation. The Wisconsin Brownfield Program provides grant funds to assist local governments, businesses and individuals with assessing and remediating the environmental contamination of an abandoned, idle or underused industrial or commercial facility or site. This program will help convert contaminated sites into productive properties that are attractive and ready for redevelopment.

**Government Publication Date: Jun 30, 2022**

**Environmental Repair:**

ERP

Environmental Repair Program sites are those other than Leaking Underground Storage Tanks (LUSTs) that have contaminated soil and/or groundwater. Examples include industrial spills (or dumping) that need long term investigation, buried containers of hazardous substances, and closed landfills that have caused contamination. This ERP site listing is sourced from the Bureau for Remediation and Redevelopment Tracking System (BRRTS) database and Open Data Portal applicable file/s provided by the Wisconsin Department of Natural Resources (DNR).

**Government Publication Date: Jul 5, 2023**

**Tribal**

**Leaking Underground Storage Tanks on Tribal/Indian Lands:**

INDIAN LUST

This list of leaking underground storage tanks (LUSTs) on Tribal/Indian Lands in Region 5, which includes Wisconsin, is made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date: Apr 14, 2023**

**Underground Storage Tanks on Tribal/Indian Lands:**

[INDIAN UST](#)

This list of underground storage tanks (USTs) on Tribal/Indian Lands in Region 5, which includes Wisconsin, is made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date: Apr 14, 2023**

**Delisted Tribal Leaking Storage Tanks:**

[DELISTED INDIAN LST](#)

Leaking Underground Storage Tank (LUST) facilities which once appeared on - and have since been removed from - the Regional Tribal/Indian LUST lists made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date: Oct 25, 2023**

**Delisted Tribal Underground Storage Tanks:**

[DELISTED INDIAN UST](#)

Underground Storage Tank (UST) facilities which once appeared on - and have since been removed from - the Regional Tribal/Indian UST lists made available by the United States Environmental Protection Agency (EPA).

**Government Publication Date: Oct 25, 2023**

**County**

**No County databases were selected to be included in the search.**

**Additional Environmental Record Sources**

**Federal**

**PFAS Greenhouse Gas Emissions Data:**

[PFAS GHG](#)

The U.S. Environmental Protection Agency's Greenhouse Gas Reporting Program (GHGRP) collects Greenhouse Gas (GHG) data from large emitting facilities (25,000 metric tons of carbon dioxide equivalent (CO<sub>2</sub>e) per year), and suppliers of fossil fuels and industrial gases that results in GHG emissions when used. Includes GHG emissions data for facilities that emit or have emitted since 2010 chemicals identified in EPA's CompTox Chemicals Dashboard list of PFAS without explicit structures and list of PFAS structures by DSSTox. PFAS emissions data has been identified for facilities engaged in the following industrial processes: Aluminum Production (GHGRP Subpart F), HCFC-22 Production and HFC-23 Destruction (Subpart O), Electronics Manufacturing (Subpart I), Fluorinated Gas Production (Subpart L), Magnesium Production (Subpart T), Electrical Transmission and Distribution Equipment Use (Subpart DD), and Manufacture of Electric Transmission and Distribution Equipment (Subpart SS). Over time, other industrial processes with required GHGRP reporting may include PFAS emissions data and the list of reportable gases may change over time.

**Government Publication Date: Nov 15, 2023**

**Facility Registry Service/Facility Index:**

[FINDS/FRS](#)

The Facility Registry Service (FRS) is a centrally managed database that identifies facilities, sites, or places subject to environmental regulations or of environmental interest. FRS creates high-quality, accurate, and authoritative facility identification records through rigorous verification and management procedures that incorporate information from program national systems, state master facility records, and data collected from EPA's Central Data Exchange registrations and data management personnel. This list is made available by the U.S. Environmental Protection Agency (EPA).

**Government Publication Date: Sep 8, 2023**

**Toxics Release Inventory (TRI) Program:**

[TRIS](#)

The U.S. Environmental Protection Agency's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of toxic chemicals from U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment. There are currently 770 individually listed chemicals and 33 chemical categories covered by the TRI Program. Facilities that manufacture, process or otherwise use these chemicals in amounts above established levels must submit annual reporting forms for each chemical. Note that the TRI chemical list does not include all toxic chemicals used in the U.S. One of TRI's primary purposes is to inform communities about toxic chemical releases to the environment.

**Government Publication Date: Oct 19, 2022**

**PFOA/PFOS Contaminated Sites:**

[PFAS NPL](#)

This list of Superfund Sites with Per- and Polyfluoroalkyl Substances (PFAS) detections is made available by the U.S. Environmental Protection Agency (EPA) in their PFAS Analytic Tools data, previously the list was obtained by EPA FOIA requests. EPA's Office of Land and Emergency Management and EPA Regional Offices maintain what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment. Limitations: Detections of PFAS at National Priorities List (NPL) sites do not mean that people are at risk from PFAS, are exposed to PFAS, or that the site is the source of the PFAS. The information in the Superfund NPL and Superfund Alternative Agreement (SAA) PFAS detection site list is years old and may not be accurate today. Site information such as site name, site ID, and location has been confirmed for accuracy; however, PFAS-related information such as media sampled, drinking water being above the health advisory, or mitigation efforts has not been verified. For Federal Facilities data, the other Federal agencies (OFA) are the lead agency for their data and provided them to EPA.

**Government Publication Date: Dec 18, 2023**

**Federal Agency Locations with Known or Suspected PFAS Detections:**

**PFAS FED SITES**

List of Federal agency locations with known or suspected detections of Per- and Polyfluoroalkyl Substances (PFAS), made available by the U.S. Environmental Protection Agency (EPA) in their PFAS Analytic Tools data. EPA outlines that these data are gathered from several federal entities, such as the Federal Superfund program, Department of Defense (DOD), National Aeronautics and Space Administration, Department of Transportation, and Department of Energy. The dates this data was extracted for the PFAS Analytic Tools range from March 2022 to September 2023. Sites on this list do not necessarily reflect the source/s of PFAS contamination and detections do not indicate level of risk or human exposure at the site. Agricultural notifications in this data are limited to DOD sites only. At this time, the EPA is aware that this list is not comprehensive of all Federal agencies.

**Government Publication Date: Sep 5, 2023**

**SSEHRI PFAS Contamination Sites:**

**PFAS SSEHRI**

This PFAS Contamination Site Tracker database is compiled by the Social Science Environmental Health Research Institute (SSEHRI) at Northeastern University. According to the SSEHRI, the database records qualitative and quantitative data from each known site of PFAS contamination, including timeline of discovery, sources, levels, health impacts, community response, and government response. The goal of this database is to compile information and support public understanding of the rapidly unfolding issue of PFAS contamination. All data presented was extracted from government websites, news articles, or publicly available documents, and this is cited in the tracker. Locations for the Known PFAS Contamination Sites are sourced from the PFAS Sites and Community Resources Map, credited to the Northeastern University's PFAS Project Lab, Silent Spring Institute, and the PFAS-REACH team. Disclaimer: The source conveys the data undergoes regular updates as new information becomes available, some sites may be missing and/or contain information that is incorrect or outdated, as well as their information represents all contamination sites SSEHRI is aware of, not all possible contamination sites. This data is not intended to be used for legal purposes. Access the following source link for the most current information: <https://pfasproject.com/pfas-sites-and-community-resources/>

**Government Publication Date: Oct 9, 2022**

**National Response Center PFAS Spills:**

**ERNS PFAS**

This Per- and Poly-Fluoroalkyl Substances (PFAS) Spills dataset is made available via the U.S. Environmental Protection Agency's (EPA) PFAS Analytic Tools. The National Response Center (NRC), operated by the U.S. Coast Guard, is the designated federal point of contact for reporting all oil, chemical, and other discharges into the environment, for the United States and its territories. This dataset contains NRC spill information from 1990 to the present that is restricted to records associated with PFAS and PFAS-containing materials. Incidents are filtered to include only records with a "Material Involved" or "Incident Description" related to Aqueous Film Forming Foam (AFFF). The keywords used to filter the data included "AFFF," "Fire Fighting Foam," "Aqueous Film Forming Foam," "Fire Suppressant Foam," "PFAS," "PERFL," "PFOA," "PFOS," and "Genx." Limitations: The data from the NRC website contains initial incident data that has not been validated or investigated by a federal/state response agency. Keyword searches may misidentify some incident reports that do not contain PFAS. This dataset should also not be considered to be exhaustive of all PFAS spills/release incidents.

**Government Publication Date: Nov 21, 2023**

**PFAS NPDES Discharge Monitoring:**

**PFAS NPDES**

This list of National Pollutant Discharge Elimination System (NPDES) permitted facilities with required monitoring for Per- and Polyfluoroalkyl (PFAS) Substances is made available via the U.S. Environmental Protection Agency (EPA)'s PFAS Analytic Tools. Any point-source wastewater discharger to waters of the United States must have a NPDES permit, which defines a set of parameters for pollutants and monitoring to ensure that the discharge does not degrade water quality or impair human health. This list includes NPDES permitted facilities associated with permits that monitor for Per- and Polyfluoroalkyl Substances (PFAS), limited to the years 2007 - present. EPA further advises the following regarding these data: currently, fewer than half of states have required PFAS monitoring for at least one of their permittees, and fewer states have established PFAS effluent limits for permittees. For states that may have required monitoring, some reporting and data transfer issues may exist on a state-by-state basis.

**Government Publication Date: Nov 27, 2023**

**Perfluorinated Alkyl Substances (PFAS) from Toxic Release Inventory:**

**PFAS TRI**

List of Toxics Release Inventory (TRI) facilities at which the reported chemical is a per- or polyfluoroalkyl (PFAS) substance included in the U.S. Environmental Protection Agency's (EPA) consolidated PFAS Master List of PFAS Substances. Encompasses Toxics Release Inventory records included in the EPA PFAS Analytic Tools. The EPA's TRI database currently tracks information on disposal or releases of 770 individually listed toxic chemicals and 33 chemical categories from thousands of U.S. facilities and details about how facilities manage those chemicals through recycling, energy recovery, and treatment.



**Perfluorinated Alkyl Substances (PFAS) Water Quality:**

[PFAS WATER](#)

The Water Quality Portal (WQP) is a cooperative service sponsored by the United States Geological Survey (USGS), the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC). This listing includes records from the Water Quality Portal where the characteristic (environmental measurement) is in the Environmental Protection Agency (EPA)'s consolidated Master List of PFAS Substances.

Government Publication Date: Jul 20, 2020

**PFAS TSCA Manufacture and Import Facilities:**

[PFAS TSCA](#)

The U.S. Environmental Protection Agency (EPA) issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. This list is specific only to TSCA Manufacture and Import Facilities with reported per- and poly-fluoroalkyl (PFAS) substances. Data file is sourced from EPA's PFAS Analytic Tools TSCA dataset which includes CDR/Inventory Update Reporting data from 1998 up to 2020. Disclaimer: This data file includes production and importation data for chemicals identified in EPA's CompTox Chemicals Dashboard list of PFAS without explicit structures and list of PFAS structures in DSSTox. Note that some regulations have specific chemical structure requirements that define PFAS differently than the lists in EPA's CompTox Chemicals Dashboard. Reporting information on manufactured or imported chemical substance amounts should not be compared between facilities, as some companies claim Chemical Data Reporting Rule data fields for PFAS information as Confidential Business Information.

Government Publication Date: Jan 5, 2023

**PFAS Waste Transfers from RCRA e-Manifest :**

[PFAS E-MANIFEST](#)

This Per- and Poly-Fluoroalkyl Substances (PFAS) Waste Transfers dataset is made available via the U.S. Environmental Protection Agency's (EPA) PFAS Analytic Tools. Every shipment of hazardous waste in the U.S. must be accompanied by a shipment manifest, which is a critical component of the cradle-to-grave tracking of wastes mandated by the Resource Conservation and Recovery Act (RCRA). According to the EPA, currently no Federal Waste Code exists for any PFAS compounds. To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: • PFAS • PFOA • PFOS • PERFL • AFFF • GENX • GEN-X (plus the Vermont state-specific waste codes). Limitations: Amount or concentration of PFAS being transferred cannot be determined from the manifest information. Keyword searches may misidentify some manifest records that do not contain PFAS. This dataset should also not be considered to be exhaustive of all PFAS waste transfers.

Government Publication Date: Dec 13, 2023

**PFAS Industry Sectors:**

[PFAS IND](#)

This Per- and Poly-Fluoroalkyl Substances (PFAS) Industry Sectors dataset is made available via the U.S. Environmental Protection Agency's (EPA) PFAS Analytic Tools. The EPA developed the dataset from various sources that show which industries may be handling PFAS including: EPA's Enforcement and Compliance History Online (ECHO) records restricted to potential PFAS-handling industry sectors; ECHO records for Fire Training Sites identified where fire-fighting foam may have been used in training exercises; and 14 CFR Part 139 Airports compiled from historic and current records from the FAA Airport Data and Information Portal. Since July 2006, all certificated Part 139 Airports are required to have fire-fighting foam onsite that meet certain military specifications, which to date have been fluorinated (Aqueous Film Forming Foam). Limitations: Inclusion in this dataset does not indicate that PFAS are being manufactured, processed, used, or released by the facility. Listed facilities potentially handle PFAS based on their industrial profile, but are unconfirmed by the EPA. Keyword searches in ECHO for Fire Training sites may misidentify some facilities and should not be considered to be an exhaustive list of fire training facilities in the U.S.

Government Publication Date: Dec 4, 2023

**Hazardous Materials Information Reporting System:**

[HMIRS](#)

The Hazardous Materials Incident Reporting System (HMIRS) database contains unintentional hazardous materials release information reported to the U.S. Department of Transportation, Pipeline and Hazardous Materials Safety Administration.

Government Publication Date: Nov 26, 2023

**National Clandestine Drug Labs:**

[NCDL](#)

The U.S. Department of Justice ("the Department"), Drug Enforcement Administration (DEA), provides this data as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy.

Government Publication Date: Jul 26, 2023

**Toxic Substances Control Act:**

[TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The CDR enables EPA to collect and publish information on the manufacturing, processing, and use of commercial chemical substances and mixtures (referred to hereafter as chemical substances) on the TSCA Chemical Substance Inventory (TSCA Inventory). This includes current information on chemical substance production volumes, manufacturing sites, and how the chemical substances are used. This information helps the Agency determine whether people or the environment are potentially exposed to reported chemical substances. EPA publishes submitted CDR data that is not Confidential Business Information (CBI).

**Government Publication Date: Apr 11, 2019**

**Hist TSCA:**

[HIST TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The 2006 IUR data summary report includes information about chemicals manufactured or imported in quantities of 25,000 pounds or more at a single site during calendar year 2005. In addition to the basic manufacturing information collected in previous reporting cycles, the 2006 cycle is the first time EPA collected information to characterize exposure during manufacturing, processing and use of organic chemicals. The 2006 cycle also is the first time manufacturers of inorganic chemicals were required to report basic manufacturing information.

**Government Publication Date: Dec 31, 2006**

**FTTS Administrative Case Listing:**

[FTTS ADMIN](#)

An administrative case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

**Government Publication Date: Jan 19, 2007**

**FTTS Inspection Case Listing:**

[FTTS INSP](#)

An inspection case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

**Government Publication Date: Jan 19, 2007**

**Potentially Responsible Parties List:**

[PRP](#)

Early in the site cleanup process, the U.S. Environmental Protection Agency (EPA) conducts a search to find the Potentially Responsible Parties (PRPs). The EPA looks for evidence to determine liability by matching wastes found at the site with parties that may have contributed wastes to the site. This listing contains PRPs, Noticed Parties, at sites in the EPA's Superfund Enterprise Management System (SEMS).

**Government Publication Date: Nov 14, 2023**

**State Coalition for Remediation of Drycleaners Listing:**

[SCRD DRYCLEANER](#)

The State Coalition for Remediation of Drycleaners (SCRD) was established in 1998, with support from the U.S. Environmental Protection Agency (EPA) Office of Superfund Remediation and Technology Innovation. Coalition members are states with mandated programs and funding for drycleaner site remediation. Current members are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin. Since 2017, the SCRDC no longer maintains this data, refer to applicable state source data where available.

**Government Publication Date: Nov 08, 2017**

**Integrated Compliance Information System (ICIS):**

[ICIS](#)

The Integrated Compliance Information System (ICIS) database contains integrated enforcement and compliance information across most of U.S. Environmental Protection Agency's (EPA) programs. The vision for ICIS is to replace EPA's independent databases that contain enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions and a subset of the Permit Compliance System (PCS), which supports the National Pollutant Discharge Elimination System (NPDES). This information is maintained by the EPA Headquarters and at the Regional offices. A future release of ICIS will completely replace PCS and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities that support compliance and enforcement programs, including incident tracking, compliance assistance, and compliance monitoring.

**Government Publication Date: Jan 21, 2023**

**Drycleaner Facilities:**

[FED DRYCLEANERS](#)

A list of drycleaner facilities from Enforcement and Compliance History Online (ECHO) data as made available by the U.S. Environmental Protection Agency (EPA), sourced from the ECHO Exporter file. The EPA tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

**Government Publication Date: Jul 23, 2023**

**Delisted Drycleaner Facilities:**

DELISTED FED DRY

List of sites removed from the list of Drycleaner Facilities (sites in the EPA's Integrated Compliance Information System (ICIS) with NAIC or SIC codes identifying the business as a drycleaner establishment).

**Government Publication Date: Jul 23, 2023**

**Formerly Used Defense Sites:**

FUDS

Formerly Used Defense Sites (FUDS) are properties that were formerly owned by, leased to, or otherwise possessed by and under the jurisdiction of the Secretary of Defense prior to October 1986, where the Department of Defense (DOD) is responsible for an environmental restoration. The FUDS Annual Report to Congress (ARC) is published by the U.S. Army Corps of Engineers (USACE). This data is compiled from the USACE's Geospatial FUDS data layers and Homeland Infrastructure Foundation-Level Data (HIFLD) FUDS dataset which applies to the Fiscal Year 2021 FUDS Inventory.

**Government Publication Date: May 15, 2023**

**FUDS Munitions Response Sites:**

FUDS MRS

Boundaries of Munitions Response Sites (MRS), published with the Formerly Used Defense Sites (FUDS) Annual Report to Congress (ARC) by the U.S. Army Corps of Engineers (USACE). An MRS is a discrete location within a Munitions response area (MRA) that is known to require a munitions response. An MRA means any area on a defense site that is known or suspected to contain unexploded ordnance (UXO), discarded military munitions (DMM), or munitions constituents (MC). This data is compiled from the USACE's Geospatial MRS data layers and Homeland Infrastructure Foundation-Level Data (HIFLD) MRS dataset.

**Government Publication Date: May 15, 2023**

**Former Military Nike Missile Sites:**

FORMER NIKE

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

**Government Publication Date: Dec 2, 1984**

**PHMSA Pipeline Safety Flagged Incidents:**

PIPELINE INCIDENT

This list of flagged pipeline incidents is made available by the U.S. Department of Transportation (US DOT) Pipeline and Hazardous Materials Safety Administration (PHMSA). PHMSA regulations require incident and accident reports for five different pipeline system types. Accidents reported on hazardous liquid gravity lines (§195.13) and reporting-regulated-only hazardous liquid gathering lines (§195.15) and incidents reported on Type R gas gathering (§192.8(c)) are not included in the flagged incident file data.

**Government Publication Date: Nov 6, 2023**

**Material Licensing Tracking System (MLTS):**

MLTS

A list of sites that store radioactive material subject to the Nuclear Regulatory Commission (NRC) licensing requirements. This list is maintained by the NRC. As of September 2016, the NRC no longer releases location information for sites. Site locations were last received in July 2016.

**Government Publication Date: May 11, 2021**

**Historic Material Licensing Tracking System (MLTS) sites:**

HIST MLTS

A historic list of sites that have inactive licenses and/or removed from the Material Licensing Tracking System (MLTS). In some cases, a site is removed from the MLTS when the state becomes an "Agreement State". An Agreement State is a State that has signed an agreement with the Nuclear Regulatory Commission (NRC) authorizing the State to regulate certain uses of radioactive materials within the State.

**Government Publication Date: Jan 31, 2010**

**Mines Master Index File:**

MINES

The Master Index File (MIF) is provided by the United States Department of Labor, Mine Safety and Health Administration (MSHA). This file, which was originally created in the 1970's, contained many Mine-IDs that were invalid. MSHA removes invalid IDs from the MIF upon discovery. MSHA applicable data includes the following: all Coal and Metal/Non-Metal mines under MSHA's jurisdiction since 1/1/1970; mine addresses for all mines in the database except for Abandoned mines prior to 1998 from MSHA's legacy system (addresses may or may not correspond with the physical location of the mine itself); violations that have been assessed penalties as a result of MSHA inspections beginning on 1/1/2000; and violations issued as a result of MSHA inspections conducted beginning on 1/1/2000.

**Government Publication Date: May 1, 2023**

**Surface Mining Control and Reclamation Act Sites:**

[SMCRA](#)

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). This inventory contains information on the type and extent of Abandoned Mine Land (AML) impacts, as well as information on the cost associated with the reclamation of those problems. The data is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed. Disclaimer: Per the OSMRE, States and tribes who enter their data into eAMLIS (AML Inventory System) may truncate their latitude and longitude so the precise location of usually dangerous AMLs is not revealed in an effort to protect the public from searching for these AMLs, most of which are on private property. If more precise location information is needed, please contact the applicable state/tribe of interest.

**Government Publication Date: Jun 13, 2023**

**Mineral Resource Data System:**

[MRDS](#)

The Mineral Resource Data System (MRDS) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS. The USGS has ceased systematic updates of the MRDS database with their focus more recently on deposits of critical minerals while providing a well-documented baseline of historical mine locations from USGS topographic maps.

**Government Publication Date: Mar 15, 2016**

**DOE Legacy Management Sites:**

[LM SITES](#)

The U.S. Department of Energy (DOE) Office of Legacy Management (LM) currently manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The LM manages sites with diverse regulatory drivers (statutes or programs that direct cleanup and management requirements at DOE sites) or as part of internal DOE or congressionally-recognized programs, such as but not limited to: Formerly Utilized Sites Remedial Action Program (FUSRAP), Uranium Mill Tailings Radiation Control Act (UMTRCA Title I, Title II), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Resource Conservation and Recovery Act (RCRA), Decontamination and Decommissioning (D&D), Nuclear Waste Policy Act (NWPA). This site listing includes data exported from the DOE Office of LM's Geospatial Environmental Mapping System (GEMS). GEMS Data disclaimer: The DOE Office of LM makes no representation or warranty, expressed or implied, regarding the use, accuracy, availability, or completeness of the data presented herein.

**Government Publication Date: Dec 12, 2023**

**Alternative Fueling Stations:**

[ALT FUELS](#)

This list of alternative fueling stations is sourced from the Alternative Fuels Data Center (AFDC). The U.S. Department of Energy's Office of Energy Efficiency & Renewable Energy launched the AFDC in 1991 as a repository for alternative fuel vehicle performance data, which provides a wealth of information and data on alternative and renewable fuels, advanced vehicles, fuel-saving strategies, and emerging transportation technologies. The data includes Biodiesel (B20 and above), Compressed Natural Gas (CNG), Electric, Ethanol (E85), Hydrogen, Liquefied Natural Gas (LNG), Propane (LPG), and Renewable Diesel (R20 and above) fuel type locations.

**Government Publication Date: Aug 30, 2023**

**Superfunds Consent Decrees:**

[CONSENT DECREES](#)

This list of Superfund consent decrees is provided by the Department of Justice, Environment & Natural Resources Division (ENRD) through a Freedom of Information Act (FOIA) applicable file. This listing includes Consent Decrees for CERCLA or Superfund Sites filed and/or as proposed within the ENRD's Case Management System (CMS) since 2010. CMS may not reflect the latest developments in a case nor can the agency guarantee the accuracy of the data. ENRD Disclaimer: Congress excluded three discrete categories of law enforcement and national security records from the requirements of the FOIA; response is limited to those records that are subject to the requirements of the FOIA; however, this should not be taken as an indication that excluded records do, or do not, exist.

**Government Publication Date: Apr 19, 2023**

**Air Facility System:**

[AFS](#)

This EPA retired Air Facility System (AFS) dataset contains emissions, compliance, and enforcement data on stationary sources of air pollution. Regulated sources cover a wide spectrum; from large industrial facilities to relatively small operations such as dry cleaners. AFS does not contain data on facilities that are solely asbestos demolition and/or renovation contractors, or landfills. ECHO Clean Air Act data from AFS are frozen and reflect data as of October 17, 2014; the EPA retired this system for Clean Air Act stationary sources and transitioned to ICIS-Air.

**Government Publication Date: Oct 17, 2014**

**Registered Pesticide Establishments:**

[SSTS](#)

This national list of active EPA-registered foreign and domestic pesticide and/or device-producing establishments is based on data from the Section Seven Tracking System (SSTS). The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 7 requires that each producing establishment must place its EPA establishment number on the label or immediate container of each pesticide, active ingredient or device produced. An EPA establishment number on a pesticide product label identifies the EPA registered location where the product was produced. The list of establishments is made available by the U.S. Environmental Protection Agency (EPA).

**Government Publication Date:** Mar 1, 2023

**Polychlorinated Biphenyl (PCB) Transformers:**

PCBT

Locations of Transformers Containing Polychlorinated Biphenyls (PCBs) registered with the United States Environmental Protection Agency. PCB transformer owners must register their transformer(s) with EPA. Although not required, PCB transformer owners who have removed and properly disposed of a registered PCB transformer may notify EPA to have their PCB transformer de-registered. Data made available by EPA.

**Government Publication Date:** Oct 15, 2019

**Polychlorinated Biphenyl (PCB) Notifiers:**

PCB

Facilities included in the national list of facilities that have notified the United States Environmental Protection Agency (EPA) of Polychlorinated Biphenyl (PCB) activities. Any company or person storing, transporting or disposing of PCBs or conducting PCB research and development must notify the EPA and receive an identification number.

**Government Publication Date:** Oct 30, 2023

**State**

**Spills:**

SPILLS

A list of spill events reported to the Wisconsin Department of Natural Resources (DNR). The DNR describes a spill as a discharge of a hazardous substance that may adversely impact, or threaten to impact public health, welfare or the environment. This spills listing is sourced from the Bureau for Remediation and Redevelopment Tracking System (BRRTS) database and Open Data Portal applicable file/s provided by the DNR.

**Government Publication Date:** Jul 5, 2023

**Wisconsin Agricultural Spills Boundaries:**

AGSPILLS

Boundaries of agricultural spill sites reported to the Wisconsin Department of Agriculture, Trade and Consumer Protection. The Agricultural Chemical Cleanup Program (ACCP) is in place to identify and manage pesticide and fertilizer spills to prevent these products from reaching the groundwater. Once a site has been identified as requiring remediation, the ACCP provides reimbursement for eligible costs incurred by the responsible person.

**Government Publication Date:** Nov 30, 2023

**Wisconsin Agricultural Spills - Remediation Locations:**

AG SPILL REMED

List of agricultural spill site remediation locations made available by the Wisconsin Department of Agriculture, Trade and Consumer Protection. The Agricultural Chemical Cleanup Program (ACCP) is in place to identify and manage pesticide and fertilizer spills to prevent these products from reaching the groundwater. Once a site has been identified as requiring remediation, the ACCP provides reimbursement for eligible costs incurred by the responsible person.

**Government Publication Date:** Nov 30, 2023

**Wisconsin Bureau for Remediation and Redevelopment Tracking System:**

BRRTS

The Wisconsin Bureau for Remediation and Redevelopment Tracking System (BRRTS) contains information on the investigation and cleanup of potential and confirmed contamination to soil and groundwater in Wisconsin. This database includes: sites where an abandoned container with potentially hazardous contents has been inspected and recovered, and no known discharge to the environment has occurred; sites where there was, or may have been, a discharge to the environment and, based on the known information, the Department of Natural Resources (DNR) has determined that the responsible party does not need to undertake an investigation or cleanup in response to that discharge; materials management sites that receive contaminated soil from other properties; and sites which have been removed from the tracking system and archived.

**Government Publication Date:** Jul 5, 2023

**Delisted BRRT:**

DELISTED BRRT

The Wisconsin Bureau for Remediation and Redevelopment Tracking System (BRRTS) maintained by the Wisconsin Department of Natural Resources contains information on the investigation and cleanup of potential and confirmed contamination to soil and groundwater in Wisconsin. Sites and site details are removed from the data made available to the public when the source of contamination is unclear and an investigation to determine the source of contamination is in progress.

**Government Publication Date:** Oct 27, 2015

**Per- and Polyfluoroalkyl Substances (PFAS):**

PFAS CONTAM



List of sites at which the Wisconsin Department of Natural Resources (DNR) has determined further action is required due to confirmed per- and polyfluoroalkyl (PFAS) contamination. DNR advises that the information as presented may be incomplete and is subject to change as new information becomes available.

**Government Publication Date: Jul 5, 2023**

**Municipal System PFAS Sampling:**

**PFAS SAMPLING**

List of sample points where municipal water supply is impacted by per- and polyfluoroalkyl substances (PFAS). Listing made available by the Wisconsin Department of Natural Resources (DNR).

**Government Publication Date: Nov 9, 2022**

**Dry Cleaner Environmental Response Fund:**

**DRYC REM**

A list of facilities enrolled in the Dry Cleaner Environmental Response Fund (DERF) or have a reported historical use as a dry cleaning facility. This is only a listing of known remediation sites with a cleanup of contamination that may be related to dry cleaning substances. The Remediation & Redevelopment Program does not regulate or license Dry Cleaning Facilities The "status" provided in this list is only in regards to the cleanup and not the operations of the facility.

**Government Publication Date: Oct 26, 2023**

**Five Star Recognition Program Sites:**

**DRYCLEANERS**

The purpose of Wisconsin's Five Star Environmental Recognition Program for Drycleaners was to encourage drycleaners to become more environmentally-friendly. The program was divided into five different star categories, with the ultimate goal being to achieve the Five Star status. The program was sponsored by the Wisconsin Fabricare Institute (WFI), in cooperation with the Department of Natural Resources, the Department of Commerce, the University of Wisconsin Extension-Solid and Hazardous Waste Education Center and the Center for Neighborhood Technology. WFI discontinued the program on Jan 1, 2013

**Government Publication Date: Jan 1, 2013**

**Delisted Dry Cleaner Environmental Response Fund:**

**DELISTED DRYC REM**

Sites which once appeared on - but have since been removed from - the list of sites in the Dry Cleaner Environmental Response Fund Program made available by the Wisconsin Department of Natural Resources (DNR). The Dry Cleaner Environmental Response Fund Program reimburses dry cleaners for the investigation and clean up of the release of chemicals used in dry cleaning.

**Government Publication Date: Oct 26, 2023**

**Liens and Notices of Contamination:**

**LIENS**

A list of sites with liens and notices of contamination. This list is made available by the Wisconsin Department of Natural Resources (DNR).

**Government Publication Date: Nov 15, 2023**

**Tier 2 Report:**

**TIER 2**

A list of Tier 2 facilities in Wisconsin. This list is provided by the Wisconsin Emergency Management/ State Emergency Response Commission.

**Government Publication Date: Jan 19, 2023**

**Tribal**

**No Tribal additional environmental record sources available for this State.**

**County**

**No County additional environmental record sources available for this State.**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.